

DAILY ONLINE ACTIVITIES SUMMARY

Date:	22-05-2020	Name:	Pallavi I sutar
Sem & Sec	8 th B	USN:	4al16cs061
Online Test Summary			
Subject	BDA(IA 2)		
Max. Marks	40	Score	29
Certification Course Summary			
Course	Big data analytic		
Certificate Provider	Great learner academy	Duration	6hrs
Coding Challenges			
Problem Statement: Find the number that is missing from the array containing n distinct number taken from 0,1,2....n			
Status: solved			
Uploaded the report in Github		yes	
If yes Repository name		Pav122	
Uploaded the report in slack		yes	

Online Test Details: (Attach the snapshot and briefly write the report for the same)

Hi PALLAVI Sutar,

You have scored **29 marks** in **Module 2**.

[See Assessment](#)

About The Assessment



CSE_BDA_2

Round 1 ends on: 22 May, 2020

Warm Regards,
TechGig Team

Certification Course Details: (Attach the snapshot and briefly write the report for the same)



Introduction to Ethical Hacking

Course In Progress

CONTENT

ASSESSMENTS

Learning Videos

▶

Career and Growth Ladder in Ethical Hacking

18m

✓

▶

Domains and Process Implementation under Ethical Hacking

54m

✓

▶

Ethical Hacking in Network Architecture-Demonstration

48m

✓

▶

Ethical Hacking in Web Applications-Demonstration

50m

✓

▶

Ethical Hacking on Mobile Platforms-Demonstration

34m

▶

What is Ethical Hacking

50m

Activate Windows

Go to Settings

Activate Windows
Go to Settings to activate Windows.

Domains and Process Implementation under Ethical Hacking

- Web Application Domain
- Mobile
- Network Architecture Domain

Hacking Methodology

- Web Footprinting –Gathering Information
- Vulnerability Scanners –w3 af, Acunetix
- Identity Entry Points and Attack Surface

Coding Challenges Details: (Attach the snapshot and briefly write the report for the same)

solution

```
#include <stdio.h>
int getMissingNo(int a[], int n)
{
    int i, total;
    total = (n + 1) * (n + 2) / 2;
    for (i = 0; i < n; i++)
        total -= a[i];
    return total;
}
int main()
{
    int a[] = { 1, 2, 4, 5, 6 };
    int miss = getMissingNo(a, 5);
    printf("%d", miss);
    getchar();
}
```