
Međuispit iz "Elektronike 2" - rješenja

Zadaci



$$I_{DQ1} = \frac{U_{SS} - U_{GSQ1}}{2R_{S}} = \frac{K}{2} \left(U_{GSQ1} - U_{GS0} \right)^{2},$$

$$12 \cdot U_{GSQ1}^2 - 47 \cdot U_{GSQ1} + 33 = 0 \rightarrow U_{GSQ1} = 3 \text{ V} = U_{GSQ2}$$
,

$$I_{DQ1} = I_{DQ2} = \frac{U_{SS} - U_{GSQ1}}{2 R_{S}} = 1 \text{ mA},$$

$$U_{DSQ1} = U_{DD} + U_{SS} - 2R_S I_{DQ1} = 18 \text{ V} , \quad U_{DSQ2} = U_{DD} + U_{SS} - (R_D + 2R_S)I_{DQ2} = 15 \text{ V} ,$$


$$g_{m2} = K(U_{GSQ2} - U_{GS0}) = 2 \text{ mA/V}, \quad r_{d2} \rightarrow \infty$$

$$A_{Vz} = \frac{u_{iz}}{u_z} = \frac{-g_{m2} R_D}{1 + 2g_{m2} R_S} = -0.24 , A_{Vd} = \frac{u_{iz}}{u_d} = \frac{-g_{m2} R_D}{2} = -3 ,$$

$$\rho = \frac{|A_{Vd}|}{|A_{Vz}|} = 12,5,$$

$$U_{zm} = \frac{U_{gm} + 0}{2} = 100 \text{ mV}, \ \ U_{dm} = 0 - U_{gm} = -200 \text{ mV},$$

$$U_{izm} = A_{Vz} U_{zm} + A_{Vd} U_{dm} = 576 \text{ mV}, \ u_{iz} = 576 \sin \omega t \text{ mV}.$$




$$I_{CQ2} \approx \frac{U_{BEQ1}}{R_{E2}} = 2 \text{ mA},$$

$$U_{CC} \approx I_{CQ1} \, R_{C1} + U_{BEQ2} + I_{CQ2} \big(R_{E1} + R_{E2} \big) \quad \rightarrow \quad I_{CQ1} = 2,4 \text{ mA} \; ,$$

$$U_{CEQ1} \approx U_{CC} - I_{CQ1} \, R_{C1} = 5,4 \; \text{V} \; , \; \; U_{CEQ2} \approx U_{CC} - I_{CQ2} \left(R_{C2} + R_{E1} + R_{E2} \right) = 4,3 \; \text{V} \; , \label{eq:UCEQ1}$$

$$r_{bel} = \frac{U_T}{I_{BO1}} = \frac{\beta U_T}{I_{CO1}} = 1,04 \text{ k}\Omega , \ r_{be2} = \frac{U_T}{I_{BO2}} = \frac{\beta U_T}{I_{CO2}} = 1,25 \text{ k}\Omega ,$$




$$A_{V2} = \frac{u_{iz}}{u_2} = -h_{fe} \frac{R_{C2} \| R_T}{r_{be2}} = -60 , A_{V1} = \frac{u_2}{u_{ul}} = -h_{fe} \frac{R_{C1} \| r_{be2}}{r_{be1}} = -91,6 ,$$

$$A_V = \frac{u_{iz}}{u_{vi}} = A_{V2} A_{V1} = 5500$$
,

$$R_{ul} = \frac{u_{ul}}{i_{ul}} = R_{E1} \| R_{E2} \| r_{bel} = 232 \ \Omega \ , \ A_I = \frac{i_{iz}}{i_{ul}} = \frac{u_{iz} \ / \ R_T}{u_{ul} \ / \ R_{ul}} = A_V \frac{R_{ul}}{R_T} = 1280 \ ,$$

$$R_{iz} = R_{C2} = 3 \text{ k}\Omega.$$



$$U_{izm} = (U_{CC} - U_{BE}) \frac{(1+\beta) R_T}{R_1 + (1+\beta) R_T} \rightarrow R_1 = 291 \Omega = R_2,$$

$$I_{RQ1} = \frac{U_{CC} - U_{BEQ}}{R_1} = 32 \text{ mA},$$

$$I_{RQ1} = I_{BQ3} + I_{CQ3} + I_{BQ1} = \frac{2 + \beta}{\beta} I_{CQ3} \rightarrow I_{CQ1} = 31,2 \text{ mA} = I_{CQ2},$$


$$P_{T3} = U_{BEQ} (I_{BQ3} + I_{CQ3}) = 22.1 \text{ mW},$$

$$P_{T1} = U_{CC} I_{CQ1} + \frac{P_{CC} - P_{RT}}{2} = U_{CC} I_{CQ1} + U_{CC} \frac{I_{cm}}{\pi} - R_T \frac{I_{cm}^2}{4},$$

$$\operatorname{za} I_{cm} = 0 \quad \to \quad P_{T1} = P_{T1 \, \text{min}} = U_{CC} \, I_{CQ1} = 0,312 \, \, \text{W} \; ,$$

$$\frac{\partial P_{T1}}{\partial I_{cm}} = \frac{U_{CC}}{\pi} - R_T \frac{I_{cm}}{2} \equiv 0 \quad \rightarrow \quad I_{cm|P_{T1}_{max}} = \frac{2}{\pi} \frac{U_{CC}}{R_T} \,,$$

$$\operatorname{za} I_{cm} = \frac{2}{\pi} \frac{U_{CC}}{R_T} \quad \to \quad P_{T1} = P_{T1 \, \text{max}} = U_{CC} \, I_{CQ1} + \frac{U_{CC}^2}{\pi^2 \, R_T} = 2,85 \, \, \text{W} \, \, .$$




$$U_{BB} = \frac{R_2}{R_1 + R_2} U_{CC} = 7.5 \text{ V}, R_B = R_1 \| R_2 = 75 \text{ k}\Omega,$$

$$I_{BQ} = \frac{U_{BB} - U_{BEQ}}{R_B + (1 + \beta)R_E} = 12,8 \text{ } \mu\text{A} , \ I_{CQ} = \beta I_{BQ} = 1,28 \text{ } \text{mA} ,$$

$$U_{CEO} \approx U_{CC} - R_E I_{CO} = 6{,}24 \text{ V},$$

$$r_{be} = \frac{U_T}{I_{BQ}} = 1,95 \text{ k}\Omega,$$



$$\frac{U_{iz}}{U_{ul}} = \frac{\left(1 + h_{fe}\right)\left(R_E \parallel R_T\right)}{r_{be} + \left(1 + h_{fe}\right)\left(R_E \parallel R_T\right)} = 0.959 , \quad R'_{ul} = r_{be} + \left(1 + h_{fe}\right)\left(R_E \parallel R_T\right) = 47.4 \text{ k}\Omega ,$$

$$\frac{U_{ul}}{U_g} = \frac{R_B \parallel R'_{ul}}{R_g + R_B \parallel R'_{ul}} = 0.983 , \quad A_{Vg0} = \frac{U_{iz}}{U_g} = \frac{U_{iz}}{U_{ul}} \frac{U_{ul}}{U_g} = 0.943 ,$$

$$\tau_B = \left(R_g + R_B \parallel R'_{ul}\right)C_B = 29.5 \text{ ms} , \quad \omega_B = \frac{1}{\tau_B} = 33.9 \text{ rad/s} ,$$

$$\tau_E = \left(\frac{r_{be} + R_g \parallel R_B}{1 + h_{fe}} \parallel R_E + R_T\right)C_E = 2.62 \text{ ms} , \quad \omega_E = \frac{1}{\tau_E} = 382 \text{ rad/s} ,$$

$$\omega_d = \omega_E = 382 \text{ rad/s} , \quad f_d = \frac{\omega_d}{2\pi} = 60.8 \text{ Hz} .$$