# Keeyon Ebrahimi N14193968 Assignment 5

## Exercise 9.1:

$$P(X = -1) = 0.2$$

$$P(X = 2) = 0.5$$

$$P(X = 6) = 0.3$$

Expected Value = 
$$(-1 * 0.2) + (2 * 0.5) + (6 * 0.3) = 2.6$$

Mean = (-1 + 2 + 6) / 3 = 
$$2\frac{1}{3}$$

$$\text{Variance} = \frac{(-1 - \frac{1}{3})^2 + (2 - \frac{1}{3})^2 + (6 - \frac{1}{3})^2}{3} = \frac{110}{9}$$

Standard Deviation = 
$$\sqrt{Variace} = \sqrt{\frac{110}{9}} = 3.496$$

#### Exercise 9.2:

## (a) Marginal Distributions

$$P(X) = [(0.12 + 0.08 + 0.10), (0.20 + 0.04 + 0.25), (0.08 + 0.10 + 0.03)]$$
  
$$P(Y) = [(0.12 + 0.20 + 0.08), (0.08 + 0.04 + 0.10), (0.10 + 0.25 + 0.03)]$$

$$P(X) = [0.3, 0.49, 0.21]$$
  
 $P(Y) = [0.4, 0.22, 0.38]$ 

	-1	1	2	P(X)
0	0.12	0.08	0.10	0.3
1	0.20	0.04	0.25	0.49
3	0.08	0.10	0.03	0.21
P(Y)	0.4	0.22	0.38	

### (b) X and Y Independent? Solution: No

Lets label our original joint distribution as F. If we are dealing with something that is independent, we should get F(X,Y) = P(X) \* P(Y) for all (x,y) in range, or each cell in the table. This is because P(A,B) = P(A) \* P(B) with independent events.

F(X,Y)					
	-1	1	2	P(X)	
0	0.12	0.08	0.10	0.3	
1	0.20	0.04	0.25	0.49	
3	0.08	0.10	0.03	0.21	
P(Y)	0.4	0.22	0.38		

$$\begin{array}{c|cccc} P(X)*P(Y) \\ \hline & -1 & 1 & 2 \\ \hline 0 & 0.12 & 0.07 & 0.11 \\ \hline 1 & 0.20 & 0.11 & 0.19 \\ \hline 3 & 0.08 & 0.05 & 0.08 \\ \hline \end{array}$$

As we can see, when we multiply the margins, we do not get the same the same as F(X,Y), so because  $F(X,Y) \neq P(X) * P(Y)$ , we know that they are not Independent.

## (c) Exp(X) and Exp(Y)

$$Exp(X) = (0 * 0.3) + (1 * 0.49) + (3 * 0.21) = 1.12$$

$$\operatorname{Exp}(Y) = (-1 * 0.4) + (1 * 0.22) + (2 * 0.38) = 0.58$$

(d) Distribution of X + Y.

We must first find all the possible values for X + Y. X can be [0, 1, 3]. Y can be [-1, 1, 2]. This means that the possible values for X + Y are [-1, 1, 2, 0, 3, 4, 5], thus

$$P(-1) = 0.12$$

$$P(0) = 0.20$$

$$P(1) = 0.08$$

$$P(2) = 0.10 + 0.04 + 0.08 = 0.22$$

$$P(3) = 0.25$$

$$P(4) = 0.10$$

$$P(5) = 0.03$$

(e) 
$$P(X|Y = 2)$$
 and  $P(Y|X = 1)$ 

i. 
$$P(X|Y=2)$$

We know that

$$P(X|Y = 2) = \frac{P(X,Y = 2)}{P(Y = 2)}$$

Now lets compute

$$P(Y = 2) = 0.38$$

## This means that

$$P(X = 0|Y = 2) = \frac{0.1}{0.38} = 0.26315 = 26.32\%$$

$$P(X = 1|Y = 2) = \frac{0.25}{0.38} = 0.65789 = 65.79\%$$

$$P(X = 3|Y = 2) = \frac{0.03}{0.38} = 0.07894 = 7.895\%$$

ii. 
$$P(Y|X=1)$$

We know that

$$P(Y|X = 1) = \frac{P(X = 1, Y)}{P(X = 1)}$$

$$P(X = 1) = 0.49$$

## This means that

$$P(Y = -1|X = 1) = \frac{0.20}{0.49} = 0.40816 = 40.82\%$$

$$P(Y = 1|X = 1) = \frac{0.04}{0.49} = 0.08163 = 8.163\%$$

$$P(Y = 2|X = 1) = \frac{0.25}{0.49} = 0.5102 = 51.02\%$$

#### Exercise 9.3:

Let X be a random variable with values 0, 1, 3, and let Y be a random variable with values -1, 1, 2. Suppose that P(X=0) = 0.5, P(X=1) = 0.4, and P(X=3) = 0.1, with the following values of P(Y|X)

P(Y X)					
	-1	1	2		
0	0.5	0.3	0.2		
1	0.2	0.7	0.1		
3	0.4	0.1	0.5		

## (a) Joint Distribution of X, Y

We are given all P(X) and also all P(Y|X). We must now solve for P(X,Y) for the joint distribution. We know that P(X) \* P(Y|X) = P(X,Y), so we just need to multiply in the correct locations to have the correct values. This results in

P(X,Y)				
	-1	1	2	
0	0.25	0.15	0.1	
1	0.08	0.28	0.04	
3	0.04	0.01	0.05	

# (b) Distribution of Y

$$P(Y = -1) = 0.25 + 0.08 + 0.04 = 0.37 = 37\%$$
  
 $P(Y = 1) = 0.15 + 0.28 + 0.01 = 0.44 = 44\%$   
 $P(Y = 2) = 0.1 + 0.04 + 0.05 = 0.19 = 19\%$ 

# (c) Corresponding table for P(X|Y)

$$P(X,Y) = P(X|Y) * P(Y)$$
$$\frac{P(X,Y)}{P(Y)} = P(X|Y)$$

$$\begin{array}{c|c|c|c|c} P(X,Y) \\ \hline & -1 & 1 & 2 \\ \hline 0 & 0.6757 & 0.341 & 0.5263 \\ \hline 1 & 0.216 & 0.636 & 0.2105 \\ \hline 3 & 0.108 & 0.0227 & 0.2623 \\ \hline \end{array}$$

(d) Distribution of X + Y

We must first find all the possible values for X + Y. X can be [0,1,3]. Y can be [-1,1,2] This means that the possible values for X + Y are [-1,1,2,0,3,4,5], thus

$$P(-1) = 0.25$$

$$P(0) = 0.08$$

$$P(1) = 0.15$$

$$P(2) = 0.10 + 0.28 + 0.04 = 0.42$$

$$P(3) = 0.04$$

$$P(4) = 0.01$$

$$P(5) = 0.05$$

- (e) Exp(X), Exp(Y), Exp(X+Y).
  - (i) Exp(X) = 0.7

$$Exp(X) = (0 * 0.5) + (1 * 0.4) + (3 * 0.1) = 0.7$$

(ii) Exp(Y) = 0.45

$$Exp(Y) = (-1 * 0.37) + (1 * 0.44) + (2 * 0.19) = 0.45$$

(iii) Exp(X + Y) = 1.15

By Theorem 9.8 from page 260, (Proof on page 261), we know that Exp(X + Y) = Exp(X) + Exp(Y)

$$Exp(X + Y) = Exp(X) + Exp(Y) = 0.7 + 0.45 = 1.15$$