
### What Is the Transport Layer?

We finished the application layer, and now we'll study the transport layer.

# WE'LL COVER THE FOLLOWING You Are Here! Key Responsibilities of the Transport Layer The Post Analogy Where It Exists Transport Layer Protocols Quick Quiz!

### You Are Here! #

Let's zoom out and have a look at the big picture.



# Key Responsibilities of the Transport Layer #

• Extends network to the applications: the transport layer takes messages from the network to applications. In other words, while the network layer (directly below the transport layer) transports messages from one end-system to another, the transport layer delivers the message to and from the relevant application *on* an end-system.


you are here

### The Post Analogy #


Host 1

Imagine you post a package across the world. Presumably, a ship or an airplane would carry the message to the relevant country. However, the post system of that country would take it to the relevant address. The **plane/ship** is the *network layer* and the **post system** is the *transport layer*.

Have a look at the slides for a clearer explanation.



Host 2



Here are some other responsibilities of the transport layer.

- Logical application-to-application delivery, the transport layer makes it so that applications can address other applications on other endsystems directly. This is true even if it exists halfway across the world. So it provides a layer of abstraction.
- **Segments data**. The transport layer also divides the data into manageable pieces called 'segments' or 'datagrams.'
- Can allow multiple conversations. Tracks each application to application connection or 'conversation' separately, which can allow multiple conversations to occur at once.
- Multiplexes & demultiplexes data. It ensures that the data reaches the relevant application *within* an end-system. So if multiple packets get sent to one host, each will end up at the correct application.

### Where It Exists #

• The transport layer does not have anything to do with the **core of the network**. Its only responsibility is to take messages from an *application*on a machine and hand them off to the network layer. The network layer
transfers messages from one host to another.

• The transport layer also receives messages from the network layer and transports them to the correct application.

Therefore, the transport layer and its protocols **reside on end-systems**! It is also the first layer in the OSI reference model (from the bottom) that distinguishes between applications.

# Transport Layer Protocols #

The transport layer has two prominent protocols: the **transmission control protocol** and the **user datagram protocol**. In general, an application developer will have to choose between the two. We'll discuss the intricacies of each in detail in upcoming chapters, but here is a quick overview.


### **TCP**

- Delivers messages that we call 'segments' reliably and in order.
- Detects any modifications that may have been introduced in the packets during delivery and corrects them.
- Handles the volumes of traffic at one time within the network core by sending only an appropriate amount of data at one time.
- Examples of applications/application protocols that use TCP are: HTTP, E-mail, File Transfers.

### **UDP**

- Does not ensure in-order delivery of messages that we call 'datagrams.'
- Detects any modifications that may have been introduced in the packets during delivery but does not correct them by default.
- Does not ensure reliable delivery.
- Generally faster than TCP
   because of the reduced overhead
   of ensuring uncorrupted
   delivery of packets in order.
- Applications that use UDP include: Domain Name System (DNS), live video streaming, and Voice over IP (VoIP).

# Quick Quiz! #



In the next lesson, we'll have a more in-depth look at multiplexing and demultiplexing!