

ExampleSet //Local Repository/ks/data/ANN_EXA_Relaxation

ExampleSet (142 examples, 1 special attribute, 13 regular attributes)

Role	Name	Type	Statistics	Range
label	Srelaxation	nominal	mode = 1 (87), least = 3 (6)	1 (87), 3 (6), 2 (49)
regular	2G_2Dur_MEAN	real	avg = 94.955 +/- 20.461	[67.091 ; 179.500]
regular	2G_Dur_MEAN	real	avg = 711.644 +/- 571.460	[208.917 ; 4156.219]
regular	2G_NumEvents_MEAN	real	avg = 4.204 +/- 0.162	[4.000 ; 4.818]
regular	2G_NumEvents_SD	real	avg = 0.537 +/- 0.527	[0.000 ; 4.034]
regular	3G_1Dur_MEAN	real	avg = 104.343 +/- 26.540	[61.500 ; 199.000]
regular	3G_2D2D_MEAN	real	avg = 438.086 +/- 533.448	[47.000 ; 3766.632]
regular	3G_2Dur_SD	real	avg = 26.499 +/- 30.175	[0.000 ; 260.846]
regular	3G_Dur_MEAN	real	avg = 1050.637 +/- 1016.742	[318.000 ; 7329.000]
regular	3G_Dur_SD	real	avg = 1693.997 +/- 4534.087	[0.000 ; 45034.297]
regular	Mouse_Movement_Dur_SD	real	avg = 16022.429 +/- 59806.006	[1099.300 ; 708628.000]
regular	Mouse_Movement_X_MEAN	real	avg = 39.137 +/- 12.823	[16.908 ; 82.500]
regular	Mouse_Movement_Y_SD	real	avg = 42.225 +/- 15.810	[9.472 ; 97.719]
regular	Attempts	integer	avg = 6.711 +/- 15.136	[1.000 ; 129.000]