

# Ziffers - Numbered Notation for Algorithmic Composition

Miika Alonen

Department of Computer Science, Aalto University, Finland

[miika.alonen@aalto.fi](mailto:miika.alonen@aalto.fi)

Raphaël Maurice Forment

ECLLA, Université Jean Monnet, France

[raphael.forment@univ-st-etienne.fr](mailto:raphael.forment@univ-st-etienne.fr)

## ABSTRACT

Ziffers is an algorithmic number based musical notation system. It offers concise syntax to support composition and improvisation with complex melodies and rhythms. Ziffers is the result of experiments in unifying several types of musical notation centred around the use of symbols and numbers. It is inspired by the older numbered musical notations (*Ziffersystem*, *Jianpu*), contemporary music theory (pitch-class sets, post-tonal music analysis, serialism) and shorthand notations used in live-coding. Ziffers aims for a balance between fixed media music notation and generative notations for live coding performance. In this article, we propose an implementation agnostic numbered notation for algorithmic composition and live coding. As a proof of concept, this article will also present a live-coding framework for Ziffers notation and an export plugin for a general purpose scorewriter. In doing so, we hope to highlight the versatility of our approach in using unified syntax for different contexts of execution and interpretation.

## 1 INTRODUCTION: ZIFFERS, QUICKLY EDITABLE NUMBER BASED NOTATION

*Ziffers* — named and inspired by the older *Ziffersystem* (Warkentin 2022) — proposes a system focused on the conciseness and expressiveness of musical notation. Ziffers is designed to enable generation and transformation of musical patterns (McCormack et al. 1996; McLean 2020) in minimal amounts of time and typing. To do so, Ziffers uses a text-based syntax for representing various short-hand symbolic notations used in music theory. It also includes various syntactic-sugar constructs from different programming languages, like the ternary operator and the lisp-like syntax for lists. The need for a concise and succinct notation in the context of live coding performance is a well-known constraint (Charlie Roberts and Wakefield 2018). It gave rise, in the past decades, to many practices and techniques aiming to reduce frictions in the conversational feedback loop between the musician and its programming interface. Domain specific languages (DSLs) and the use of terse mini notations have become an important design pattern in the conception of live coding interfaces (Hoogland 2019). They can also be noted to be a key concept in the larger realm of exploratory or conversational open-ended programming where reactivity and fast decision-making is of prime importance to achieve a creative state of flow (Nash 2015; Kery and Myers 2017). Consequently, the Ziffers system has been influenced by *TidalCycles* (McLean and Wiggins 2010) and *Ixi Lang* (Magnusson 2011). In their lineage, Ziffers intends to propose a powerful mini-notation system allowing the on-the-fly alteration of musical patterns.

Ziffers is designed as a terse and platform independent syntax capable of embedding algorithmic and generative processes at the notational level. Basic tokens denoting pitch, rhythm or expression marks form to the base notation. They have subsequently been enriched by operators and generative constructs denoting algorithmic transformations built upon that first layer. Presented framework for using Ziffers in live-coding is built on *Sonic Pi* (Aaron 2016), a live coding platform designed for education and music performance. Ziffers initially took form as an attempt to speed up the process of writing melodic lines by taking advantage of the large number of predefined methods and compositional helpers offered by *Sonic Pi*'s rich internal library. The dissociation between pitch and rhythm imposed by *Sonic Pi* data structures and imperative-oriented programming model lead to the development of the first prototype of Ziffers (Alonen 2018). After a few years of research and prototyping, Ziffers 2.0 was released in 2022 (Alonen 2022). It includes a new parser that extends Ziffers capabilities with new operators and nested structures for greater support in stochastic and aleatoric composition.

## 2 Method: Designing by drawing from music notation history

The Ziffers music notation is confronting historical numeric pitch-based music notation practices with the kairotic notations (Cocker 2013) typically found in live coding and algorithmic music performance systems (Blackwell et al. 2022). Therefore, the system has been designed iteratively, in conversation with the diverse and complex historical legacy of said practices. Documents pertaining to the systems of numeric pitch notation in common practice can be traced back as early as the European baroque up to the contemporan era through examples as varied as the American Nashville system, the Chinese Jianpu simplified notation (Kaminski 2022; MNMA 2022) or the theoretical pitch-class set numbering of musical structures and chords used in post-tonal music theory (Forte 1973).

Numerical systems for score, harmonic or melodic writing -- less commonly encountered than their staff-based counterparts -- have historically served as compositional tools for polyphonic contrapuntal notation (Davantès 1560), early theoretical endeavours in algorithmic composition (Kircher 1650) or in pedagogy and teaching (Rousseau 1781). Finding a new breath during the late nineteenth-century through the Galin-Paris-Chevré notation (Dauphin 2012), the practice spread to Asia where it is widely used, known and practiced, sometimes concurrently with standard staff notation. Some specialized applications of numbered notation can also be found in the toolset of ethnomusicologists and ethnomathematicians that often take advantage of the versatility of symbolic cipher notation to devise notation systems capable of formalizing musical systems or previously non-written musical practices (Schaffrath 1997; Chemillier 2002).

We perceive -- as a thought experiment -- the use of mininotations (Magnusson and McLean 2018) as modern live coding analogues to previously mentioned numerical music notation systems. In that regard, with their conciseness and economy of expression, we observe that older non-computer based numerical notations systems are adequate fits for the domain but have never been fully transposed and applied to the realm of live coding performance. Strikingly, we see them being used by musicians and music theorists alike as pragmatic and practical tools for draft notation and information sharing. In our opinion, the versatility of pitch-based number notations as well as their adequacy to the traditional way of inputting complex data structures (as lists, arrays or ordered data) in the most music programming languages (Roads 1996; Dannenberg 2018) make this type of notation a fruitful exploration domain for live coding and computer-based music notation alike. Generative numeric notation can also mitigate the separation between static and dynamic music notation languages as defined by Dannenberg's typology of the domain. Examples such as Adagio (Dannenberg 1986), ESAC (Schaffrath 1997), ABC (Walshaw 2011), Guido (Hoos et al. 1998), MML (Izumi 2001), MusicXML (Good 2001), HumDrum (Huron 2002), Lilypond (Nienhuys and Nieuwenhuizen 2003) or MusicTXT (Li and Li 2021) as static languages, focus on the encoding of musical information on fixed medium while other dynamic languages such as Nyquist (Dannenberg 1997), SuperCollider (McCartney 2002), TidalCycles (McLean and Wiggins 2010), Sonic Pi (Aaron 2016), OpusModus (Opusmodus 2022) and Mercury (Hoogland 2019) often extends musical notation by blending it with computational models of control flow, sound processing capabilities or binding different means of sonic writing: *"The instrument incorporates notational elements, but conversely the notational is becoming increasingly instrumental and systematic"* (Magnusson 2019).

## 3 Objectives: Specification of a cross-platform notation system

Objectives of the Ziffers numerical notation adheres to the cognitive dimensions of music notations as defined by Nash (2015) and to the subset of criterion relevant to the numbered notations defined by the Music Notation Project (MNMA 2022). The notation must allow users of different ages and backgrounds to compose music. The Ziffers extension built for Sonic Pi presented in latter sections of this paper builds on the accessibility and pedagogical efforts pursued by Aaron (2016). The development of the numerical notation aims to remove the exclusivity that comes with the music theory and provide a beneficial live coding experience for the uninitiated. Use of numeric notation should make it possible to write melodic sequences and interval movements using numbers regardless of the key and scale.

The implementation of the Ziffers notation is specific to each targeted platform. The notation should also minimal enough to be easily manipulated through any writing tool by relying solely on symbols taken from the ASCII table. To easily conceptualize pitches in time, defining a combination of pitch and duration should be as straightforward as possible. The notation should be able to function as an educational tool for teaching music theory and composition. Furthermore, by making the user aware of the relationship between musical and mathematical notation, the system should also support teaching advanced music theory concepts such as musical set theory and the manipulation of pitch-sets or any complex musical objects.

The number of live coding environments have steadily increased in recent years (Toplap 2022). We argue that there is now a need for some amount of notational interoperability between different live coding environments. We interpret the non coordinated emergence of Tidal-like mininotations in tools such as Gibber (Charles Roberts and Pachon-Puentes 2019), Bacalao (Fraser 2020), Petal (kn1kn1 2017) and Hydra (Jack 2019) as an attempt from live-coders to agree on a common rhythmic pattern language despite the use of different and often highly personalized environments. In a similar

fashion, the Ziffers project is hoping to bring some cross-environment support for concise and rich melodic notation. Moreover, this project can also be considered as an attempt to bridge the gap between traditional staff-based notation tools such as Avid’s Sibelius, Steinberg’s Dorico or Musescore and kairotic pattern notations used by live-coders. As demonstrated by the Musescore interpreter (Figure 2.), Ziffers can be used both as a live and fixed-media notation, allowing any musician learning the system to quickly jot down or hear their ideas directly in any Ziffers supported software system capable of audio playback.

The Ziffers system is open for the multiple interpretations of any integer sequence. Depending on context and purpose, numbers can receive multiple interpretations, denoting musical objects such as integer notation (0-9 and T=10 and E=11), scale degrees (1-9, 0=rest), midi notation (1-127), MIDI channels (0-15) or even roman numerals for chord sequence writing (i-vii). The notation also supports commenting and providing supplementary information to clarify the meaning of any number sequence, thus adding support for the definition of custom scales, temperaments and events of any kind. The base syntax has also been designed to support common score-centric notation symbols (articulations, bar lines, repetitions) and extended generative symbols (random numbers, mathematical operations) more typically found in a live coding context. In doing so, the Ziffers system allows for some amount of transduction between different notation mediums and contexts, allowing the displacement of live coding ideas into the realm of score-based music composition. From another perspective, Ziffers also opens the field for quickly bringing musical ideas from staff-based musical notation in to the typically improvised and delayed feedback (Rohrhuber, Dean, and McLean 2018) oriented performing context permitted by live coding environments.

## 4 SONIC-PI BASED PROTOTYPE IMPLEMENTATION



Figure 1: Ziffers architecture for Sonic Pi.

Ziffers has evolved from a simple script embedded in one of many Sonic Pi’s text buffers to a fully fledged DSL and framework for the computer aided algorithmic composition and live coding. The current software architecture for the Sonic Pi’s based Ziffers implementation is presented in the figure above. A *Musescore 3.0* plugin (Alonen 2021) allowing

the transformation of staff-based score format to Ziffers notation has also been created and proposed as a proof of concept tool for learning the new numeric notation.




Figure 2: Ziffers plugin for MuseScore exporting fragment from Aphex Twin's Avril 14th score.

The plugin for the *MuseScore 3.0* be used to transform traditional scores (from MusicXML, ABC notation or MIDI files) to the numeric notation for analyzing the musical structures from your favorite composers and using the displaced sequences as a form of rehearsal and inspiration for the live coding. Examples above and below exemplifies this form of learning practice using the extracted sequence from Avril 14th by Aphex Twin.

```
ziffers " // Aphex Twin - Avril 14th with added transformations
/ synth: piano
| q ^ 2 _ 5 ^ 0 e r s 0 | sq. 5 e 5 ^ 4 3 2 0 | / retrograde: [false,true]
| q 2 _ 5 ^ 0 e r s 0 _ | sq. _ 5 e 5 ^ 4 3 2 0 | / octave: [0,1,-1]
| e _ 0 5 ^ 0 2 _ 2 ^ 0 2 4 | e _ 3 ^ 0 3 4 _ 1 ^ 0 3 2 | / inverse: [0,1]"
```

## 4.1 Main methods

The `zplay`, `zloop` (`z0...z20`) and `zparse` methods are the main entry points to interact with Ziffers. The multiline methods, `ziff` for single playthrough and `ziffers` for looping, allows horizontal arrangement of simultaneous patterns (as in the Aphex Twin example above). A slightly different version, `ztracker`, emulates the behaviour of classic music trackers (e.g. *Pro Tracker*, *Renoise*) allowing the vertical arrangement like in the *HumDrum* notation. Being non intrusive, Ziffers can also adapt to the `live_loop` mechanism defined by Sonic Pi to enable quick playback of different inputs and further enhance musical expressivity. The combined usage of `live_loop` and `zplay` methods is supported for musicians willing to use both patterning paradigms.

```
# Example of combining live_loop and zplay in Sonic Pi
with_fx :reverb, room: 1.0 do
  live_loop :sonic_pi do
    with_synth_defaults divisor: rrand(0.1,0.15), attack: rrand(0.01,0.1) do
      pling = rrand_i(1000,3000)
      4.times do
        zplay pling, synth: :fm, scale: :mixolydian, rhythm: "q.eqe", octave: ->(){rrand_i(-1,1)}
      end
    end
  end
end
```

Multiple modes of interaction with the patterning system are detailed in the [documentation](#) hosting the *Sonic Pi* implementation. Each method has its own specificities and can be adapted to a particular context of execution. For instance, composing can be supported by the non-looping `zplay` method while improvisation is preferably handled through the automatically synchronized `zloop` shorthands (each loop synchronizing on `z0` unless stated otherwise). There are also various shorthands for manipulating the effects, synth parameters and playback, such as `cycle`, `fade` and `tweak` documented in the [effects section](#).

## 4.2 Parsers

Parsing is implemented with parsing expression grammars (PEGs) using the Ruby-based Treetop library (Treetop 2022). Ziffers is constituted of three parsers, each one handling specific use cases depending on the nature of the input. The **Parameter parser** is used for multiline parsing where notation can include supplementary information, such as the key, scale, synth, MIDI port, MIDI channel and other context or environment specific parameters. The **Generative parser** has been specialized to parse random number generators, sequence generators relying on various conditional statements and mathematical operations. Furthermore, an optional string rewrite loop can be used to extend these generative capabilities by transforming the input through recursive substitution of some parts of the initial input. One can think of the Ziffers parsing system as a multi-layered conditional parsing operation. After a first part of context specific or generative parsing operations, the resulting string is parsed again using the **Basic parser**, which includes only the static definitions of pitches, octaves and durations. The relevant data structures for the parsed notation are implemented as subclasses of array and hash, which implements all the necessary methods for the transformations.

## 4.3 Inputs and parameters

All inputs are normalized to a string, type conversion being applied when necessary. The integer ‘2468’ can be parsed to a sequence of notes or a chord, etc. Adjusting the base behaviour of the parser can be done by providing parameters as additional keyword arguments defining a context for the parser. In a similar fashion, user input can also be specified as a lambda function or as enumerable defined by the *Ruby* language. This is allowing for the definition and use of infinite note sequences such as the Morse-Thue sequence demonstrated below, one that is commonly used in fractal music composition (Kindermann 2001; Gómez and Nasser 2021).

```
# zplay is the fastest way to ziffer
zplay "q 0 236 q.4 e6 3 0 2", key: :g3, scale: :minor, synth: :piano
zplay 2468, key: :c3, synth: :fm, rhythm: [0.25,0.125,0.5] # Parse as a sequence
zplay 2468, key: :c3, synth: :fm, parse_chord: true # Parse as a chord
zplay [2,4,6,8], key: :E4, scale: :hex_sus, synth: :chiplead, width: 2, pan: ->(){rand}
zplay [[1,0.5],[3,0.25],[0,1.0]], key: 60, scale: :aeolian, synth: :blade, res: 0.1

# z0-z20 are shorthands for loops
z0 "q 0 e 3 2 q 4 2", synth: :fm, divisor: [0.25,0.35,0.45]
# Lambdas can be evaluated for each loop cycle
z1 ->(){rrand_i(-9,9)}, scale: :blues_minor, synth: :kalimba, clickiness: ->(){rand}
# Morse-thue sequence defined as infinite enumerable using mod 7
z2 (0..Float::INFINITY).lazy.collect{|n|n.to_s(2).split('').count('1')%7}, rhythm:spread(7,9)
# Built-in enumerable for playing the digits of pi
z3 pi.take(10), scale: :kumoi, synth: :tb303, rhythm: 0.125, cutoff: tweak(:sine,60,100,10).reflect
```

Parameters can also be used to define meaning for **control characters** A-Z to act as placeholders for samples or different kind of events and implementation specific functions.

```
# Use of control characters to define samples or midi
zplay "[: q K H [K K] H :4]", K: :bd_boom, H: :drum_cymbal_closed
zplay "[: q K H [K K] H :4]", K: 12, H: 90, port: "ext_midi", channel: 1
# Use of control characters to define a function call
define :foo do sample :bd_zum end # Define Sonic Pi method
z1 "q F e F F", F: :foo # Time the method using ziffers
# Use of control characters to define cue events
canon = zparse "5 4 A 3 2 B 1 0", synth: :pretty_bell, A: {cue: :c2}, B: {cue: :c3} # Simple canon
z1 canon
z2 canon, wait: :c2 # Wait for A
z3 canon, wait: :c3 # Wait for B
```

## 4.4 Transformations

The Transformation phase is an optional step for the manipulation of the generated musical patterns as defined by Spiegel (1981), for example retrograde, inversion, substitution or by defining custom transformations that can manipulate the order, pitches, durations or any other parameters in the sequence. Transformations can be done in multiple ways and in different phases of the live composition process. Ziffers syntax also includes inline notation for transformations, that can be used for chaining multiple transformations to the defined sequences. Inline notation could also act as mechanism to transfer information about the intended transformations between different implementations. Ziffers prototype for *Sonic Pi* implements many transformations categorized as Order and Object transformations. Order transformations alter the ordering in the sequence, and can be done without modifying the internal structure of the musical objects. Object transformations can be done conditionally for each object including modifying the pitch, duration and articulations. See list of [implemented transformations](#) in the documentation.

```
# Transformations applied on a live sequence
z1 "e0 s 1 2 3 4 e5", inverse: [false,1,0,-1], retrograde: [true,false], swap: [0,3,2,4]

# Deferred transformations using 'zparse'
a = zparse "q 0 2 1 4"
b = a.inverse
c = a.retrograde
d = a.inverse(-1).retrograde
zplay (a*2+b+c*2+b)

# Inline variant of the above mentioned methods
z1 "((q 0 e 4 2 5 3)<inverse>(3 0 2 3))<swap>(1 3 0)", key: :g3, scale: :mixolydian
```

Ziffers also implements a **string rewriting system** that is a non-deterministic Turing machine for evaluating axioms using unrestricted, context-sensitive and stochastic grammars (McCormack et al. 1996). Rules for matching can be defined using regular expressions and substituted by using any syntax defined in the Ziffers notation. In contrast to some other common generative grammar systems (Nierhaus 2009), the substitutions made to each generation can be evaluated within a loop. This also allows rules to be added, edited and evaluated on the fly, creating a new form of rule machine that can be used in a live performance.

```
# Simple rules creating a long pattern
zplay "0", rules: {"0"=>"1 2", "1"=>"2 1", "2"=>"1 0"}, gen: 6
# Match using regex, substitute with evaluation and mod by 7
zplay "1 2 3", rules: {[1-9]/=>"({$*2} [e,q] {$*3})%7"}, gen: 3
# Play and mutate generations on-the-fly
z1 "0", rules: {"0"=>"q 0 1", "1"=>"e (1,4) 0" }
# Change durations using rules
z2 "q0 e2 e1 q4", rules: {"q"=>"e", "e"=>"q"}
# Stochastic rules using Ziffers notation and regular expressions
z1 "q0", rules: {"q0"=>"{%>0.5?q3:q0}", "q3"=>"{%>0.25?q(3,7):q0}", /q[1-9]/=>"[q3,q0]"}
```

## 5 NOTATION

Ziffers notation is divided into basic and generative syntax. Basic notation contains the elementary building blocks for sequential and polyphonic melodies. Generative notation builds on the basic notation and includes syntax for arithmetics, logical operations and transformations. Examples in this section are written in implementation independent form and could be performed using different methods.

### 5.1 Basic Notation: pitch, rhythm and silence

The Ziffers syntax is supporting many classic musical notation symbols as well as many variations in their writing. For better readability and for the sake of brevity, we have chosen to list and comment only the most commonly accessed tokens, relegating other notation symbols to the example tables. Detailed sections will cover the more advanced and Ziffers specific features. Basic notation contains all static symbols, which can be parsed without additional processing.



By default, Ziffers interprets numbers as in pitch class notation [0-9TE], extending numbers to capital characters T for 10 and E for 11 to support faster input for 12-tone compositions. Pitch classes higher than 9 or lower than -9 can also be escaped using curly braces. For example, pitch classes -12 and 24 could be notated as {-12 24}, which is then interpreted to the right octave depending on the scale. In a major scale number 24 becomes pitch class 3 in octave 3.




Figure 3: Pitches in integer notation.

In pitch class notation 0 represents the root for the scale. Negative pitch classes can be used to denote pitch classes below the root. Scales can be thus mentally visualized as number lines ranging from negative to positive, which then makes it easier to find the right pitch without any calculation and knowledge of the given scale.

Alternatively, degree based interpretation can be used as a separate option, where integers from 1-9 are interpreted as scale degrees. Use of degree based notation can be easier for those who are only familiar with scale degrees and not accustomed to pitch class notation.




Figure 4: Pitches in degree notation.

In degree based notation, degrees range from 1 to 9 depending on the scale length. Compared with pitch class notation, the degree based notation does not have the root as a mirroring axis. Pitches can also be sharpened using # or flattened with b when using diatonic scales.

**Note durations** are denoted with lower case characters which are selected from note length names, for example w for whole, h for half, q for quarter, e for the eighth note etc. In integer notation, silence is defined using the character r for rest. In degree based notation, 0 is also treated as silence, as used in the Galin-Paris-Chev  notation (Dauphin 2012). Characters for nearby triplet notes have been selected on the basis of the close proximity on the qwerty keyboard. See the full [list of duration characters](#) in the documentation. Alternatively, decimals can be used instead of characters. Dotted lengths are used as in traditional musical notation to increase the note duration. Similarly, decimal notation can be used as an alternative to letter-based durations and dots, especially for venturing outside of the traditional note lengths. For example, famous nursery rhyme *Row row row your boat* could be notated differently depending on the chosen duration syntax:

```
// Use of note length characters and dots for durations
| q. 0 0 | q0 e1 q.2 | q2 e1 q2 e3 | h4 qr | e 7 7 7 4 4 4 | 2 2 2 0 0 0 | q4 e3 q2 e1 | h. 0 |
// Use of decimal notation for durations
| 0.375 0 0 | 0.25 0 0.125 1 0.375 2 | 0.25 2 0.125 1 0.25 2 0.125 3 | 0.5 4 0.25 r | // ...
```

**Key** is determined from given parameters or from inline notation denoted by either MIDI notes, note names or scientific pitch notation. **Scale** is determined from the predefined scale names or by defining custom scales using an array of intervals where 1 represents semitone and 2 tone, or by using decimals for intervals smaller than a semitone. **Octaves** can be changed using special characters \_ for lowering and ^ for raising the octave or by using escaped integers <3> to define the exact octave. Octaves can be changed using negative integers which also keep the relative distance when for example, the scale is changed from minor to minor pentatonic. Consider following measures in both keys: | 0 3 -1 2 | 0 3 \_6 2 |. In minor scale both measures are exactly the same, but since minor pentatonic has only 5 scale degrees there is a difference in how the \_6 is interpreted compared to -1.

**Chords** are typically represented by using number groups. The basic diatonic major chord can thus be represented as 024 in diatonic context, and as 047 in a chromatic context. Pitches in chords can be defined in different octaves combining the notation for example 024^0 \_12<1>4. **Whitespace** acts as a separator for different objects, like the chords in a sequence. **Chord inversions** can be amended using the % symbol in combination with a chord 024%2. Roman numerals are also supported as part of the extended syntax for chord writing based on tonal/diatonic techniques.

```
// Example harmonization of 'Row row row your boat' using different symbols to modify pitches
| q. 047 0 | q0 e1 q.2 | q0247 e1 q2 e3 | h4 qr |
| e 0b24^0 ^ 0 0 _ 4 4 4 | e 2 2 2 0 0 0 | q<-2>4<-1>44 e3 q2 e1 | h._0024%-1 |
```

**Articulations**, such as staccato ' and accents ` ' can be used to affect the amplitude and the duration of the pitches. Defining **Measures** is optional but can prove necessary if there is a need to access them in different order. They are denoted using the pipe character | and each such character always resets the current octave and note length to the default value. This is important for both human and a machine to be able to start from any given measure without having the need to retrace to the beginning of the arrangement. **Comments** can be included using // or /\* \*/ characters.

```
// This is a comment           // One-line comments in Ziffers notation
/* This is a multiline comment */ // Multiline comments
<d3> 0 2 3 <minor> 0 2 3       // Inline key and scale
| h 0 ^ q. 4 e 2 | q. 4 h 6 e 2 | // Measures
024 146 025%-1 35^0           // Chords (i v vi iv)
`0 `0 0 0 `0 `0               // Accents (` softer and ' louder amp.)
0 '0 ''0                       // Staccato (shortened duration)
~<0.3>0123456                  // Glissando/bends (with speed param.)
{decay: 0.5} 1 {port: ext_2} 3 // Hash notation for inline parameters
```

## 5.2 Generative notation

Repetition is the simplest form of generative syntax also used by the traditional staff notation. **Repeats** are denoted using dotted list notation [: :] which is by default repeated two times. Repeats can also be nested which is useful for creating the minimal representation of repeating tunes like the *Frère Jacques*.

```
[: q 0 1 2 0 :] [: q 2 3 h4 :] [: [: e 4 5 4 3 q 2 0 :] [: q 0 _4 h0 :] :] // Frère Jacques
[: q0 e1 q.2 :4] // Repeat 4-times
[: (0,3) (4,6) :6] // Repeat the same generated sequence 6-times
```

**Random numbers** are the basic building blocks of all aleatoric melodies. There are multiple ways of defining random integers and decimals in the generative syntax and the generated values can be used for different purposes. Number sequences can be generated using range notation inspired by the Ruby syntax which has been updated to be more versatile.

```
(0.25,0.5) (0,5) // Random decimal and pitch between defined range
% ? // % = (0.01,1.0) ? = (0,scale length)
[0.125,0.25,0.5] [0,2,4,6] // Random numbers from selection
-1..1 // -1 0 1
0..3+2 // 0 2
0..3*2 // 0 2 4
?..(3,5) // 5..3 => 5 2 3
```

**Lists syntax** can be used to arrange pitches into operable sequences. Arithmetic operations + - \* \*\* / ^ % | & << >> can be applied to list values in a serial manner. Arithmetic operations can also be applied between two lists creating cartesian operations. To produce long alternating patterns arithmetic operations can also be chained together. There are also 5 special methods that have designated short-hand symbols. Combine & for creating a chord out of list, separate \$ for creating the sequence from a chord, unique ! for removing same pitches from the list, pick a random ? for picking 1-n pitches from the list and shuffle ~ for shuffling and picking unique random values from the list.

```
(q 0 e 1 2 q 3 5)+1*4%7 // Applying multiple operations to a list
(1 2)+(3 4) // Same as: 1+3 1+4 2+3 2+4
(q 0 e 1 2 q 3 5)+(3 0 -2 3)-(2 1 3 4) // Lists and operations can be chained
(: (1,4) :3) // Generate 3 different random numbers
(: (0,6) :3)&
```

**Bracket syntax** is alternative notation for durations that subdivides the note lengths using nested brackets. Similar notation is also used by TidalCycles and Alda. Bracket syntax is especially useful for notating triplets or n-tuplets.

```
q [0 2 [3 [5 [2 0]]]] // Nested brackets
// Frere Jacques using the bracket syntax
w [: [0 1 2 0] :] [: [[2 3] 4] :] [:[: [[4 5] [4 3] 2 0] :] [: [[0 _4] 0] :]:]
```



**Cyclic notation** for events has been previously introduced by TidalCycles. Cyclic structures can be defined by enclosing the sequence in nested angle brackets. Ziffers enables the use of cyclic notation in loops or as part of repeat notation as alternative endings also used in the traditional staff notation. When cycles are defined within a repeat notation, the cycles are evaluated within the context of the repeat.

```
<1 2 <3 <4 5>>>           // Cyclic notation for loops
[: 1 <2 4> :]               // Alternate endings for repeat
(: (1,7) <2 <4 5>> :3)      // Cyclic notation in list repeat
(1 [2 <4 5>] 024)+( <2 0> 1 2) // Bracket and cyclic notation in a list
(1 2 3)+<(1 2) (4 6)>       // Operations with cyclic lists
(0 <1 2>)<+ - *><0 1 2>      // Cyclic everything
```

**Transformations** can also be notated inline using the list syntax and escape notation for built-in methods: (list)<method>(optional-list). Ziffers also implements numerous shorthand notations for useful transformations, like **cyclic zip** for combining values from two lists, notation for **pitch-class set multiplication** (Heinemann 1998) and **sequence interpolation** inspired by the Thesaurus of scales and melodic patterns (Slonimsky 1986). **Generative repeat** syntax can be used to generate values multiple times, whereas normal repeats are used to repeat the generated values and create a sense of repetition. **List functions** are inspired by polynomial functions and can be used to transform the values using arithmetic expressions.

```
(1 2 3)<retrograde>         // Inline transformation
(1 2 3)<inverse>(-1 2 0)    // Multiple chained transformations
(q e e)<>(0..5)              // Cyclic zip: q 0 e 1 q 2 e 3 q 4
(1 2)<+>(3 4 5)             // Product of two lists: 1 3 1 4 1 5 2 3 2 4 2 5
(0 5)<*>(0 3 6 9)           // Pitch-class set multiplication: 0 5 3 8 6 {11} 9 {14}
(1 3)<4>(1 3)               // Interval interpolation: 2 4 6 1 3 5
q (0..3){(2x-1)(2x^2-4)}    // Using function to transform a list
((1,5)){x<2?(x+3):(2x)(x-2)} // Applying functions conditionally
```

**Chords** can be generated using roman numerals (i-vii) and further modified using chord names, inversions and modal interchange. **Chord names** are defined using the caret symbol and the corresponding name, for example: i^dim7. Chord names are based on Sonic Pi's definitions and further standardization would be needed to include more chord names and to harmonize varying naming practices. Chords can also be inverted using % symbol, for example iv%-2. Tri-chords can also be built by defining number of pitches {i-vii}+{number of pitches}, for example ii+6. **Borrowed chords** can be created using shorthand characters for modes (a-g) combined with the roman numerals, for example: iib (locrian), iiig (mixolydian). Chords can also be generated from lists using combine & shorthand that transforms sequences to chords, for example: ((10,100) (100,1000))& or ((4..7)\*4)&. **Arpeggios** can be generated by defining sequences of chords and selecting pitches from the list using the ampersand \*\*\*-operator or by selecting values horizontally from the list using the #-operator.

```
i ii iii iv v vi vii       // Supported roman numerals
i v%1 vi%-1 iv%-1          // With inversions
i^7 iv^dim v^maj9%-2        // With names and inversions
(i v vi%-1 iv%-1)@(e 0 1 2 012) // Arpeggio from Roman numerals
024 146 025%-1 35^0)@(q 1 0 2 0) // Arpeggio from pitch groups
(0 2 4 6)#(e 0 1 2 012)     // Horizontal arpeggio
```

Expressions can be evaluated using curly braces: {...}, which can be used for escaping pitches, arithmetic operations or conditional logic. Using ternary operator syntax (cond)?(true):(false) it is possible to define alternative or conditional parts.

```
{10 11 9+2 3*5}            // Evaluate as pitches
={10 (10,20) 3*5}          // Evaluates as chords
{>0.5?3}                   // Single conditional pitch
{((0,9)>4?(1,3):(3,6))}     // Random numbers based on condition
{>0.5?4 %>0.2?5:3}         // Multiple conditionals
```

```
s (0 3 2 5)<5,7>           // Offset defaults to r
s (<0 <3 <5 (-3,3)>>>)<3,6> // Nested cycles
(q0 q2)<3,5>((e 3 4) (e 1 4)) // Pitches from the onset and lists from the offset
(eX sB)<13,16>(eB sX)       // Spread samples or events
```

```
A=% {A>0.5?(e 1 2):(q2)} {A<0.5?4:5} // Use in conditional statements
A=<1 2 <3 <6 7>>> B=(1,6) B A B B A // Define repetition
A=(0 (1,6) 3)+(1,3) B=(0 [-2,1,2]) A A B A // Create contrasting sections
A=(0 3 [2 4]) B=(A)<retrograde> C=(B)<inverse>(3) A B C // Store transformations
A=(0 2 [3 2])>+<0 <2 1>> B=(0 (1,5) [3 <(2,5) (0,3)>]) A B B A // Combine everything
```

In this paper, we have presented a novel numeric notation and a pattern language usable in a live coding context. The presented notation is designed as a bridge from the old to the new, linking and facilitating exploration between different forms of computer and staff-based musical notation; from pitch-based staff writing to generative and improvised performance. The Ziffers notation is designed to be platform independent, making it possible to share generative melodies and patterns between different live coding languages and more traditional composition tools. Even though Ziffers as a language is expressive enough to describe arbitrarily complex musical sequences using mathematical and generative operations, profound and meaningful interaction is still to be found in the link between Ziffers and the underlying logic and flow centered operation of live coding interfaces implementing it. Further experimentation is still needed to find the perfect balance between the proposed numbered notation and different live coding languages.

As a future work, we intend to develop parsers in other live coding libraries such as Sardine (Forment 2022), SuperCollider and others. An upgrade for the MuseScore plugin is also planned to the upcoming MuseScore version 4.0, as a way to support the input of the generative numeric notation directly to traditional sheet music and create a hybrid algorithmic composition environment for both numbered and standard notation. We envision that the proposed notation can also be used as a tool for teaching music analysis and pitch-class set theory and act as a stepping stone between music theory and live coding.

Authors would like to thank Sam Aaron and the whole Sonic Pi community for the important work on improving the pedagogy and accessibility of programming and for the inspiration to pursue research in the field of live coding. Raphaël would like to thank Laurent Pottier and Alain Bonardi for their support, as well as the doctoral school *3LA* from the University of Lyon for the funding it provided to this research.

## References

- 10 Aaron, Sam. 2016. "Sonic Pi-Performance in Education, Technology and Art." *International Journal of Performance Arts and Digital Media* 12 (2): 171–78.
- Alonen, Miika. 2018. *Ziffers: Numbered Notation for Algorithmic Composition* (version 0.1). <https://github.com/amiika/ziffers/commit/c12516d2b1604836925cbe829e488e033578405c>.
- . 2021. *Ziffers Export Plugin for MuseScore 3*. <https://github.com/amiika/ziffers-musescore>.
- . 2022. *Ziffers: Numbered Notation for Algorithmic Composition* (version 2.0). <https://github.com/amiika/ziffers>.
- Blackwell, Alan F, Emma Cocker, Geoff Cox, Alex McLean, and Thor Magnusson. 2022. *Live Coding: A User's Manual*. MIT Press.
- Chemillier, Marc. 2002. "Ethnomusicology, Ethnomathematics. The Logic Underlying Orally Transmitted Artistic Practices." In *Mathematics and Music*, 161–83. Springer.
- Cocker, Emma. 2013. "Live Notation:—Reflections on a Kairotic Practice." *Performance Research* 18 (5): 69–76.
- Dannenberg, Roger B. 1986. "The Cmu Midi Toolkit." In *ICMC*, 86:53–56.
- . 1997. "Machine Tongues XIX: Nyquist, a Language for Composition and Sound Synthesis." *Computer Music Journal* 21 (3): 50–60.
- . 2018. "Languages for Computer Music." *Frontiers in Digital Humanities* 5: 26.
- Dauphin, Claude. 2012. "Le Devenir Du Système de Notation Musicale de Jean-Jacques Rousseau." *Rousseau En Musique, Orages*, no. 11: 79–98.
- Davantès, Pierre. 1560. "Pseaumes de David, Nouvelle Et Facile Methode Pour Chanter Chacun Couplet Des Pseaumes Sans Recour Au Premier." 1560. <https://gallica.bnf.fr/ark:/12148/bpt6k3135388/f23.item>.
- Forment, Raphaël Maurice. 2022. "Sardine." 2022. <https://sardine.raphaelforment.fr>.
- Forte, Allen. 1973. *The Structure of Atonal Music*. Vol. 304. Yale University Press.
- Fraser, Glen. 2020. *Balacao - Somewhat Fishy Live Cod(e) Extensions to SuperCollider*. (version 0.1). <https://github.com/totalgee/bacalao>.
- Gómez, Ricardo, and Luis Nasser. 2021. "Symbolic Structures in Music Theory and Composition, Binary Keyboards, and the Thue–Morse Shift." *Journal of Mathematics and Music* 15 (3): 247–66.
- Good, Michael. 2001. "MusicXML for Notation and Analysis." *The Virtual Score: Representation, Retrieval, Restoration* 12 (113-124): 160.
- Heinemann, Stephen. 1998. "Pitch-Class Set Multiplication in Theory and Practice." *Music Theory Spectrum* 20 (1): 72–96.
- Hoogland, Timo. 2019. "Mercury: A Live Coding Environment Focussed on Quick Expression for Composing, Performing and Communicating." In *Proceedings of the Fourth International Conference on Live Coding*, 353–64.
- Hoos, Holger H, Keith A Hamel, Kai Renz, and Jürgen Kilian. 1998. "The GUIDO Notation Format—a Novel Approach for Adequately Representing Score-Level Music."
- Huron, David. 2002. "Music Information Processing Using the Humdrum Toolkit: Concepts, Examples, and Lessons." *Computer Music Journal* 26 (2): 11–26.
- . 2008. *Sweet Anticipation: Music and the Psychology of Expectation*. MIT press.
- Izumi. 2001. "Music Macro Language." 2001. [http://www.vgmpf.com/Wiki/index.php/Music\\_Macro\\_Language](http://www.vgmpf.com/Wiki/index.php/Music_Macro_Language).
- Jack, Olivia. 2019. "Hydra: Live Coding Networked Visuals." In *Proceedings of the Fourth International Conference on Live Coding*, 353–54.
- Kaminski, Joseph S. 2022. "Jianpu Simplified Notation and the Transnational in Musical Repertoires of New York's Chinatown." In *Material Cultures of Music Notation*, 110–23. Routledge.
- Kery, Mary Beth, and Brad A Myers. 2017. "Exploring Exploratory Programming." In *2017 IEEE Symposium on Visual Languages and Human-Centric Computing (VL/HCC)*, 25–29. IEEE.
- Kindermann, Lars. 2001. "MusiNum-the Music in the Numbers." In *Composing with Computers. Music Technology Series*, Focal Press, Oxford.

- Kircher, Athanasius. 1650. “Musurgia Universalis Sive Ars Magna Consoni Et Dissoni.” 1650. [https://archive.org/details/bub\\_gb\\_97xCAAAAcAAJ/mode/2up](https://archive.org/details/bub_gb_97xCAAAAcAAJ/mode/2up).
- kn1kn1. 2017. *Petal - a Small Language on Sonic Pi with Similar Syntax to TidalCycles*. <https://github.com/siaflab/petal>.
- Li, Kelian, and Wanwan Li. 2021. “MusicTXT: A Text-Based Interface for Music Notation.” In *Proceedings of the 11th Workshop on Ubiquitous Music (UbiMus 2021)*, 62–71. g-ubimus.
- Magnusson, Thor. 2011. “The Ixi Lang: A Supercollider Parasite for Live Coding.” In *ICMC*.
- . 2019. *Sonic Writing: Technologies of Material, Symbolic, and Signal Inscriptions*. Bloomsbury Academic.
- Magnusson, Thor, and Alex McLean. 2018. “Performing with Patterns of Time.”
- McCartney, James. 2002. “Rethinking the Computer Music Language: Super Collider.” *Computer Music Journal* 26 (4): 61–68.
- McCormack, Jon et al. 1996. “Grammar Based Music Composition.” *Complex Systems* 96: 321–36.
- McLean, Alex. 2020. “Algorithmic Pattern.” In *Proceedings of the 20th Conference on New Interfaces for Musical Expression, Birmingham, UK*.
- McLean, Alex, and Geraint Wiggins. 2010. “Tidal–Pattern Language for the Live Coding of Music.” In *Proceedings of the 7th Sound and Music Computing Conference*, 331–34.
- MNMA. 2022. “The Music Notation Project.” 2022. <https://musicnotation.org/tutorials/numerical-notation-systems/>.
- Morrill, Thomas. 2022. “On the Euclidean Algorithm: Rhythm Without Recursion.” *Bulletin of the Australian Mathematical Society*, 1–7.
- Nash, Chris. 2015. “The Cognitive Dimensions of Music Notations.”
- Nienhuys, Han-Wen, and Jan Nieuwenhuizen. 2003. “LilyPond, a System for Automated Music Engraving.” In *Proceedings of the XIV Colloquium on Musical Informatics (XIV CIM 2003)*, 1:167–71. Citeseer.
- Nierhaus, Gerhard. 2009. *Algorithmic Composition: Paradigms of Automated Music Generation*. Springer Science & Business Media.
- Opusmodus. 2022. “Opusmodus - Structural Composition System.” 2022. <https://opusmodus.com/>.
- Roads, Curtis. 1996. *The Computer Music Tutorial*. MIT press.
- Roberts, Charles, and Mariana Pachon-Puentes. 2019. “Bringing the Tidalcycles Mini-Notation to the Browser.” In *Proceedings of the Web Audio Conference*.
- Roberts, Charlie, and Graham Wakefield. 2018. “Tensions and Techniques in Live Coding Performance.”
- Rohrhuber, Julian, RT Dean, and A McLean. 2018. “Algorithmic Music and the Philosophy of Time.”
- Rousseau, Jean-Jacques. 1781. *Projet Concernant de Nouveaux Signes Pour La Musique*. éditeur non identifié.
- Schaffrath, Helmut. 1997. “The Essen Associative Code: A Code for Folksong Analysis.” In *Beyond MIDI: The Handbook of Musical Codes*, 343–61. Cambridge, MA, USA: MIT Press.
- Slonimsky, Nicolas. 1986. *Thesaurus of Scales and Melodic Patterns*. Schirmer Trade Books.
- Spiegel, Laurie. 1981. “Manipulations of Musical Patterns.” In *Proceedings of the Symposium on Small Computers and the Arts*, 19–22.
- Toplap. 2022. “Awesome Live Coding - a Curated List of Live Coding Languages and Tools.” <https://github.com/toplap/awesome-livecoding>.
- Toussaint, Godfried. 2005. “The Euclidean Algorithm Generates Traditional Musical Rhythms.” In *Renaissance Banff: Mathematics, Music, Art, Culture*, edited by Reza Sarhangi and Robert V. Moody, 47–56. Southwestern College, Winfield, Kansas: Bridges Conference. <http://archive.bridgesmathart.org/2005/bridges2005-47.html>.
- Walshaw, Christopher. 2011. “The Abc Music Standard 2.1.” URL: [Http://Abcnotation.com/Wiki/Abc: Standard: V2 1](http://Abcnotation.com/Wiki/Abc: Standard: V2 1).
- Warkentin, Emily Grace. 2022. “The Story of the Ziffersystem and the Russian Mennonites: Counting Blessings.”