

**Linearization**

Given a function  $f(x)$ , its linearization at  $x = a$  is the function

$$L(x) = f(a) + f'(a)(x - a).$$

For example, if  $f(x) = \sqrt{x}$  and  $a = 4$  then  $f(4) = 2$  and  $f'(4) = 1/(2\sqrt{4}) = 1/4$ . So

$$L(x) = 2 + \frac{1}{4}(x - 4).$$

The graph of the linearization is just the tangent line to the curve  $y = \sqrt{x}$  at  $x = 4$ . So we expect that  $L(x)$  is a good approximation for  $\sqrt{x}$  for  $x$  near 4. The point is that computing square roots is hard work (even if your calculator makes it look easy) but computing the value of a linear function like  $L$  is easy. In fact your calculator is doing a more sophisticated generalization of the linear approximation: stay tuned in Calculus II!

1. Use the linear approximation of  $f(x) = \sqrt{x}$  at  $x = 4$  to approximate  $\sqrt{4.1}$  and compare your result to its approximation computed by your calculator.

2. Use the linear approximation to approximate the cosine of  $29^\circ = \frac{29}{30} \frac{\pi}{6}$  radians.

3. Find the linear approximation of  $f(x) = \ln(x)$  at  $a = 1$  and use it to approximate  $\ln(0.5)$  and  $\ln(0.9)$ . Compare your approximation with your calculator's. Sketch both the curve  $y = \ln(x)$  and  $y = L(x)$  and label the points  $A = (0.5, \ln(0.5))$  and  $B = (0.5, L(0.5))$

4. Find the linear approximation of  $f(x) = e^x$  at  $a = 0$  and use it to approximate  $e^{0.05}$  and  $e^1$ . Compare your approximations with your calculator's.

**Differentials** Suppose we have a variable  $y = f(x)$ . We define its differential to be

$$dy = f'(x)dx$$

where  $x$  and  $dx$  are thought of as variables you can control. What's the point? The value of  $dy$  is an estimate of how much  $y$  changes if we change  $x$  into  $x + dx$ . See the graph:

5. A tree is growing and the radius of its trunk in centimeters is  $r(t) = 2\sqrt{t}$  where  $t$  is measured in years. Use the differential to estimate the change in radius of the tree from 4 years to 4 years and one month.

6. A coat of paint of thickness 0.05cm is being added to a hemispherical dome of radius 25m. Estimate the volume of paint needed to accomplish this task. [Challenge: will this be an underestimate or an overestimate? Thinking geometrically or thinking algebraically will both give you the same answer.]

7. The radius of a disc is 24cm with an error of  $\pm 0.5$ cm. Estimate the error in the area of the disc as an absolute and as a relative error.