```
Example 14 - Dropdowns:
<!doctype html>
<html lang="en">
 <head>
   <meta charset="utf-8">
   <meta name="viewport" content="width=device-width, initial-scale=1">
   <!-- Bootstrap CSS -->
   <link href="css/bootstrap.min.css" rel="stylesheet">
   <script src="js/bootstrap.bundle.min.js"></script>
   <title>Dropdown examples</title>
 </head>
 <body>
   <h2>Basic Dropdown</h2>
<div class="dropdown">
  <button type="button" class="btn btn-primary dropdown-toggle" data-b</pre>
toggle="dropdown">
   Dropdown button
 </button>
 <a class="dropdown-item" href="#">Link 1</a>
   <a class="dropdown-item" href="#">Link 2</a>
   <a class="dropdown-item" href="#">Link 3</a>
 </div>
<h2>Dropdown Divider</h2>
The .dropdown-divider class is used to separate links inside the dropdown menu with a
thin horizontal line:
<div class="dropdown">
  <button type="button" class="btn btn-primary dropdown-toggle" data-bs-</pre>
toggle="dropdown">
   Dropdown button
 </button>
 <a class="dropdown-item" href="#">Link 1</a>
   <a class="dropdown-item" href="#">Link 2</a>
   <a class="dropdown-item" href="#">Link 3</a>
   <hr class="dropdown-divider">
   <a class="dropdown-item" href="#">Another link</a>
 </div>
<h2>Dropdown Header</h2>
The .dropdown-header class is used to add headers inside the dropdown menu:
<div class="dropdown">
  <button type="button" class="btn btn-primary dropdown-toggle" data-bs-</pre>
toggle="dropdown">
   Dropdown button
 </button>
 <h5 class="dropdown-header">Dropdown header 1</h5>
   <a class="dropdown-item" href="#">Link 1</a>
   <a class="dropdown-item" href="#">Link 2</a>
   <a class="dropdown-item" href="#">Link 3</a>
   <h5 class="dropdown-header">Dropdown header 2</h5>
   <a class="dropdown-item" href="#">Another link</a>
```

```
</div>
<h2>Disable and Active items</h2>
The .active class adds a blue background color to the active link.
The .disabled class disables a dropdown item (grey text color and a no-parking-sign on
hover).
<div class="dropdown">
 <button type="button" class="btn btn-primary dropdown-toggle" data-bs-</pre>
toggle="dropdown">
   Dropdown button
 </button>
 <a class="dropdown-item" href="#">Normal</a>
   <a class="dropdown-item active" href="#">Active</a>
   <a class="dropdown-item disabled" href="#">Disabled</a>
 </div>
<h2>Dropdown Position - .dropend</h2>
Add the .dropend class next to the dropdown menu to right-align the dropdown. Note
that the caret/arrows is added automatically:
<div class="dropdown dropend">
  <button type="button" class="btn btn-primary dropdown-toggle"</pre>
toggle="dropdown">
   Dropend
 </button>
 <a class="dropdown-item" href="#">Normal</a>
   <a class="dropdown-item active" href="#">Active</a>
   <a class="dropdown-item disabled" href="#">Disabled</a>
 </div>
<h2>Dropdown Position - .dropstart</h2>
Add the .dropstart class next to the dropdown menu to left-align the dropdown. Note
that the caret/arrow is added automatically. Also note that we float the dropdown to the
right:
<div class="dropdown dropstart text-end">
 <button type="button" class="btn btn-primary dropdown-toggle" data-bs-</pre>
toggle="dropdown">
   Dropstart
 </button>
 <a class="dropdown-item" href="#">Normal</a>
    <a class="dropdown-item active" href="#">Active</a>
   <a class="dropdown-item disabled" href="#">Disabled</a>
 </div>
<h2>Dropdown Menu Right - .dropdown-menu-end</h2>
Add the .dropdown-menu-end class to .dropdown-menu to right-align the dropdown
menu.
<div class="dropdown dropdown-menu-end">
 <button type="button" class="btn btn-primary dropdown-toggle" data-bs-</pre>
toggle="dropdown">
   Wide dropdown button to demonstrate this example
 </button>
```

```
<a class="dropdown-item" href="#">Link 1</a>
   <a class="dropdown-item" href="#">Link 2</a>
   <a class="dropdown-item" href="#">Link 3</a>
 </div>
<h2>Dropdown Menu Left</h2>
Don't Add any class with dropdown class, it will automatically position menu on
left
<div class="dropdown">
 <button type="button" class="btn btn-primary dropdown-toggle" data-bs-</pre>
toggle="dropdown">
   Wide dropdown button to demonstrate this example
 </button>
 <a class="dropdown-item" href="#">Link 1</a>
   <a class="dropdown-item" href="#">Link 2</a>
   <a class="dropdown-item" href="#">Link 3</a>
 </div>
<h2>Dropup</h2>
The .dropup class makes the dropdown menu expand upwards instead of downwards:
It must be room for the dropup menu to grow. That is why we add some extra lorem ipsum
text.
<div class="dropup">
 <button type="button" class="btn btn-primary"</pre>
                                         dropdown-toggle" data-bs-
toggle="dropdown">
   Dropup button
 </button>
 <a class="dropdown-item" href="#">Link 1</a>
   <a class="dropdown-item" href="#">Link 2</a>
   <a class="dropdown-item" href="#">Link 3</a>
 </div>
<h2>Dropdown Text</h2>
The .dropdown-item-text class is used to add plain text to a dropdown, or used on
links for default link styling.
<div class="dropdown">
 <button type="button" class="btn btn-primary dropdown-toggle" data-bs-</pre>
toggle="dropdown">
   Dropdown button
  </button>
 <a class="dropdown-item" href="#">Link 1</a>
   <a class="dropdown-item" href="#">Link 2</a>
   <a class="dropdown-item" href="#">Link 3</a>
   <a class="dropdown-item-text" href="#">Text Link</a>
   <span class="dropdown-item-text">Just Text</span>
 </div>
<h2>Nesting Button Groups</h2>
Nest button groups to create dropdown menus:
<div class="btn-group">
```

```
<button type="button" class="btn btn-primary">Apple</button>
  <button type="button" class="btn btn-primary">Samsung</button>
  <div class="btn-group">
    <button type="button" class="btn btn-primary dropdown-toggle" data-bs-</pre>
toggle="dropdown">Sony</button>
    <a class="dropdown-item" href="#">Tablet</a>
     <a class="dropdown-item" href="#">Smartphone</a>
    </div>
</div>
<h2>Vertical Button Group with Dropdown</h2>
<div class="btn-group-vertical">
  <button type="button" class="btn btn-primary">Apple</button>
  <button type="button" class="btn btn-primary">Samsung</button>
  <div class="btn-group">
    <button type="button" class="btn btn-primary dropdown-toggle</pre>
toggle="dropdown">Sony</button>
    <a class="dropdown-item" href="#">Tablet</a>
      <a class="dropdown-item" href="#">Smartphone</a></
    </div>
</div>
  </body>
</html>
Example 15 - Collapsible:
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!-- Bootstrap CSS -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <script src="js/bootstrap.bundle.min.js"></script>
    <title>collapse</title>
  </head>
  <body>
    <h2>Simple Collapsible</h2>
    <button data-bs-toggle="collapse" data-bs-target="#demo">Simple Collapsible</button>
    <div id="demo" class="collapse">
    This is a collaspable text....<BR>
    This is a collaspable text....<BR>
   This is a collaspable text.... <BR>
   This is a collaspable text.... <BR>
   This is a collaspable text.... <BR>
   This is a collaspable text....<br/>
R>
   This is a collaspable text....<br/>
R>
    </div>
   <h2>Collapsible text</h2>
    <a href="#demo" data-bs-toggle="collapse">Collapsible</a>
```

```
<div id="demo" class="collapse">
    This is a collaspable text.... <BR>
    This is a collaspable text....<br/>
R>
    This is a collaspable text.... <BR>
    </div>
    <div class="container">
      <h2>Show Collapsible Content By Default</h2>
      Add the show class next to the collapse class to show the content by
default.
      Click on the button to toggle between showing and hiding content.
      <button type="button" class="btn btn-primary" data-bs-toggle="collapse" data-bs-</pre>
target="#demo">Simple collapsible</button>
      <div id="demo" class="collapse show">
        Lorem ipsum dolor sit amet, consectetur adipisicing elit,
        sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad
minim veniam,
        quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo
consequat.
      </div>
    </div>
    <h2>Accordion Example</h2>
  <strong>Note:</strong> The <strong>data-bs-parent</strong> attribute makes sure that
all collapsible elements under the specified parent will be closed when one of the
collapsible item is shown.
  <div id="accordion">
    <div class="card">
      <div class="card-header">
        <a class="btn" data-bs-toggle="collapse" href="#collapseOne">
          Collapsible Group Item #1
        </a>
      </div>
      <div id="collapseOne" class="collapse show" data-bs-parent="#accordion">
        <div class="card-body">
          Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor
incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud
exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.
      </div>
      </div>
    /div>
    <div class="card">
      <div class="card-header">
        <a class="collapsed btn" data-bs-toggle="collapse" href="#collapseTwo">
        Collapsible Group Item #2
      </a>
      </div>
      <div id="collapseTwo" class="collapse" data-bs-parent="#accordion">
        <div class="card-body">
```

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

```
</div>
  </div>
</div>
<div class="card">
  <div class="card-header">
    <a class="collapsed btn" data-bs-toggle="collapse" href="#collapseThree">
      Collapsible Group Item #3
    </a>
  </div>
  <div id="collapseThree" class="collapse" data-bs-parent="#accordion"</pre>
    <div class="card-body">
```

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

</div> </div> </div> </div> </body> </html>