Administrativia

This Doc	http://goo.gl/NpcKW
Live Service	http://proj8.ss13.osramos.de
Code repository	https://sourceforge.net/projects/amos2013/
Schedule	http://goo.gl/BZpU8
	http://osr.cs.fau.de/surveys/index.php/771726/lang-
Survey	en

Elektrobit RFID Inventory Management Product Vision

The "Elektrobit RFID Inventory Management" helps to manage and locate hardware devices in the office rooms because the amount of hardware used is simply too much and the location changes too often to keep track. Searching for two or three items can take up to several days at the moment.

The "Elektrobit RFID Inventory Management" consists of an app and a web-application. Users can easily update the current location and owner of a device via the app and on the web-app, they can check who is in possession of the hardware and where it is at the moment. This is important, for instance, to locate bottlenecks for a new project in an early phase or simply for stocktaking.

Release Plan

	1.1				
No Sprints	6				
Due Date	17.07.2013	(final release)			
Sprint #	Theme		Est. Effort	Burn-Down	Real Effort
6				144	
7	Admin MGMT & Basic Knowledge	45, 46, 47, 48, 49, 50, 51	24	120	_25
8	Advanced Knowledge & Native App	52, 53, 54, 55, 56, 57	24	96	26
9	Nat. App & Basic Dev. & Doc	58, 59, 60, 61, 62	23	73	21
	Native App & Bug Fixing & Usability &				
10	Doc	63, 64, 65, 66, 67, 68, 69	26		
11	User MGMT & Design	70, 71, 72, 73	23		
12	Design & Documentation & Usability	74, 75, 76, 77	27		
Total			147		72
		User Stories			
Release	1.0				
No Sprints	6				
Due Date	29.05.2013	(mid-term release)			
Sprint #	Theme	User Stories	Est. Effort	Burn-Down	Real Effort
0				154	
1	Project Start	1, 2, 3, 4, 5, 6, 7	15	139	15
2	Basic Development	8, 9, 10, 11, 12, 13, 14	28	111	30
3	Improvements & Testing	15, 16, 17, 19, 20, 21, 22, 23	34	77	40
4	App GUI & HW MGMT	24, 25, 26, 27, 28, 29, 30	27	50	27
5	Improvements & Documentaion	31, 32, 33, 34, 35, 36	24	26	25
6	DB & Memory Dev & Admin MGMT	37, 38, 39, 40, 41, 42, 43, 44	26	0	27
Total			154		164

Product Backlog

#	Effort	Category	Short Name	Item Description	Acceptance Criteria		
70	5	User MGMT	Login	As an admin, I can login to the	The admin can login to his/her		
			9	website in order to get access to			
				the information which is	information is employee ID and		
				assigned to my user group.	password.		
71	2	User MGMT	Logout	As an admnin, I can logout to	Only one click is needed to log		
' '	_	COCI IVICIVII	Logodi	leave the application.	out the admin from the website.		
72	8	HW MGMT	Basic Sorting (Desktop)	As an user, I can sort the HW in			
12	U	TIVV IVIOIVIT	basic sorting (besktop)	order to find groups of data	sorting criteria. If the user clicks		
					on a column it will		
				quickly.			
					autmomatically sorted		
70	0	Danian Dafrank	Defreeb design of one	As a dayalanar I rafrash tha	alphabetically.		
73	8	Design Refresh	Refresh design of app	As a developer, I refresh the	The design of the app is		
				desing of the app (change	refreshed to a stylish and cool		
				colors, font size, font), in order	one.		
				to have a better user			
				experience.			
74	8	Design Refresh	Refresh design of the desktop	As a developer, I refresh the	The design of the deskopt is		
			version	desing of desktop(change	refreshed to a stylish and cool		
				colors, font size, font), in order	one.		
				to have a better user			
				experience.			
75	8	Documentation QA	Assure quality of documentation	As a developer, I have to be	Documenation has to clear and		
			, ,	sure that the quality of the	comprehensive.		
				documentation is appropriate, in			
				order to ensure that Elektrobit			
				can enhance and maintenance			
				the program.			
76	8	Usability	Improve usability	As a develper, I improve the	App and desktop version		
70	0	Osability	improve usability	usability of the app and the	provide a good usability (like the		
				desktop verion.	static header) in order to be able		
					to work with the app and the		
77	_	Final Dalassa	Duranantian	A 4	desktop version easily.		
77	3	Final Release	Preparation	As a team, we prepare our	The team knows what it would		
				presentation for the final	present at the final release.		
				release.			
999	100	EPIC	Page numbers for all tables	As an user, I can decide if I	NA		
				would like to see the whole table	Can be done if time is left		
				or 100/50/30 entries per page.			
999	100	EPIC	Advanced Search	As an user, I can combine	NA		
				search criteria (e.g. model and	Can be done if time is left		
				office) to restrict the outcome of			
				the search.			
999	100	EPIC	Import legacy sheet data		NA		
			, , , , , , , , , , , , , , , , , , , ,	legacy data of HW and holder	Can be done if time is left		
				etc. which is currently used in			
				the company in the SW, in order			
				to make a change possible.			
				to make a change possible.			

Product Backlog

#	Effort	Category	Short Name	Item Description	Acceptance Criteria		

Sprint Backlog

#	Rel.	Effort	Category	Short Name	Item Description	Acceptance Criteria	Responsible team member/s
63	2	3	Native App	Advanced Burst mode	As developers, we integrate a functionality into the app, which allows to scan multiple tags in any time frame in order to update multiple DB entries.	During a scan process all tags in range are stored into a list until the "stop scan"-button is pressed. After the "stop scan" button was pressed, the scanner stops scanning. The scanning can be restarted by pressing the "start scan" button. A long press on any ID will show a pop up with meta information of the HW from the DB. Pressing save will change all IDs in the list at once.	Andreas Singer
64	2	5	Bug Fixing	Empty Line	As a developer, I delete the empty line which is shown at the beginning after scanning devices in order to improve the user experience.	The empty line is replaced by the data of the first readed device by the scanner.	Andreas Singer, David Lehmeier, Liping Wang
65	2	3	Bug Fixing	Save Button	As a user, I should see the save button greyed out again after deselecting all devices in the app's live-list of scanned tags in order to improve the user experience.	If I deselect RFID Tags on the app surface the "save" button doesn't work anymore. The button is grey again.	Andreas Singer, David Lehmeier, Liping Wang
66	2	3	App MGMT	Status Message for new IDs	As an user, I get notified if entries in the app's live-list of scanned IDs are not yet in the database, in order to let an admin add them to the databse together with their meta data.	After pressing the "save" button, a status message in the app shows if there are any RFID IDs that were not found in the database and that therefore were not added/updated.	Andreas Singer, David Lehmeier, Liping Wang
67	2	8	Usability	Basic Static Header	As an user, I always can see the headers in order to improve the user experience.	The headers in the main HW list are static. If the users scrolls down the page, the headers remain at the same position.	David Lehmeier
68	2	3	Documentation	Improving documentation	As a developer, you have to be sure that the quality of the documentation is appropriate in order to ensure that our client can enhance and maintenance the program.	the decisions which were made	Liping Wang
69	2	1	App View	Removing App View	As a developer, I remove the old web app view on the desktop version because the app on the tablet is working now and the web app is not needed anymore.	The old web app is removed because the app on the tablet is working now.	[first come first do]

#	Rel.	Sprint	Est. Effort	Real Effort	Category	Short Name	Item Description	Acceptance Criteria	Responsible team member/s
1	1	1	5	5	Specialist concept	Requirements definition	As a team we have a homogenous understanding of the needs the stakeholde wants in order to fulfill the needs of the order correctly.	Written down in a document and every stakeholder should "sign it".	Andreas Singer, David Lehmeier, Liping Wang, Andreas Lutz, Jana Riechert, Kerstin Stern
2	1	1	2	2	Communication	Definition of Communication	As a member of the team we know the communication platform/devices/software and state how it will be used in order to get a more fluent SW development process.	Written down in a document.	Andreas Singer, David Lehmeier, Liping Wang, Andreas Lutz, Jana Riechert, Kerstin Stern
3	1	1	1	1	Quality MGMT	Definition of Done	As a member of a team I can check the definition of quality criterias for when a developed feature is done in order to get a more fluent sprint process.	Written down in a document.	Andreas Singer, David Lehmeier, Liping Wang, Andreas Lutz, Jana Riechert, Kerstin Stern
4	1	1	1	1	Quality MGMT	Definition of Readiness	As a member of the team I can check the definition of when a user story is ready in order to get a more fluent sprint process.	Written down in a document.	Andreas Lutz, Jana Riechert, Kerstin Stern
5	1	1	2	2	Dev Environment	Gathering Server/DB Information	As a developer I have all kind of information about the different types of databases, server and in particular login data and location in order to start developing.	Information should be there.	Andreas Singer, David Lehmeier, Liping Wang
6	1	1	2	2	Configuration MGMT	Code folder plan	As a member of the team I know how all of the written code will be stored in the SCM system in order to get a better structure in the project.		Andreas Singer, David Lehmeier, Liping Wang
7	1	1	2	2	Configuration MGMT	Data folder plan	As a member of the team I know how all of the data and documents will be stored in the files section of the repository in order to get a better structure in the project.	Written down in a document.	Andreas Singer, David Lehmeier, Liping Wang

#	Rel.	Sprint	Est. Effort	Real Effort	Category	Short Name	Item Description	Acceptance Criteria	Responsible team member/s
8	1	2	8	8	Dev Environment	Technology definition	As a developer I know which programming languages, operating systems etc. will be used so that we all use the same technology.	All of the OS and languages should be defined.	Andreas Singer, David Lehmeier, Liping Wang
9	1	2	8	8	Dev Environment	Introduction Workshop	on an introduction workshop concerning	All of the developer should have installed all of the software and all of the required knowledge to use it.	Andreas Singer, David Lehmeier, Liping Wang
10	1	2	2	2	Basic Dev	Setting up the project	As an admin, I have to set up the web application archive.	.WAR file can be deployed locally.	Andreas Singer, David Lehmeier
11	1	2	3	2	Basic Dev	Website Framework	As an user of the website, I can open the website and see a blank page in order to know there is an existing website where I can check all the HW later.	locally.	David Lehmeier
12	1	2	1	1	Basic Dev	Basic Database Framework	As a developer, I can open the DB and see columns and tables so that I can store data there.	Database with tables and columns exist and can be opened locally.	David Lehmeier
13	1	2	5	8	Basic Dev	Connecting Website and DB	As a developer, I can use the connection between website and the database in order to use the web GUI to change data in the DB later.	On the website a table with the unstructured content of the DB is visible.	David Lehmeier
14	1	2	1	1	Basic Dev	Setting Up Android App Framework	As an app user, I can see a specific website, so that I can use all of the functions on my smartphone, as well.		Andreas Singer
15	1	3	5	8	Quality MGMT	Improvements of common practices	during development so that	understanding about practices. Documents are	Andreas Singer

#	Rel.	Sprint	Est. Effort	Real Effort	Category	Short Name	Item Description	Acceptance Criteria	Responsible team member/s
16	1	3	2	3	Basic Dev	DL link for APK	As a user of the website, I can see a download link to the Android apk so that I can download the app for my smartphone.	DL link to the APK is on the website.	David Lehmeier
17	1	3	8	8	Testing	Understanding jUnit	As a developer, I should work with and understand jUnit to be able to test the application.	Developer understands jUnit so that s/he can write the test cases and test the software.	Andreas Singer, David Lehmeier, Liping Wang
18	1	3	8	8	Testing	Test Cases	As a developer, I should write test cases to make sure the software works without errors.	There are test cases for every existing file and function. No errors occur in the tests.	Liping Wang
19	1	3	1	2	Testing	Create DB test data	As a developer, I can see testdata in the DB so that I can check if the displaying of the DB content works.	The DB contains testdata for HW ID and location (offices).	Andreas Singer
20	1	3	1	1	HW MGMT	Basic DB content displaying	As a user on the website, I can see the HW String with the connected Rooms, so that I can locate the HW.		David Lehmeier
21	1	3	2	3	HW MGMT	Basic HW list with columns	As an user of the website, I can see the content of the DB in tables on the website in order to have a better structure of the displayed data.	On the website a table filled with testdata can be seen.	David Lehmeier
22	1	3	2	2	HW MGMT	Change HW information	As an user of the website, I can change the information of the DB in order to have the current state.		Andreas Singer
23	1	3	5	5	HW MGMT	Add HW information	As an user of the website, I can add information to the database in order to have the current state.	The user can add a record to the DB. He can enter values for all attributes and these will be saved.	David Lehmeier
24	1	4	8	5	Design	Create basic website desktop design/template	As an user, I have a HTML sketelon of the website in order to find information easily.	Create a seperate website to differentiate between input (App) and output (website) page. A clear structure can be recognized. Data is arranged in a table. Text is structured with headlines. Links are emphasized.	David Lehmeier

#	Rel.		Est. Effort	Real Effort	Category	Short Name	Item Description	Acceptance Criteria	Responsible team member/s
25	1	4	5	5	HW MGMT	Delete HW information (Desktop)	As an user of the website, I can delete information of the DB in order to have the current state.	record from the DB. Afterwards the record is not visible for the user anymore.	David Lehmeier
26	1	4	5	8	HW MGMT	Basic search field (Desktop)	As an user of the website, I can search for an HW ID in order to find HW quickly.		Liping Wang, Andreas Singer
27	1	4	2	2	App GUI	Enter RFID	As an user, I can enter a RFID in a text box in order to simulate the scan process.	A text box with the RFID is visible for the user. Numbers can be entered.	Andreas Singer
28	1	4	3	3	App GUI	Submit entry	As an user, I can click on "Submit" in order to save the information I entered in the different fields in the app.	The entry can be seen in the DB. Entry can bee seen on the website.	David Lehmeier
29	1	4	3	3	HW MGMT	Update website	As an user, I can add a HW device with the app in order to have the current state of the DB.	The entry can be found on the website which is automatically updated (user can see his entry).	David Lehmeier
30	1	4	1	1	HW MGMT	Update website	As an user, I can change the location of a HW device with the App in order to have the current state of the DB.	The website is automatically updatet. Therefore the user is able to see her/his changed record on the website.	Andreas Singer
31	1	5	3	8	HW MGMT	search field (Desktop)	As an user of the website, I can search for an HW ID in order to find HW quickly.	in a search field. S/he can start the search process. As a result only the record which s/he was looking for is visible. The user can discard the search and will then be able to see all records again.	David Lehmeier
32	1	5	3	3	DB Development	New DB tables and java classes	As an admin, I can see new DB tables in order to later add dropdown menus to the service.	Three new DB tables exist for the management of	Andreas Singer, Liping Wang
33	1	5	5	5	App GUI	Select office/employee room	As an user, I can select the office/room/employee where the HW is located in order to update the record.	offices/rooms/emplyoees are shown and one can be	Andreas Singer, David Lehmeier

#	Rel.	Sprint	Est. Effort	Real Effort	Category	Short Name	Item Description	Acceptance Criteria	Responsible team member/s
34	1	5	3	2	Minor improvements	Fixing URLs	As a user, I can't see anymore not relevant appendixes like "/?6" in the end of the URL in order to have a better user experience.	Not relevant appendixes in the end of the URL anymore listet.	Andreas Singer
35	1	5	8	5	Advanced search	Partial searching	As a user, I can also search for partial strings, in order to have improved search results.		David Lehmeier
36	1	5	2	2	Documentation	Javadoc	As a developer I can see the Javadoc Documentation in order to document the developed code.	Documentation is written.	Liping Wang
37	1	6	2	2	Basic Dev	Make Desktop site the root site	As an user, I can find the Desktop website in the root in order to get a better user experience.	site should be the root site now.	Andreas Singer
38	1	6	5	5	DB Dev	Expansion of DB and DeviceDatabase	As an admin, I can see the enhanced DB in order to have the final state of the DB for development.	There is an existing "Room", "User" and "Hardware" table. All of them have the final size of columns. ## Tables: Room: Side, Room-ID Hardware: rfid id, employee, room, part number, serial number, inventory number, owner, comment HW Metadata: unique id, part number, category, type, manufacturer, platform	David Lehmeier, Andreas Singer
39	1	6	5	5	Memory Dev	Searching in memory	As an user, I can search many times and only one time the DB will be accessed in order to get a better performance.	DB will not be accessed each time.	Andreas Singer

#	Rel.	Sprint	Est. Effort	Real Effort	Category	Short Name	Item Description	Acceptance Criteria	Responsible team member/s
40	1	6	2	2	HW MGMT	Advanced search field	As an user, I can search for different meta data in order to find HW quickly.	On the website the user can search for different criteria (manufacturer, type, platform, room, inventory number) to find a specific HW device. As a result only the matching records are visible. The user can discard the search and will then be able to see all records again.	Andreas Singer
41	1	6	1	2	Admin Dev	Admin sub menu	As an admin, I can see the sub menu in the admin part of the website in order to get a better user experience.		David Lehmeier
42	1	6	3	3	Admin Room MGMT	Admin page "Room MGMT"	As an admin, I can open a page in order to have an overview of the existing rooms.	A page "room MGMT" can be accessed by an admin. On this page all locations are listed. The attributes for every location are Room-ID and Side.	Liping Wang
43	1	6	3	3	Admin HW MGMT	Admin page "HW MGMT"	As an admin, I can open a page in order to have an overview of the existing HW.	A page "HW MGMT" can be accessed by an admin. On this page all of the HW and metadata is listed.	Andreas Singer

#	Rel.	Sprint	Est. Effort	Real Effort	Category	Short Name	Item Description	Acceptance Criteria	Responsible team member/s
44	1	6	5	5	Admin Room MGMT	Editing/deleting rooms	As an admin, I can update and delete the different rooms in order to have the current state of the DB.	For every location there is an "edit" and a "delete" button in the same line. If the admin clicks on the "delete" button he has to approve the deleting again. The deleting function for the Admin HW MGMT is automatocally implemented, too. If the admin clicks on the "edit" button he will be forwarded to another page where he can edit Room-ID and Side. All fields have to be filled, so they are required. A save button has to be implemented as well. A link back to the page "Room MGMT" is needed. If the user clicks on this link, the new location can be seen in the list.	Liping Wang, Andreas Singer
45	2	7	2	2	Admin Room MGMT	Advanced rooms editing	As an admin, I can edit a room and afterwards will be forwarded to the main list in order to improve the user experience.	If the user clicks on the save button s/he will automatically forwarded to the main list and a message "data was saved" or similar can be seen. In order to avoid a doubled entry, the user will see a message that this data already exists in the DB. S/he can then decide whether to overwrite the existing data or create a new one.	Liping Wang, Andreas Singer

#	Rel.	Sprint	Est. Effort	Real Effort	Category	Short Name	Item Description	Acceptance Criteria	Responsible team member/s
46	2	7	3	3	Admin Room MGMT	Adding rooms	As an admin, I can add rooms in order to have the current state of the DB.	An add button can be found above the list of rooms. If the admin clicks on this button he will be forwarded to another page (same page like in feature "editing rooms") where he can edit Room-ID and Side. A save button has to be implemented as well. If the user clicks on the save button s/he will automatically forwarded to the main list and a message "data was saved" or similar can be seen. In order to avoid a doubled entry, the user will see a message that this data already exists in the DB. S/he can then decide whether to overwrite the existing data or create a new one.	Liping Wang, Andreas Singer
47	2	7	5	8	Admin HW MGMT	Editing HW	As an admin, I can update the different HW in order to have the current state of the DB.	For every HW there is an	Andreas Singer

#	Rel.	Sprint	Est. Effort	Real Effort	Category	Short Name	Item Description	Acceptance Criteria	Responsible team member/s
48	2	7	3	1	Admin HW MGMT	Adding HW	As an admin, I can add HW in order to have the current state of the DB.	An add button can be found above the list of HW. If the admin clicks on this button he will be forwarded to another page (same page like in feature "editing HW") where s/he can edit metadata. A save button has to be implemented as well. A link back to the page "HW MGMT" is needed. If the user clicks on this link, the new HW information can be seen in the list.	Andreas Singer
49	2	7	1	1	Admin HW MGMT	Required fields	As an admin, it is required to fill out some of the fields in the HW MGMT in order to have a organized list.	It is not possible to leave the fields "RFID-ID" and "Part Number" blank while adding or editing a HW. If the fields are empty, a message like "Fill in reqired fields 'RFID-ID' and 'Part Number'!" or similar will be seen.	Andreas Singer
50	2	7	2	2	Admin Employee MGMT	Admin page "Employee MGMT" with functions editing, deleting and adding	As an admin, I can open a page "Employee MGMT" in order to have an overview of the existing employees and to update the DB to the current state.	Admin page "Employee MGMT" can be opened to give an overview of all employees. The functions editing, deleting and adding are possible and have the similar functionality as in the "room MGMT". After editing or adding an employee, the user will automatically forwarded to the main list and a message "data was saved" or similar can be seen.	Liping Wang, Andreas Singer

#	Rel.	Sprint	Est. Effort	Real Effort	Category	Short Name	Item Description	Acceptance Criteria	Responsible team member/s
51	2	7	8	8	Basic Knowledge	tags	As a developer, I know how the tablet, the RFID reader and the RFID-tags work in order to be able to use this hardware with our application.	Developer can answer questions like: 1. Have RFID tags already an unique id or do it have to be implemented? 2. Can the reader easily be installed on the PC without any specific SW from the provider? 3. Can HW easiliy be put together? Problems with different OS? 4. Are the functions of the reader and RFID tags understandable? 5. Is documentary understandable? 6. Can developer work with the tablet, reader and RFID tag?	David Lehmeier
52	2	8	2	3	Location MGMT	and adding	As an admin, I can open a page "Location MGMT" in order to have an overview of the existing locations and to update the DB to the current state.	Admin page "Location MGMT" can be opened to give an overview of all locations. The functions editing, deleting and adding are possible and have the similar functionality as in the "employee MGMT". After editing or adding a location, the user will automatically forwarded to the main list and a message "data was saved" or similar can be seen.	Liping Wang
53	2	8	1	2	Documentation		As an developer, I can see which attributes in the DB refer to which columns in the Ecxel sheet.		David Lehmeier

	Rel.	Sprint	Est. Effort	Real Effort	Category	Short Name	Item Description	Acceptance Criteria	Responsible team member/s
54	2	8	3	3	Advanced Knowledge	Advanced knowledge about reader, tablet and RFID tags	As a developer, I know how the tablet, the RFID reader and the RFID-tags work together in order to be able to use this hardware with our application.	Developers know how the reader, tablet and RFID tags work together. E.g. how is the RFID from the tag transfered to the application? This includes getting in touch with the support of the hardware vendor in order to try solving the range problematics (cf. impediments).	David Lehmeier
	2	8	5	5	Native App	Convert current hybrid app in native app	As a developer, I convert all existing forms into Android pendents, that all the buttons, submenues, etc. are consistent with the Android GUI.	Buttons, submenues, etc. of the current app have to be consistent with the Android GUI and not only be integrated in a website which will be shown. Buttons for example have to be showable and have to work in the Android GUI.	Andreas Singer, (David Lehmeier)
56	2	8	5	5	Native App	Understand code of scanner	As a develeoper, I understand the code of the scanner, so that we are able to work with it.	Developers know how the scanner works and understand the code and functionality of the scanner as well as the API.	Andreas Singer, David Lehmeier
57	2	8	8	8	Native App	Basic Integrate functionality of scanner into app	As developer, we integrate the functionalities of the scanner into the app, in order to make sure, that RFID tag scanning works.	An internal version exists. When the reader is plugged into the tablet, the reader is automatically detected.	Andreas Singer, David Lehmeier, Liping Wang
	2	9	5	5	Native App	Advanced Integrate functionality of scanner into app	As developer, we integrate the functionalities of the scanner into the app, in order to make sure, that RFID tag scanning works.	Scanning is possible and the app shows all RFID IDs of tagged HW in range	Andreas Singer, David Lehmeier, Liping Wang
59	2	9	5	5	Native App	Basic Burst mode	As developer, we integrate a functionality into the app, which allows to scan multiple tags in any time frame in order to update multiple DB entries.	During a scan process all tags in range are stored into a list until the "stop scan"-button is pressed.	Andreas Singer

#	Rel.	Sprint	Est. Effort	Real Effort	Category	Short Name	Item Description	Acceptance Criteria	Responsible team member/s
60	2	9	3	3	Basic Dev	Varibale Type Change	As a developer, I change the type of the variable RFID ID from an Integer into a String, in order to be able to use the IDs of our tags.	All views using RFID IDs are using String instead of Int variables and the RFID ID database column is changed to a Char value while retaining all data.	David Lehmeier, Andreas Singer
61	2	9	5	3		Integrate "Location" functionality into other lists as dropdown	As an user, I can choose locations from dropdown lists in order to improve the usability.	All locations which are required in the application and on the website can be selected in dropdown lists. A manual entering of locations is not supported anymore.	Liping Wang, Andreas Singer
62	2	9	5	5	Documentation	Starting an overall documentation	As a developer, you have to be sure that the quality of the documentation is appropriate, in order to ensure that our client can enhance and maintenance the program.	A documentation is available in order to understand the source code and to be able to follow the decisions which were made during the project.	David Lehmeier

Impediments

Sprint	Comments	Status	
1	Problems and a huge amount of open questions with	Can be clarified because of a meeting	
	actual task appered.	with EB at their offices.	
1	Project start was difficult because of the different	Meetings helped to overcome this	
	background of all team members.	problem and communication problems	
		could be solved.	
2	Java 6 and Tomcat 6 should now be used (message from		
	sunday), but SD's already used v7 which made it extra	with Java/Tomcat 6 but it was still extra	
	effort to change this.	effort we put in.	
	Still no hardware is available yet (scanner & tags).	Solved. HW is available.	
	There were some problems with jUnit. It was hard to understand and to write test cases.	Solved through teamwork/talking.	
3	Developer build features which were not required for this	Release Plan/Backlogs/Archives	
	sprint. They did this because of their intense motivation.	updated. Lessons learned: Talked about it.	
4	Developers who handed features in do not match with the	We will plan things more carefully	
	reponsibility allocation from the sprint planning.	starting with sprint 05. We will also	
		change the responsibility in the feature	
		archive, depending on who did it in the	
		end.	
4		Other team members can help out and	
	work spikes from other lectures.	do more, while evening it out in another	
	Cincol the last many and feedback and a second	sprint.	
4	Since we the last group our feedback only comes on	Talked with Hannes about that. He is	
	tuesday afternoon. Due to that it's impossible (most of the	feedback at the same time.	
	time) to already abide by the feedback for the next sprint release on friday but only for the sprint after that.	reedback at the same time.	
5	Liping would like to do more tasks in the next sprint.	Liping will get more tasks.	
	It is difficult to decide which developer will be responsible		
	for which feature in the sprint meeting because of	Feature Archive if it is not possible to	
	knowledge and time issues.	decide these before.	
6	No Problems :)	No problems can not be solved;)	
	The hardware doesn't allow us to use our current	Nothing we can do to solve this, other	
	implementation in a hybrid app approach. Therefore, we	than moving on.	
	have to rewrite our app into a fully native app.	S .	
8	One of the DEVs was impeded due to a cold.	He managed to complete his feature	
		anyway.	
8	Hardware is underperforming. The range is only around	We will contact the support of the vendor	
	2-4 cm instead of the promised 30-40.	and try to figure it out with them. In the	
		end we now have to accept it and work	
		with the scenario.	

Impediments

Sprint	Comments	Status		
9	The range of the hardware is that low because of	We decided to go on with the current		
	the specifications of our demo tags. Communication with	tags because of time issues. The		
	Martin / HW vendor took a lot of time. The question was	software we develop can also be		
	whether to go on with the tags we have right now, buy	used with other tags. Therefore Martin		
	new ones or even switch to a new, more powerful reader	and his company could buy new ones		
	using another architecture.	after the project.		
10	Because we only have one RFID reader and one	The developers decided to meet		
	developer has the most knowledge about app	frequently in order to work on the app		
	development, we decided to let him lead the app	features together as well as to share		
	development.	knowledge, ideas, and pairs of eyes		
	However, at the moment most features are about app	for finding bugs. This enables the		
	development and therefore it is hard to equally split	team to share the tasks in the best		
	the features between all developers.	possible way and to use the reader		
4.4		together.		
11				
12				
13				

Role history

Sprint	Scrum Master	Review & Release Manager
1	Jana Riechert	(Not needed because only organiztional tasks were fulfilled.)
2	Kerstin Stern	Liping Wang
		David Lehmeier
4	David Lehmeier	Andreas Singer
5	Andreas Singer	Liping Wang
		David Lehmeier
7	Jana Riechert	Andreas Singer
8	Kerstin Stern	Liping Wang
9	Andreas Lutz	David Lehmeier
10	Jana Riechert	Andreas Singer
11	Kerstin Stern	Liping Wang
12	Andreas Lutz	David Lehmeier
13	Jana Riechert	Andreas Singer