

Digital Identity (AMOS SS 2022)



Introduction

This document helps the user (HR employee) to use the Digital Identity Software and understand the main implemented feature. Hoping that the application itself is intuitive.


User Guide

The following views can be found in our application.

- [Login Page](#)
- [Home \(Landing Page\)](#)
- [Overview of Digital Identities](#)
- [Create new Digital Identity](#)
- [Overview of Schemas](#)
- [Create new Schemas](#)
- [Overview of Credential Definition](#)
- [Create new Credential Definition](#)
- [Overview of Proof Template](#)
- [Create new Proof Template](#)

Login Page

The login page is used to log in to the software by entering the email and password. It is the first page that appears when launching the application.



- To have a# Introduction

This document helps the user (HR employee) to use the Digital Identity Software and understand the main implemented feature. Hoping that the application itself is intuitive.


User Guide


The following views can be found in our application.


- [Login Page](#)
- [Home \(Landing Page\)](#)
- [Overview of Digital Identities](#)
- [Create new Digital Identity](#)
- [Overview of Schemas](#)
- [Create new Schemas](#)
- [Overview of Credential Definition](#)
- [Create new Credential Definition](#)
- [Overview of Proof Template](#)
- [Create new Proof Template](#)

Login Page

The login page is used to log in to the software by entering the email and password. It is the first page that appears when launching the application.



- To have access to the different views and functionalities of the application, the user must be logged in and therefore registered.
- after the registration process the user obtains an initial password which will allow him to make his first connection.
- On the login page the user has the possibility to display his password in plain text by clicking on the following icon  .
- In case the user has forgotten his password, he can click on "**Forgot password?**" to obtain a new password via email after entering the email address of his account. After clicking on it the user gets this pop up:




- when the user clicks on login after having filled in the correct login data, he gets redirected to the landing page of the application.


Creation of first user:


To create a first user account on the empty application click on 'Forgot Password?' and enter the mail of the first HR employee. He gets then an email with a initial password. (That works only once on new, fresh instances of the application)

Home (Landing Page)

After you are logged in to the software, you are redirected to a *landing page* which is the **Home** view of the application where you can see cards that allow quick access to the overview pages of the application. On this view you can also see a navigation menu that allows you to access other views.



-  implements the change password functionality. After clicking on it the user is redirected to this view where he can set a new password which meets the password criteria (at least each one lower case, upper case and numerical character and at least 8 characters in total):

-  is used to log the user out.

Overview of Digital Identities


In this view, you can get an overview of all the created digital identities and open processes. It is also possible here to perform some actions on the existing digital identities like edit or delete them.


Overview of digital identities

+ create DI

current Filters:

Alias	Name	Surname	Email	Open credentials	Open proofs	Connections status	
valentin.braeutigam	Valentin	Bräutigam	valentin.braeutigam	0	0	RESPONDED	
klroe.2@gmx.de	Bob	Baumeister	klroe.2@gmx.de	1	2	COMPLETED	
jannik.kiesel@gmx.c	Jannik	Kiesel	jannik.kiesel@gmx.c	0	0	INVITED	
florian.ramsbeck@a	Florian	Ramsbeck	florian.ramsbeck@a	1	1	COMPLETED	
tamara.hook@fau.	Tamara	Hook	tamara.hook@fau.	7	1	COMPLETED	

-  implements the edit functionality. By clicking on this icon a pop-up opens and allows the user to modify the information concerning the Digital Identity/Connection.



Overview of digital identities

+ create DI

current Filters: ▼ All

Alias	Name	Surname
valentin.braeutigam	Valentin	Bräutigam
jfl_v@gmx.de	-	-
abc@gmail.com	-	-
test@test.de.ted	-	-
karol.bakas@gmail	-	-
valentin.braeutigam	-	-

Please edit information of the DI.

ID
8

Name *
Bob


Surname *
Baumelster

Email *
kroe.2@gmx.de

☐ HR Employee

Save Cancel

en proofs	Connections status
	RESPONDED
	INVITED
	INVITED
	INVITED
	INVITED
	COMPLETED

-  By clicking on this icon, a pop-up windows opens which displays a table showing credentials offered and issued, as well as a table showing the proofs requested and received from connections. The credential table has columns that indicate the name of the credential, whether the credential has been issued or created and the time associated with this operation. For proofs linked to the digital identity it is the same but it indicates whether the proof was requested or received by the connection.

Control panel to digital identity kiroe.2@gmx.de


Credentials Proofs

Mitarbeiter Ausweis DHL accepted 4 days ago

Name of Attribute	Value of Attribute
Name	Bob Baumeister
Wohnort	Nuremberg

Items per page: 5 1 - 1 of 1

Close

-  can be clicked to delete the Digital Identity/Connection.

Delete entry

Are you sure to delete the DI with email kiroe.2@gmx.de?

☐ Yes, I am sure!

No Yes

- The user can use filters to search the list of Digital identity. He can select the column of the table he wants to filter by and use the search bar to add the filters.

Alias	Name	Surname	Email	Open credentials	Open proofs	Connections status
kiroe.2@gmx.de	Bob	Baumeister	kiroe.2@gmx.de	1	2	COMPLETED

Create new Digital Identity

To create a new digital identity the user simply needs to fill in the different input fields in the 'Create New Identity' view with the valid data. The required data is the name, surname and email of the employee whose digital information is to be created. This data gets stored and is later used for identity verification in case of a HR employee.

Create a new Digital Identity

Name *

Surname *

Email *

☐ HR Employee



Create DI and send e-mail invitation →



During the creation of a digital identity/connection the user can specify if it belongs to an HR employee by clicking in the checkbox tagged with 'HR employee' and in this case the employee belonging to this digital identity will receive an additional email to the one with connection information and the QR code. This second email contains an initial password which allows him to use the DIdentity software as an HR employee and to manage the digital identities in the application.

Overview of Schemas

This view shows all created schemas including their version and status. The status can be 'active' or 'inactive' which indicates whether the schema is in use and therefore if credential definitions can be

created from it.



HomeDigital Identity ▼Schema ▼Credential Definition ▼Proof Template ▼







Overview of schemas


+ create schema

▼ All

Q

current Filters:

Name	Version	Status	
Mitarbeiter Ausweis	1.00	active	
Fuehrerscheine	1.00	inactive	
Datenblatt	1.00	active	
TestSheet	1.00	active	
AmosJannikName	1.01	active	
AKB_Test1	0.1	active	







- To get more details about a schema the user can click on . Additional information is for example an connected image and the attributes of the schema.

Schemas

▼ All

Q

current Filters:

Name	Version	Status	
Mitarbeiter Ausweis	1.00	active	
Fuehrerscheine	1.00	inactive	
Datenblatt	1.00	active	
TestSheet	1.00	active	
AmosJannikName	1.01	active	
AKB_Test1	0.1	active	

Details to schema "Mitarbeiter Ausweis"

Name:

Mitarbeiter Ausweis


Version:

1.00

Attributes:

Name


Wohnort



- It is also possible to filter in the list of schemas similar to filtering in the overview of digital identities.

Create new Schema

The *creation of schemas* is possible via the **create schema** view. To create a schema the user must fill in the following data: the name, version and image (*unfortunately the image is not yet supported*) associated with this schema. There is also the possibility to add attributes by clicking on 'add attribute' and typing in a name. A schema has to contain at least one attribute to be created.



The screenshot shows the 'Create a new Schema' form within the adorsys application. The form is centered on a dark blue background. It includes input fields for 'Name: *' and 'Version: *'. Below these is a 'Select image' button, followed by a warning icon and the text 'Not supported yet.' There is a section for 'List of attributes:' with a '+ Add Attribute' button. At the bottom, a message states: 'Form fields are not filled or filled with invalid arguments. No attributes belong to the schema. You have to create at least one attribute.' A 'Create Schema →' button is at the very bottom of the form. The application's header includes the 'DIidentity' logo, the 'adorsys' logo, and a navigation bar with links for 'Home', 'Digital Identity', 'Schema', 'Credential Definition', and 'Proof Template'. A settings icon is also present in the top right corner.

Overview of Credential Definitions

This view shows all created credential definitions.

Home
Digital Identity
Schema
Credential Definition
Proof Template

Overview of credential definitions

+ create credential definition

▼ All

Q

current Filters:

Name	Status		
Mitarbeiter Ausweis Adorsys	active	Send to DI	
Mitarbeiter Ausweis Dauerhaft	active	Send to DI	
Adorsys Fuehrerschein	active	Send to DI	
Datenblatt Adorsys	active	Send to DI	
TestSheetObj	active	Send to DI	
TH Credential	active	Send to DI	

- In this view the user can send a credential defined by one of the created credential definitions to a digital identity by clicking on the "Send to DI" button and choosing the digital identity to which he would like to send it and by filling in the requested attributes.

Home
Digital Identity
Schema
Credential Definition
Proof Template

Overview of credential definitions

+ create credential definition

▼ All

Q

current Filters:

Name	Status		
Mitarbeiter Ausweis Adorsys	active	Send to DI	
Mitarbeiter Ausweis Dauerhaft	active	Send to DI	
Adorsys Fuehrerschein	active	Send to DI	
Datenblatt Adorsys	active	Send to DI	
TestSheetObj	active	Send to DI	
TH Credential	active	Send to DI	

Send Credential

Send credential **Mitarbeiter Ausweis Adorsys** to connection

Connection

kiroe.2@gmx.de

Name


Test


Wohnort

Numberg

Cancel

Send Credential ▶


- By clicking on this icon  a pop-up opens and a table is displayed showing all actions of the credential definition with respect to digital identities.



- Filtering is also possible in this list of credential definitions similar to filtering in the overview of digital identities.

Create new Credential Definition

To create a credential definition the user can use the 'create credential definition' button on the credential definition overview page or simply use the menu item in the navigation bar.



The user has to enter a name for the new credential definition, optionally enter a comment, select whether the credential definition is revocable using the checkbox (*unfortunately it is not supported by lissi*

yet) and finally associate a schema with the new credential definition. The credentials defined by this credential definition will later contain the attributes of the selected schema.

Overview of Proof Templates


This view presents all the proof templates that have been created and stored.


The screenshot shows the 'Overview of proof templates' page in the adorsys DIdentity application. The page has a dark blue header with the 'DIdentity' logo on the left and the 'adorsys' logo on the right. Below the header is a navigation bar with links: Home, Digital Identity, Schema, Credential Definition, and Proof Template (which is highlighted). A settings icon and an external link icon are also present in the navigation bar. The main content area has a title 'Overview of proof templates' and a '+ create proof template' button. Below this is a filter section with a dropdown menu set to 'All' and a search bar. A table lists the proof templates with columns for Name, Status, and a 'Send to DI' button. The table contains six rows of data.

Name	Status	Send to DI
Ausweiskontrolle	active	Send to DI
Ausweis Kontrolle Dauerhaft	active	Send to DI
Fuehrerschein Kontrolle	active	Send to DI
Datenblatt Vervollständigung	active	Send to DI
TestSheetProof	active	Send to DI
TestSheet12	active	Send to DI

- In this view the user can send a proof to a digital identity by clicking on the "Send to DI" button and choosing the digital identity to which he would like to send a proof.

The screenshot shows the 'Send proof' dialog box in the adorsys DIdentity application. The dialog box is titled 'Send proof' and contains the text 'Send proof Ausweiskontrolle to connection'. Below this text is a dropdown menu labeled 'Connections' with the value 'klroe.2@gmx.de' selected. There are two buttons: 'Cancel' and 'Send Proof' (which has a right arrow icon). The background shows the 'Overview of proof templates' page with the table of proof templates.

- The user can in this view also have a detailed overview of all the digital identities to which the proof has been sent and also the activities belonging to this proof template by clicking on this icon .



Overview of proof templates

+ create proof template

Filter






current Filters: All

Name
Ausweiskontrolle
Ausweis Kontrolle Dauerhaft
Fuehrerschein Kontrolle
Datenblatt Vervollständigung
TestSheetProof
TesSheet2
Mitarbeiterausweis Kontrolle
ProofTemplate-Test-AutoLinking
Test-AutoLinking-Timeout-1m

Control panel to proof template Ausweiskontrolle

Filter


Proofs Activities


	kiroe.2@gmx.de	request sent 3 days ago	▼
		request sent 3 days ago	▼
	martin.zie@gmx.de	request sent 3 days ago	▲
Waiting for reply...			
	martin.zie@gmx.de	request sent 7 days ago	▼
		request sent 8 days ago	▼


Items per page: 5 1 - 5 of 93 |< < > >|


Send to DI Close


active


Send to DI 


Send to DI 


Send to DI 

Send to DI 

Send to DI 

Send to DI 

Send to DI 

Send to DI 

- Filtering is also possible in this list of proof template similar to filtering in the overview of digital identities.

Create new Proof Template

This page allows the user to create a new proof template. To create a new proof template the user has to follow 4 steps.

Create a new Proof Template

1 Basic Info

2 Select Cred. Defs.

3 Automatic Actions

4 Self Attested Attributes

Create a new Proof Template

Name: *

Version: *

Select image

⚠ Not supported yet.

Next

- For the first step the HR employee should enter the name and version of the proof template he would like to create. If the requested format of the input is met the button "Next" will be activated and by clicking on it the user will be directed to the next step (Select Cred. Defs).

Create a new Proof Template

1 Basic Info

2 Select Cred. Defs.

3 Automatic Actions

4 Self Attested Attributes

Create a new Proof Template

Name: *

Test

Version: *

0.4

Select image

⚠ Not supported yet.

Next

- From the second step it is possible to return to the previous step by clicking on **Back**. In step two it is possible to select the credential definitions needed for the creation of the proof template. To continue with the next step at least one credential definition has to be selected. For each attribute of the schema defined in the credential definition additionally a filter predicate can be applied, e.g. the value has to be greater than 10 (The options for predicates are $>$, $<$, $>=$ and $<=$ compared to a value). For accepting the proof later the predicate condition has to be fulfilled.

Create a new Proof Template

Progress: 1 Basic Info — 2 Select Cred. Defs. — 3 Automatic Actions — 4 Self Attested Attributes

Selected credential definitions:

Mitarbeiter Ausweis Adorsys

current Filters:

	Name	
<input checked="" type="checkbox"/>	Mitarbeiter Ausweis Adorsys	expand
<input type="checkbox"/>	Mitarbeiter Ausweis Dauerhaft	expand

- The third step allows the user to specify an action to be automated. It is possible here to specify to automatically issue the credential from the accepted proof. This will be done after the proof request has been answered in the lissi wallet application. To use this option you must have selected in the previous step exactly one credential definition since this option is not yet possible for more than one credential definition. When the automatic issuance feature is activated, there is an additional step which is added and which is used to configure the credential which will be automatically issued each time the proof is presented.

Create a new Proof Template

Progress: 1 Basic Info — 2 Select Cred. Defs. — 3 Automatic Actions — 4 Automatic Issue — 5 Self Attested Attributes

Chose actions which are automatically executed after a proof related to this template is presented.

☒ Issue credential using data provided within this proof.

Back Next

Activating the checkbox and clicking 'next' leads to a page where the user can select a second credential definition. The second credential will be issued after the proof has been provided by the user. This can be used to provide credentials with attributes filled out by the owner of the digital identity (self-attested attributes). To find the credential definition quicker there is a filter function. After selecting the credential definition the attributes and data sources of all selected credential definitions show up. For each attribute the data comes from the selected credential definition in step 2. Lastly, the user can select a timeout which is initially set to 1 minute. The timeout defines the time the automated issue process of this proof template is provided. After sending this proof request, the system will periodically check whether the proof has been provided. If the time set in the timeout has elapsed, this automatic job is canceled, regardless of whether proof has been provided.

Create a new Proof Template

1 Basic Info
2 Select Cred. Defs.
3 Automatic Actions
4 Automatic Issue
5 Self Attested Attributes

Select the credential definition. A credential of this definition will be automatically issued after a proof is presented.

Filter name for:

Select credential definition:

Credential Definition
Mitarbeiter Ausweis Adorsys

Attribute of final credential	Data Source
Name	provided by Name within proof for Mitarbeiter Ausweis Adorsys
Wohnort	provided by Wohnort within proof for Mitarbeiter Ausweis Adorsys

Select a timeout time for this job: After sending this proof request, the system will periodically check whether the proof has been provided. If the set time has elapsed, this automatic job is canceled, regardless of whether proof has been provided.

☒ 1 min
 ☐ 10 min
 ☐ 30 min
 ☐ 1 hour
 ☐ 5 hours
 ☐ 10 hours
 ☐ 1 day
 ☐ 7 days
 ☐ 14 days

Back
Next

- In the last step we have a general overview over all the data that has been entered for the creation of the proof. Additionally the user has the possibility of adding self-attested attributes. A self-attested attribute is optional and can be added to a job to request more and especially free fillable data from the user of the lissi app. Clicking on the **Create Proof Template** button completes the creation process. Afterwards the proof is created and can be send to a digital identity.

Create a new Proof Template

1 Basic Info
2 Select Cred. Defs.
3 Automatic Actions
4 Automatic Issue
5 Self Attested Attributes

Back

Proof Template Name: Test

Proof Template Version: 0.4

Selected credential definitions:

Mitarbeiter Ausweis Adorsys

List of self attested attributes:


+ Add self attested Attribute


Attribute of final credential	Data Source
Name	provided by Name within proof for Mitarbeiter Ausweis Adorsys
Wohnort	provided by Wohnort within proof for Mitarbeiter Ausweis Adorsys

Create Proof Template →

- For a meaningful use of proof templates, the user should have two credential definitions, one created before and one, which is automatically generated on the basis of the lissi app user data. Afterwards, the user should create a proof template, which defines the linking between the credential definitions. Now the user can create a proof request by clicking the button **Send to DI** on the proof templates overview page. The proof request will be sent to the lissi app of the DI and can be sent back with the attributes or declined. The request will automatically expire after the timeout has expired.

***ccess to the different views and functionalities of the application, the user must be logged in and therefore registered.

- after the registration process the user obtains an initial password which will allow him to make his first connection.
- On the login page the user has the possibility to display his password in plain text by clicking on the following icon .
- In case the user has forgotten his password, he can click on "**Forgot password?**" to obtain a new password via email after entering the email adress of his account. After clicking on it the user gets this pop up:



- when the user clicks on login after having filled in the correct login data, he gets redirected to the landing page of the application.


Creation of first user:


To create a first user account on the empty application click on 'Forgot Password?' and enter the mail of the first HR employee. He gets then an email with a inital password. (That works only once on new, fresh instances

of the application)


Home (Landing Page)

After you are logged in to the software, you are redirected to a *landing page* which is the **Home** view of the application where you can see cards that allow quick access to the overview pages of the application. On this view you can also see a navigation menu that allows you to access other views.




-  implements the change password functionality. After clicking on it the user is redirected to this view where he can set a new password which meets the password criteria (at least each one lower case, upper case and numerical character and at least 8 characters in total):

The screenshot shows the 'Change Password' form. The form is a white box with a dark blue header 'Change Password'. It contains four input fields, each with a label and an asterisk: 'Enter your email *', 'Enter your old password *', 'Enter your new password *', and 'Confirm your new password *'. Each password field has a small eye icon to the right for toggling visibility. At the bottom of the form is a blue button with the text 'Change Password' and a right-pointing arrow. In the bottom left corner of the dark blue background, there is a small blue button with the text 'Back'.
















-  is used to log the user out.


Overview of Digital Identities

In this view, you can get an overview of all the created digital identities and open processes. It is also possible here to perform some actions on the existing digital identities like edit or delete them.



The screenshot displays the 'Overview of digital identities' interface. At the top, there's a navigation bar with 'Home', 'Digital Identity' (selected), 'Schema', 'Credential Definition', and 'Proof Template'. The main content area has a title 'Overview of digital identities' and a '+ create DI' button. Below this is a search bar and a filter dropdown labeled 'Name'. A 'current Filters:' section is empty. The main table lists digital identities with the following data:

Alias	Name	Surname	Email	Open credentials	Open proofs	Connections status	
valentin.braeutigam	Valentin	Bräutigam	valentin.braeutigam	0	0	RESPONDED	  
kiroe.2@gmx.de	Bob	Baumeister	kiroe.2@gmx.de	1	2	COMPLETED	  
jannik.kiesel@gmx.c	Jannik	Kiesel	jannik.kiesel@gmx.c	0	0	INVITED	  
florian.ramsbeck@a	Florian	Ramsbeck	florian.ramsbeck@a	1	1	COMPLETED	  
tamara.hoock@fau.	Tamara	Hoock	tamara.hoock@fau.	7	1	COMPLETED	  

-  implements the edit functionality. By clicking on this icon a pop-up opens and allows the user to modify the information concerning the Digital Identity/Connection.

Home
Digital Identity
Schema
Credential Definition
Proof Template

Overview of digital identities

+ create DI

All

current Filters:

Alias	Name	Surname
valentin.braeutigam	Valentin	Bräutigam
jfl_v@gmx.de	-	-
abc@gmail.com	-	-
test@test.de.ted	-	-
karol.bakas@gmail	-	-
valentin.braeutigam	-	-

Please edit information of the DI.

ID
8

Name *
Bob


Surname *
Baumeister

Email *
kloee.2@gmx.de

☐ HR Employee


Save Cancel

an proofs	Connections status
RESPONDED	
INVITED	
INVITED	
INVITED	
INVITED	
COMPLETED	

-  By clicking on this icon, a pop-up windows opens which displays a table showing credentials offered and issued, as well as a table showing the proofs requested and received from connections. The credential table has columns that indicate the name of the credential, whether the credential has been issued or created and the time associated with this operation. For proofs linked to the digital identity it is the same but it indicates whether the proof was requested or received by the connection.

Control panel to digital identity kiroe.2@gmx.de

Credentials Proofs


 Mitarbeiter Ausweis DHL accepted 4 days ago ^


Name of Attribute	Value of Attribute
Name	Bob Baumeister
Wohnort	Nuremberg

Items per page: 5 1 - 1 of 1 |< < > >|

Close




1 12

-  can be clicked to delete the Digital Identity/Connection.



- The user can use filters to search the list of Digital identity. He can select the column of the table he wants to filter by and use the search bar to add the filters.

current Filters:

Alias	Name	Surname	Email	Open credentials	Open proofs	Connections status	
kiroe.2@gmx.de	Bob	Baumeister	kiroe.2@gmx.de	1	2	COMPLETED	  

Create new Digital Identity

To create a new digital identity the user simply needs to fill in the different input fields in the 'Create New Identity' view with the valid data. The required data is the name, surname and email of the employee whose digital information is to be created. This data gets stored and is later used for identity verification in case of a HR employee.

Home
Digital Identity
Schema
Credential Definition
Proof Template

Overview of Digital Identities
Create new Digital Identity

Create a new Digital Identity

Name *

Surname *

Email *

☐ HR Employee

Create DI and send e-mail invitation →

During the creation of a digital identity/connection the user can specify if it belongs to an HR employee by clicking in the checkbox tagged with 'HR employee' and in this case the employee belonging to this digital identity will receive an additional email to the one with connection information and the QR code. This second email contains an initial password which allows him to use the DIdentity software as an HR employee and to manage the digital identities in the application.

Overview of Schemas

This view shows all created schemas including their version and status. The status can be 'active' or 'inactive' which indicates whether the schema is in use and therefore if credential definitions can be created from it.







Overview of schemas


[+ create schema](#)


▼ All

🔍

current Filters:

Name	Version	Status	
Mitarbeiter Ausweis	1.00	active	
Fuehrerschein	1.00	Inactive	
Datenblatt	1.00	active	
TestSheet	1.00	active	
AmosJannikName	1.01	active	
AKB_Test1	0.1	active	

- To get more details about a schema the user can click on . Additional information is for example an connected image and the attributes of the schema.



The modal displays the following information:


- Name:** Mitarbeiter Ausweis
- Version:** 1.00
- Attributes:** Name, Wohnort

The modal also features the adorsys logo and a close button (X).

- It is also possible to filter in the list of schemas similar to filtering in the overview of digital identities.

Create new Schema

The *creation of schemas* is possible via the **create schema** view. To create a schema the user must fill in the following data: the name, version and image (*unfortunately the image is not yet supported*) associated with this schema. There is also the possibility to add attributes by clicking on 'add attribute' and typing in a name. A schema has to contain at least one attribute to be created.



The screenshot shows the 'Create a new Schema' form within the adorsys application. The form is centered on a dark blue background. It includes input fields for 'Name: *' and 'Version: *'. Below these is a 'Select Image' button, followed by a warning icon and the text 'Not supported yet.' The 'List of attributes:' section contains an '+ Add Attribute' button. At the bottom, a message states: 'Form fields are not filled or filled with invalid arguments. No attributes belong to the schema. You have to create at least one attribute.' A 'Create Schema →' button is disabled.

DIidentity

adorsys

Home Digital Identity Schema Credential Definition Proof Template

Create a new Schema

Name: *

Version: *

Select Image

⚠ Not supported yet.

List of attributes:

+ Add Attribute

Form fields are not filled or filled with invalid arguments.
No attributes belong to the schema. You have to create at least one attribute.

Create Schema →

Overview of Credential Definitions

This view shows all created credential definitions.

Overview of credential definitions

[+ create credential definition](#)


▼ All

Q

current Filters:

Name	Status	
Mitarbeiter Ausweis Adorsys	active	Send to DI 
Mitarbeiter Ausweis Dauerhaft	active	Send to DI 
Adorsys Fuehrerscheine	active	Send to DI 
Datenblatt Adorsys	active	Send to DI 
TestSheetObj	active	Send to DI 
TH Credential	active	Send to DI 

- In this view the user can send a credential defined by one of the created credential definitions to a digital identity by clicking on the "Send to DI" button and choosing the digital identity to which he would like to send it and by filling in the requested attributes.

[Home](#)
[Digital Identity](#)
[Schema](#)
[Credential Definition](#)
[Proof Template](#)








Overview of credential definitions

[+ create credential definition](#)

▼ All

Q

current Filters:

Name	Status	
Mitarbeiter Ausweis Adorsys	active	Send to DI 
Mitarbeiter Ausweis Dauerhaft	active	Send to DI 
Adorsys Fuehrerscheine	active	Send to DI 
Datenblatt Adorsys	active	Send to DI 
TestSheetObj	active	Send to DI 
TH Credential	active	Send to DI 

Send Credential

Send credential **Mitarbeiter Ausweis Adorsys** to connection

Connection

kiroe.2@gmx.de


Name


Test

Wohnort

Nurnberg

[Cancel](#)
[Send Credential](#)


- By clicking on this icon  a pop-up opens and a table is displayed showing all actions of the credential definition with respect to digital identities.



- Filtering is also possible in this list of credential definitions similar to filtering in the overview of digital identities.

Create new Credential Definition

To create a credential definition the user can use the 'create credential definition' button on the credential definition overview page or simply use the menu item in the navigation bar.







The user has to enter a name for the new credential definition, optionally enter a comment, select whether the credential definition is revocable using the checkbox (*unfortunately it is not supported by lissi yet*) and finally

associate a schema with the new credential definition. The credentials defined by this credential definition will later contain the attributes of the selected schema.

Overview of Proof Templates


This view presents all the proof templates that have been created and stored.




[Home](#) [Digital Identity](#) [Schema](#) [Credential Definition](#) [Proof Template](#)  







Overview of proof templates

[+ create proof template](#)


 All





current Filters:

Name	Status		
Ausweiskontrolle	active	Send to DI	
Ausweis Kontrolle Dauerhaft	active	Send to DI	
Fuehrerschein Kontrolle	active	Send to DI	
Datenblatt Vervollständigung	active	Send to DI	
TestSheetProof	active	Send to DI	
TestSheet12	active	Send to DI	

- In this view the user can send a proof to a digital identity by clicking on the "Send to DI" button and choosing the digital identity to which he would like to send a proof.




- The user can in this view also have a detailed overview of all the digital identities to which the proof has been sent and also the activities belonging to this proof template by clicking on this icon .




- Filtering is also possible in this list of proof template similar to filtering in the overview of digital identities.

Create new Proof Template

This page allows the user to create a new proof template. To create a new proof template the user has to follow 4 steps.



- For the first step the HR employee should enter the name and version of the proof template he would like to create. If the requested format of the input is met the button "**Next**" will be activated and by clicking on it the user will be directed to the next step (Select Cred. Defs.).



- From the second step it is possible to return to the previous step by clicking on **Back**. In step two it is possible to select the credential definitions needed for the creation of the proof template. To continue with the next step at least one credential definition has to be selected. For each attribute of the schema defined in the credential definition additionally a filter predicate can be applied, e.g. the value has to be greater than 10 (The options for predicates are $>$, $<$, $>=$ and $<=$ compared to a value). For accepting the proof later the predicate condition has to be fulfilled.

Create a new Proof Template

Progress: 1 Basic Info — 2 Select Cred. Defs. — 3 Automatic Actions — 4 Self Attested Attributes

Selected credential definitions:

Mitarbeiter Ausweis Adorsys

current Filters: All

	Name	
<input checked="" type="checkbox"/>	Mitarbeiter Ausweis Adorsys	expand
<input type="checkbox"/>	Mitarbeiter Ausweis Dauerhaft	expand

- The third step allows the user to specify an action to be automated. It is possible here to specify to automatically issue the credential from the accepted proof. This will be done after the proof request has been answered in the lissi wallet application. To use this option you must have selected in the previous step exactly one credential definition since this option is not yet possible for more than one credential definition. When the automatic issuance feature is activated, there is an additional step which is added and which is used to configure the credential which will be automatically issued each time the proof is presented.

Create a new Proof Template

Progress: 1 Basic Info — 2 Select Cred. Defs. — 3 Automatic Actions — 4 Automatic Issue — 5 Self Attested Attributes

Chose actions which are automatically executed after a proof related to this template is presented.

☒ Issue credential using data provided within this proof.

Back Next

Activating the checkbox and clicking 'next' leads to a page where the user can select a second credential definition. The second credential will be issued after the proof has been provided by the user. This can be used to provide credentials with attributes filled out by the owner of the digital identity (self-attested attributes). To find the credential definition quicker there is a filter function. After selecting the credential definition the attributes and data sources of all selected credential definitions show up. For each attribute the data comes from the selected credential definition in step 2. Lastly, the user can select a timeout which is initially set to 1 minute. The timeout defines the time the automated issue process of this proof template is provided. After sending this proof request, the system will periodically check whether the proof has been provided. If the time set in the timeout has elapsed, this automatic job is canceled, regardless of whether proof has been provided.

Create a new Proof Template

Basic Info — Select Cred. Defs. — Automatic Actions — **4 Automatic Issue** — 5 Self Attested Attributes

Select the credential definition. A credential of this definition will be automatically issued after a proof is presented.

Filter name for:

Filter Text

Select credential definition:

Credential Definition
Mitarbeiter Ausweis Adorsys

Attribute of final credential	Data Source
Name	provided by Name within proof for Mitarbeiter Ausweis Adorsys
Wohnort	provided by Wohnort within proof for Mitarbeiter Ausweis Adorsys

Select a timeout time for this job: After sending this proof request, the system will periodically check whether the proof has been provided. If the set time has elapsed, this automatic job is canceled, regardless of whether proof has been provided.

☒ 1 min

☐ 10 min

☐ 30 min

☐ 1 hour

☐ 5 hours

☐ 10 hours

☐ 1 day

☐ 7 days

☐ 14 days

Back

Next

- In the last step we have a general overview over all the data that has been entered for the creation of the proof. Additionally the user has the possibility of adding self-attested attributes. A self-attested attribute is optional and can be added to a job to request more and especially free fillable data from the user of the lissi app. Clicking on the **Create Proof Template** button completes the creation process. Afterwards the proof is created and can be send to a digital identity.

Create a new Proof Template

Basic Info

Select Cred. Defs.

Automatic Actions

Automatic Issue

5 Self Attested Attributes

Back

Proof Template Name:Test

Proof Template Version:0.4

Selected credential definitions:

Mitarbeiter Ausweis Adorsys

List of self attested attributes:

+ Add self attested Attribute

Attribute of final credential	Data Source
Name	provided by Name within proof for Mitarbeiter Ausweis Adorsys
Wohnort	provided by Wohnort within proof for Mitarbeiter Ausweis Adorsys

Create Proof Template →

- For a meaningful use of proof templates, the user should have two credential definitions, one created before and one, which is automatically generated on the basis of the lissi app user data. Afterwards, the user should create a proof template, which defines the linking between the credential definitions. Now the user can create a proof request by clicking the button **Send to DI** on the proof templates overview page. The proof request will be sent to the lissi app of the DI and can be sent back with the attributes or declined. The request will automatically expire after the timeout has expired.