Project Name	Al Driven Testing
Online team meeting	https://fau.zoom.us/j/69553438847?pwd=VHGm0oOZ2KvPbbhrGsmX83d4rAuuaT.1
Online team meeting	nttps://dau.zoom.as//0000047:pwa-v110m00022tv1 bbm03m/x0004n/ada1.1
Production system (if any)	
Test system (if any)	
GitHub repository	https://github.com/amosproj/amos2025ss04-ai-driven-testing
GitHub feature board	https://github.com/orgs/amosproj/projects/82/views/2
GitHub imp-squared backlog	https://github.com/orgs/amosproj/projects/86/views/1
Planning Poker Link	https://pokerplanning.org/room/05e2b4ba-b452-4c29-8ba0-e9ae23005ce0
Team T-shirt (white)	https://www.shirtinator.ch/s/gyMoSd27QOSIIB0wUYQ7XA
Team T-shirt (black)	https://www.shirtinator.ch/s/-GuNOvW5Q2qjHFDZrYILpA
black link again since it didnt work for some	https://www.shirtinator.ch/t-shirts/gestalten/t-shirt-bedrucken#/load/share/f86b8d3a-f5b9-436a-a31c-50d9ad820ba4
WOLK TOL SOLLIE	nttps://www.sniittinator.cn/resniits/gestalten/resniite-bedrucken#/load/snaie/loobod3a-15b3-450a-a51c-50d3ado20ba4
Additional materials	
Team maling list	oss-amos-proj4@lists.fau.de

Last Name	First Name	GitHub User Name	Email Address
Brüggemann	Jonas	JonasBrue	jonas.brueggemann@campus.tu-berlin.de
Clicqué	Lennard	OlafVanHuusen	lennard.clicque@fau.de
Hasse	Lisabeth	PeppermintCoding123	lisabeth.hasse@fau.de
Heidkamp	Tessa	theidkamp	tessa.v.heidkamp@campus.tu-berlin.de
Krug	Maximilian	HaruspexSan	maximilian.krug@fau.de
Lang	Felix	xilef45	felix.l.lang@fau.de
Lorenz	Alexander	Hydraneut	alexander.lorenz@fau.de
Parameswaran	Biranavan	Biranavan-Parameswaran	parameswaran@campus.tu-berlin.de
Takale	Aditi Vishwas	adititakale01	adititakale01@gmail.com
Alsultan	Moaiad	Moaiadsu	m.alhmadhalsultan@campus.tu-berlin.de

		Pr	oduct Owner					
ŧ	Meeting Day	Review	Planning	Software Developer	Release Manager	Scrum Master	First-Level-Support :)	Comment
1	2025-04-16 both	h	both	all other	none	Felix	Felix	
2	2025-04-23 both	h	Max	all other	Max	Felix	Felix	
3	2025-04-30 Max	X	Alex	all other	Alex	Felix	Felix	
4	2025-05-07 Alex	x	Max	all other	Jonas	Felix	Felix	Build process review
5	2025-05-14 Max	x	Alex	all other	Lennard	Felix	Felix	
6	2025-05-21 Alex	x	Max	all other	Lisabeth	Felix	Felix	
7	2025-05-28 Max	x	Alex	all other	Tessa	Felix	Felix	Mid-term due
8	2025-06-04 Alex	x	Max	all other	Maximilian	Felix	Felix	
9	2025-06-11 Max	x	Alex	all other	Alexander	Felix	Felix	
10	2025-06-18 Alex	x	Max	all other	Biranavan	Felix	Felix	
11	2025-06-25 Max	x	Alex	all other	Aditi Vishwas	Felix	Felix	
12	2025-07-02 Alex	x	Max	all other	Moaiad	Felix	Felix	
13	2025-07-09 Max	x	Alex	all other		Felix	Felix	
14	2025-07-16			all other		Felix	Felix	Demo day!
oduc	t owners, software deve	elopers, and Sci	urm Master are set and idea	lly don't change over time; the	critical part is the Releas	e Manager role you need	to define here	
Toduc	t Owners, software deve	elopers, and Sci	um waster are set and idea	ily don't change over time, the	Critical part is the Releas	e Manager Tole you need	to define nere	


Interpersonal relationship objectives: "To foster an atmosphere of mutual respect and learning, creating a team-spirit"
Main goal is to create a satisfiying project that makes Us, the IP(Industry Partner) and open-source community happy
Documentation in english and meeting language in German
Start on time
Be Polite
Purpose: Clearly define the goal of the meeting.
Preparation: Ensure all participants are well-informed and ready to contribute.
Participation: Encourage active engagement from all attendees.
Process: Organize the meeting structure and agenda effectively.
Progress: Monitor the meeting's progress and ensure it stays on track.
Leave the code better than you found it (The Boy Scout Rule)
Keep it Simple, Stupid (KISS)
Felix will do the retros + keeping track of meetings
Alex and Max will take care of the assignments (Backlog Items)
We check Discord at least every day
Communicate Conflict in Team-Meeting. Help from Felix or Jovana to solve conflicts.
Respect, active listening, tolerance
Experimentation spirit and feedback culture
Burn-Down charts as process tracking
Appreciation and praise
Wear the ducky tie
Post a cute/funny pic of a pet (or similar)
Felix Lang
Maximilian Krug
Alexander Lorenz
Mohammad Moaiad Alhamdh Alsultan (Moaiad Alsultan)
Jonas Brüggemann
Lennard Clicqué
Biranavan Parameswaran (Biri)
Lisabeth Hasse
Tessa Heidkamp
Aditi Vishwas Takale

Product Vision	Project Mission
Product Vision We are transforming the landscape of software testing through intelligent, Al-powered automation. Our vision is a future where testing is no longer a bottleneck but a seamless, continuous, and reliable part of the development process. By empowering developers and testers with Al tools that autonomously generate and maintain test cases, we free them from generating the same test cases over and over to instead focus on creative problem-solving and strategic innovation. Our solution supports a future of scalable, secure, and locally controlled quality assurance, driving the next evolution in software development. We invision the role of the programmer to become a curator and innovator of Al generated Code.	Product Mission Deliver a minimum viable product (MVP) of an Al-powered test generation assistant that interacts effectively with real-world software projects. This includes laying the empirical and research groundwork for the idea. From this research we will conclude a MVP, that can analyze simple Python and C++ programs and produce corresponding test cases. Operated through a user-friendly chat interface. The MVP will showcase initial integration with widely used open-source testing frameworks such as Robot Framework, proving the viability of Al-assisted test automation in practical, everyday development environments.

Term	Definition
LLM	Large language model
LLM Input	User Input into the LLM
LLM Output	Response of the LLM to the Input
LLM System Prompt	System message sent (this is different from the LLM Input)
Temperature	gradient how "creative" the LLM behaves
Interface Script/ LLM factory	Backbone script of the project to start, end and use the LLM containers
Container	Docker container, (not kaniko os something else)
IP	Industry Partner
Sprint	agile (Amos) sprint with a duration of 2 weeks
CI	GitHub workflows as Continuouse Integration assistent
Wiki	Documentation in the Github repos wiki (not Wikipedia)
Laptop	Personal device to run the code (nothing fancy standard device) TODO add specs

Sprint #	Sprint goal
1	None
2	None
3	None
4	Laying foundational architecture groundwork
5	Initalize future development area
6	Enhance user value by metricization
7	Preparing for Midproject review
8	Expanding Modularity and advancing metricization
9	Enhancing accuracy of LLM return
10	Advancing Usability and LLM response rsatistics
11	Design and Development for own LLM
12	Create CI Usecase and user value
13	Prepare for demo day
14	Last touches before the finally
15	-/- (only winter term)

Sprint #	Story Points Realized
1	
2	36
3	20
4	23
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
	PLEASE CREATE THE VELOCITY CHART ON A NEW TAB USING THE DATA FROM THIS TAB




Release Total				Est. remaining	Real size	Real remaining
Total						
			160	160	79	
. Otta			100	100	19	
Sprints						
1			0	160	0	160
2			33		36	160
3			33		20	124
4			22		23	104
5			35			81
6			37			81
7						81
8						81
9						81
10						81
11						81
12						81
13						81
14						81
15						81
Finish						81
Features	3					
1						
		(none since we didnt meet with the IP yet)				
2						
2		Write .py script to interact with the LLM 3	3		3	
		Reaserch LLM 5	5		5	
		Research Deepcoder/Phi4-Mini	5		5	
		Research LLM 4	5		5	
		Reaserch LLM 2	5		8	

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining
_		Create initial Architecture Documentation	2		2	
		Reaserch LLM 1	5		3	
		Write .py script to interact with the LLM 1	3		5	
3						
		Continue to Maintain the Architecture-Document	3		3	
		Write .py script to interact with the LLM 2	3		3	
		Research Code Complexity	5		5	
		Create Python test cases	3		1	
		Start Bill of Material	1		1	
		Continue to Maintain Bill of Materials	1		1	
		Write .py script to interact with the LLM 5	3		3	
		Write .py script to interact with the LLM 4	3		3	
4						
		Continue to Maintain Bill of Materials	1		1	
		Unify the python interface	3		3	
		initialize ReadMe	2		1	
		Research Al-Model Benchmark	3		3	
		Build the first Benchmarking tests	3		3	
		make CI-Pipeline	5		8	
		Continue to Maintain the Architecture-Document	3		2	
		Set up Branchmanagment	3		2	
5						
		Write .py script to start docker containers	3			
		Add Modul Interface	5			
		Research Ollama	5			
		Research/Implement How to include whole project	5			
		Test docker performance	3			
		Initialize API	5			
		Build process video	3			
		Initialize Frontend	5			
		Continue to Maintain Bill of Materials	1			
6						
		Module: Code Complexity: CCC	5			
		Module: Analyze context size	3			
		Module: External research	5			
		Module: Code Complexity: MCC	5			
		Connect API to Frontend	5			
		Frontend Make User enter prompt and source code	5			
		Research: Spell checker	3			
		Initialize user, (technical) design, and build/deploy documentation	3			
		Module: Spell checker	3			

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining
Oprilit	Oui	i eature raine	LSt. Size	LSt. remaining	INCAI SIZE	ixeai remaining

print	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining
		PLEASE CREATE THE BURNDOWN CHART ON A NEW TAB USING THE DATA FR				



Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining
Releas	е					
Total		estimation ca. 30 per sprint	217	217		
Sprints	3					
7			31	217	0	217
8			30	186	0	217
9			26	156	0	217
10			30	130	0	217
11			28	100	0	217
12			26	72	0	217
13			31	46	0	217
14			15	15	0	217
Feature	es					
7						
		Unify requirements.txt files	2			
		Frontend: Display LLM result in Textbox	5			
		Onboard small model 1b	2			
		Prune models for only MIT license Models	2			
		Unify payload to Json	5			
		Module: Evaluate LLM performance	5			
		Module: Implement System property findings	5			
		Add multiple payload APIs	5			
8						
		Onboard and Test new LLM	3			
		Module: Add security analyzer module for generated code	3			
		Module: Add configurable timeouts for LLM generation	3			
		Module: Code Complexity: Complexity Measurement Tool (CMT)	5			
		Module: Code Complexity: CM	5			
		Frontend: make modules togglable in UI	5			
		Module: Detect redundant/duplicate test cases	3			
		Output exporter (as zip, json, http etc)	3			
9		Research: test readability score (Flesch/Kincaid)	3			
		Module: Detect Edgecase accuracy of LLM research	5			
		Onboard and Test new LLM	3			
		Module: Map language to optimal model with fallback support	3			

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining
•		Module: Allow chaining outputs between models	3			
		Research: Befits of chaining methods	2			
		Use metrics to compare 1b, 3b, 7b and maybe 14b models	2			
		Research: How to measure code coverage with tools	5			
10		Ŭ				
		Onboard and Test new LLM	3			
		Module: Measure test readability score (Flesch/Kincaid)	5			
		Module: Check output for code coverage of the tests	3			
		Module: Flaky Test Identifier: Detect and flag non-deterministic/generated tests	5			
		Module: Show dependency hierarchy of code by logic flow	3			
		Try HPC to run the thing and test a larger model 50b+ parameters	5			
		Module: Auto-split large files into units for test generation				
			3			
		Research: how to train/ enhance own LLM on HPC	3			
11						
		Onboard and Test new LLM	3			
		Use HPC to train our own LLM	5			
		Module: Auto-group similar test cases into suites	5			
		Clean the repo	2			
		Module: LLM testing of Code understandability, make LLM describe the code, let				
		the same LLM (with no history) build the code from the description -> see if code				
		passes the Unit tests.	5			
		Test current models for output consistency (deterministic)	3			
		Frontend: Diff viewer between original and tested source	5			
12						
		Research: different types of software test	3			
		CI: create Docker CI for running everything in CI	2			
		Research: can we run the models in the CI	3			
		Eveluate the performance of the models with and without the modules	3			
		Placeholder	15			
13						
		Ci: Create a CI flow that creates the uni tests and provides them as unit tests	5			
		Improve Usability of the frontend	5			
		Prepare Demo and create 3 Usecases	2			
		Clean the wiki	2			
		Overwork the Bill of Materials	1			
		Overwork the Architectuer Document	3			
		Refactor the Code	3			
		Placeholder	10			
14						
		Clean the repo	2			

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining
		Finish documentation	2			
		Export Documentation (Wiki) as PDF	2			
		Export Documentation (Wiki) as PDF Create Demo Day slide Create Demo Day video	1			
		Create Demo Day video	3			
		Finalize user, (technical) design, and build/deploy documentation	5			
		The second control of				

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining
ор					110411 0120	g

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining
•				•		

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining
						g

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining
•				•		

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining
•				•		

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining
•				•		

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining


Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining

Sprint	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining



# Feature Definition of Done	Sprint Release Definition of Done	Project Release Definition of Done
# Definition of Done - [] document the results of your research - [] note if the LLM works or not - [] add documentation to the LLM section of the wiki 1 - [] link any sources you found, preferably scientific	Project builds, deploys, and tests successfully Project is improved compared to last release Sprint release notes have been written Wiki has been updated with new knowledge	Release passes accaptence test Functional and non functional requirements are met Requirements and Use cases are covered User documentation has been updated Design documentation has been updated
# Definition of Done (DoD) Checklist - [] Code is tested - [] Code is reviewed by a peer - [] Code is merged into dev (without breaking) 2 - [] Code is Documented in the Wiki		

Type	Link / reference

Context	Name	Version	License	Comment
Contoxt	Hamo	roidin	Python Software	Commone
Python Version for running the			Foundation License	
main script	Python V	3.11	Version 2	
			Apache License, Version	
Running Ollama via Docker	Docker	28.1.1	2.0.	
Ollama enables running LLMs				
easily	Ollama	0.6.8	MIT License	
			Qwen Research License	
Running Qwen2.5-Coder via			(3B Model only), Apache	
Ollama	Qwen2.5-coder	qwen2.5-coder:3b-instruct-q8_0	License 2.0 (others)	
	l		Apache License, Version	
Running Mistral via Ollama	Mistral	mistral:7b-instruct-v0.3-q3_K_M	2.0.	
Running Deepseek-Coder via	D	1 1 - 0 7 1 - 0 16 14	Deepseek License	
Ollama	Deepseek-Coder	deepseek-coder:6.7b-instruct-q3_K_M	Agreement	only used for testing
Running Phi4-Mini via Ollama	Phi4-Mini	phi4-mini:3.8b-q4_K_M	MIT License	
Running Gemma via Ollama	Gemma	gemma3:4b-it-q4_K_M	Gemma Terms of Use	only used for testing
devDependency	pytest	7.4.3	MIT License	used for unit-tests
'			Apache License, Version	
Used python library	docker	7.0.0	2.0.	
			Apache License, Version	
Used python library	requests	2.28.0	2.0.	
Used python library	tqdm	4.65.0	MIT License	
Used python library	numpy	1.22.0	BSD License	
Used python library	pandas	1.3.0	BSD License	
Used python library	fastapi	0.115.12	MIT License	
Used python library	uvicorn[standard]	0.34.2	BSD License	
frontend	react	19.1.0	MIT License	
frontend	react-dom	19.1.0	MIT License	
frontend	react-scripts	5.0.1	MIT License	
nontena	Teact-scripts	5.0.1	Apache License, Version	
frontend	typescript	4.9.5	2.0.	
	туроворт	1.5.0	Apache License, Version	
frontend	web-vitals	2.1.4	2.0.	
Used for Code formatting	Black	24.3.0	MIT License	
Used for Linting	flake8	7.2.0	MIT License	
Occurrency	nanco	1.2.0	WITT EIGCTISC	

Last Name	First Name	Value			
Brüggemann	Jonas	5			
Clicqué	Lennard	5	5.00	OK	
Hasse	Lisabeth	5	0.00		
Heidkamp	Tessa	5			
Parameswaran	Biranavan	5	0	No size	
Takale	Aditi Vishwas	5	1	Trivial size	
			2	Small size	
			3	Medium size	
			5	Large size	
			8	Very large size	
			13	Too large (size)	
How to play planning poker					
Everyone type their number in	to their value field, don't hit return yet				
2. Someone, perhaps a product of	owner, count down 3 2 1				
3. Then, everyone hit return to su	ubmit their value				

Sprint	Name	Description					
7		Complete	User Story	Notes	Acceptance Criteria	Definition of Done	
	Unify requirements.txt files		,				
	Frontend: Display LLM result in Textbox						
	Onboard small model 1b					# Definition of Done (DoD) Checklist - [] Code is tested - [] Code is reviewed by a peer - [] Code is merged into dev (without breaking) - [] Code is Documented in the Wiki	
	Prune models for only MIT license Models						
	Unify payload to Json						
	Module: Evaluate LLM performance					# Definition of Done (DoD) Checklist - [] Code is tested - [] Code is reviewed by a peer - [] Code is merged into dev (without breaking) - [] Code is Documented in the Wiki	
	Module: Implement System property findings					# Definition of Done (DoD) Checklist - [] Code is tested - [] Code is reviewed by a peer - [] Code is merged into dev (without breaking) - [] Code is Documented in the Wiki	
	Add multiple payload APIs						
8							
	Onboard and Test new LLM						
	Module: Add security analyzer module for generated code					# Definition of Done (DoD) Checklist - [] Code is tested - [] Code is reviewed by a peer - [] Code is merged into dev (without breaking) - [] Code is Documented in the Wiki	

		# Definition of Done (DoD) Checklist
	Module: Add	- [] Code is tested
	configurable	-[] Code is reviewed by a peer
	timeouts for	- [] Code is merged into dev (without breaking)
	LLM generation	- [] Code is Documented in the Wiki
	Module: Code	# Definition of Done (DoD) Checklist
	Complexity:	- [] Code is tested
	Complexity	- [] Code is reviewed by a peer
	Measurement	- [] Code is merged into dev (without breaking)
	Tool (CMT)	- [] Code is Documented in the Wiki
		# Definition of Done (DoD) Checklist
		- [] Code is tested
		- [] Code is reviewed by a peer
	Module: Code	- [] Code is merged into dev (without breaking)
	Complexity: CM	- [] Code is Documented in the Wiki
	Frontend: make	
	modules	
	togglable in UI	
		# Definition of Done (DoD) Checklist
		- [] Code is tested
	Module: Detect	- [] Code is reviewed by a peer
	redundant/dupli	- [] Code is merged into dev (without breaking)
	cate test cases	- [] Code is Documented in the Wiki
	Output exporter	
	(as zip, json,	
	http etc)	
9		
	Research: test	
	readability	
	score	
	(Flesch/Kincaid)	
		# Definition of Done (DoD) Checklist
	Module: Detect	- [] Code is tested
	Edgecase	- [] Code is reviewed by a peer
	accuracy of	- [] Code is merged into dev (without breaking)
	LLM research	- [] Code is Documented in the Wiki
	Onboard and	
	Test new LLM	

	Module: Map language to optimal model with fallback support	# Definition of Done (DoD) Checklist - [] Code is tested - [] Code is reviewed by a peer - [] Code is merged into dev (without breaking) - [] Code is Documented in the Wiki
	Module: Allow chaining outputs between models	# Definition of Done (DoD) Checklist - [] Code is tested - [] Code is reviewed by a peer - [] Code is merged into dev (without breaking) - [] Code is Documented in the Wiki
	Research: Befits of chaining methods	
	Use metrics to compare 1b, 3b, 7b and maybe 14b models	
	Research: How to measure code coverage with tools	
10	Onboard and Test new LLM	
	Module: Measure test readability score (Flesch/Kincaid)	# Definition of Done (DoD) Checklist - [] Code is tested - [] Code is reviewed by a peer - [] Code is merged into dev (without breaking) - [] Code is Documented in the Wiki
	Module: Check output for code coverage of the tests	# Definition of Done (DoD) Checklist - [] Code is tested - [] Code is reviewed by a peer - [] Code is merged into dev (without breaking) - [] Code is Documented in the Wiki
	Module: Flaky Test Identifier: Detect and flag non- deterministic/ge nerated tests	# Definition of Done (DoD) Checklist - [] Code is tested - [] Code is reviewed by a peer - [] Code is merged into dev (without breaking) - [] Code is Documented in the Wiki

Module: Show dependency hierarchy of code by logic flow	# Definition of Done (DoD) Checklist - [] Code is tested - [] Code is reviewed by a peer - [] Code is merged into dev (without breaking) - [] Code is Documented in the Wiki
Try HPC to run the thing and test a larger model 50b+ parameters	
Module: Auto- split large files into units for test generation	# Definition of Done (DoD) Checklist - [] Code is tested - [] Code is reviewed by a peer - [] Code is merged into dev (without breaking) - [] Code is Documented in the Wiki
Research: how to train/ enhance own LLM on HPC	
Onboard and Test new LLM	
Use HPC to train our own LLM	
Module: Auto- group similar test cases into suites	# Definition of Done (DoD) Checklist - [] Code is tested - [] Code is reviewed by a peer - [] Code is merged into dev (without breaking) - [] Code is Documented in the Wiki
	dependency hierarchy of code by logic flow Try HPC to run the thing and test a larger model 50b+ parameters Module: Auto- split large files into units for test generation Research: how to train/ enhance own LLM on HPC Onboard and Test new LLM Use HPC to train our own LLM Module: Auto- group similar test cases into

	Module: LLM testing of Code understandabilit y, make LLM describe the code, let the same LLM (with no history) build		
	the code from the description - > see if code passes the Unit tests.		# Definition of Done (DoD) Checklist - [] Code is tested - [] Code is reviewed by a peer - [] Code is merged into dev (without breaking) - [] Code is Documented in the Wiki
	Test current models for output consistency (deterministic)		
	Frontend: Diff viewer between original and tested source		
12			
	Research: different types of software test		
	CI: create Docker CI for running everything in CI		
	Research: can we run the models in the CI		
	Eveluate the performance of the models with and without the modules		
	Placeholder		
13			

	Ci: Create a CI			
	flow that			
	creates the uni			
	tests and			
	provides them			
	as unit tests			
	Improve			
	Usability of the			
	frontend			
	Prepare Demo			
	and create 3			
	Usecases			
	Clean the wiki			
	Overwork the			
	Bill of Materials			
	Overwork the			
	Architectuer			
	Document			
	Refactor the			
	Code			
	Placeholder			
14				
	Clean the repo			
	Finish			
	documentation			
	Export			
	Documentation			
	(Wiki) as PDF			
	Create Demo			
	Day slide			
	Create Demo			
	Day video			
	Finalize user,			
	(technical)			
	design, and			
	build/deploy			
	documentation			