

Study Name: audit	Company : KAYE	ValProbe RT Version: 1.1.0.13
SOP / Protocol #: 1233		ValProbe RT Reports Version: 1.1.0.13
Asset Name: asset ajay	Asset ID: 12345	
Created by: Main_Admin_HTC	Created Date: 09-Sep-2020 11:43:29 (UTC+05:30)	
Comment: 213	Description:123	

Edited on 09-Sep-2020 at 11:44:07 by Main\_Admin\_HTC

**Sensor Definitions**

Total# of Sensors: 10	Temperature Sensors - 10	Pressure Sensors - 0	Humidity Sensors - 0
-----------------------	--------------------------	----------------------	----------------------

Sensor Label	Sensor Type	SN	Sensor Description
temp1	Temperature	ZA46-A	
temp2	Temperature	ZE08-A	
temp3	Temperature	ZE08-B	
temp4	Temperature	U88A-A	
temp5	Temperature	U91A-A	
temp6	Temperature	YF41-A	
temp7	Temperature		
temp8	Temperature		
temp9	Temperature		
temp10	Temperature		

Performed by: \_\_\_\_\_

Date: \_\_\_\_\_

Reviewed by: \_\_\_\_\_

Date: \_\_\_\_\_

# ValProbe RT Setup Report

Printed on 09-Sep-2020 at 11:57:37 by a

StudyName: audit

# Temperature

Asset ID: 12345

SOP / Protocol #: 1233

Comments:

Description:

## Sensor Mapping Table

Sensor Type	Sensor Label	SN	Sensor Description
Temperature	temp1	ZA46-A	
Temperature	temp2	ZE08-A	
Temperature	temp3	ZE08-B	
Temperature	temp4	U88A-A	
Temperature	temp5	U91A-A	
Temperature	temp6	YF41-A	
Temperature	temp7		
Temperature	temp8		
Temperature	temp9		
Temperature	temp10		

StudyName: audit

## Calculations

### Statistical

Grp Min	Minimum value in the group
Loc of Min	Location of minimum value
Grp Max	Maximum value in the group
Loc of Max	Location of maximum value
Grp Avg	Group average
Std Dev	Group standard deviation
Max - Min	Maximum value minus minimum value
Max - Avg	Maximum value minus average value
Avg - Min	Average value minus minimum value

### Lethality

Lethality Condition	Undefined
---------------------	-----------

# ValProbe RT Setup Report

Printed on 09-Sep-2020 at 11:57:37 by a

StudyName: audit

## Qualification Parameters

Start Qualification:	Manual
Stop Qualification:	Manual
Transmission Rate:	10 Seconds
Sampling Rate:	5 Seconds
RF Transmit Inactive:	-25 °C
RF Transmit Active:	-20 °C

## Preferences

Temperature Units	°C
Pressure Units	Bar

Performed by: \_\_\_\_\_

Date: \_\_\_\_\_

Reviewed by: \_\_\_\_\_

Date: \_\_\_\_\_