

INSTITUTE OF INFORMATION TECHNOLOGY (IIT)

Software Project Management


SE 803, Marks-50, Time- 2Hours

GROUP A

[23 Marks]

Q1. The network diagram for a software project is shown below, with three time estimates (optimistic, most likely, and pessimistic) for each activity. Activity times are in weeks.

[3+5+3+4]



Answer the following:

- Develop the probabilistic project model and compute the Beta distribution expected duration, variance, and standard deviation for each task.

| *Task* | Beta Distribution | | |
|--------|-------------------|------------|----------|
| | Duration | | |
| | μ | σ^2 | σ |
| A | 2.8 | 0.3 | 0.5 |
| B | 4.0 | 0.4 | 0.7 |
| C | 3.2 | 0.3 | 0.5 |
| D | 4.0 | 0.1 | 0.3 |
| E | 5.0 | 0.4 | 0.7 |
| F | 7.0 | 0.4 | 0.7 |
| G | 3.3 | 0.4 | 0.7 |
| H | 6.0 | 0.4 | 0.7 |
| I | 4.2 | 0.3 | 0.5 |

- Identify

- How many paths are in the project?
- The slack, expected duration, variance and standard deviation for each path.
- The critical path.
- The expected project duration.
- Does the critical path have the largest variance? If not, which path has the highest variability?

INSTITUTE OF INFORMATION TECHNOLOGY (IIT)

Software Project Management

SE 803, Marks-50, Time- 2Hours

| Path | Time | Crit | Slack | σ^2 | σ | Tasks | Start | 2 | 3 |
|------|------|------|-------|------------|----------|-------|-------|---|---|
| 1 | 10.0 | | 6.0 | 0.9 | 1.0 | 3 | A | B | C |
| 2 | 16.0 | CP | 0.0 | 1.0 | 1.0 | 3 | D | E | F |
| 3 | 13.5 | | 2.5 | 1.1 | 1.1 | 3 | G | H | I |

- c. Calculate each path probability for completing the project in 17 weeks. Show your answer to 4 decimal places of accuracy.

| Start | 2 | 3 | P (< 17) |
|-------|---|---|----------|
| A | B | C | 1.0000 |
| D | E | F | .8413 |
| G | H | I | .9995 |

- d. Identify

- The early and late start for each task.
- The early and late finish for each task.
- The slack for each task.
- The critical tasks.


| | Early | | Late | | Task | Crit |
|------|-------|--------|-------|--------|-------|------|
| Task | Start | Finish | Start | Finish | Slack | Task |
| A | 0.0 | 2.8 | 6.0 | 8.8 | 6.0 | |
| B | 2.8 | 6.8 | 8.8 | 12.8 | 6.0 | |
| C | 6.8 | 10.0 | 12.8 | 16.0 | 6.0 | |
| D | 0.0 | 4.0 | 0.0 | 4.0 | 0.0 | CT |
| E | 4.0 | 9.0 | 4.0 | 9.0 | 0.0 | CT |
| F | 9.0 | 16.0 | 9.0 | 16.0 | 0.0 | CT |
| G | 0.0 | 3.3 | 2.5 | 5.8 | 2.5 | |
| H | 3.3 | 9.3 | 5.8 | 11.8 | 2.5 | |
| I | 9.3 | 13.5 | 11.8 | 16.0 | 2.5 | |

Q2. The AON diagram is shown for a software project is shown below, with the most likely estimate for each activity. Activity times are in days. [2+4+1+1]

INSTITUTE OF INFORMATION TECHNOLOGY (IIT)


Software Project Management

SE 803, Marks-50, Time- 2Hours



Answer the following:

a. Convert the AON diagram to an AOA diagram. Hint: The AOA diagram will require 2 dummy activities which you should label D1 and D2.



b. Use the AON diagram and identify all paths, the expected length of each path, the critical path, most likely project duration, and slack time for each path.

| Path | Time | Crit | Slack | σ^2 | σ | Tasks | Start | 2 | 3 | 4 | 5 | 6 |
|------|------|------|-------|------------|----------|-------|-------|---|---|---|---|---|
| 1 | 41.0 | | 14.0 | | | 6 | A | B | C | D | E | F |
| 2 | 48.0 | | 7.0 | | | 6 | A | B | G | D | E | F |
| 3 | 55.0 | CP | 0.0 | | | 6 | A | B | G | I | E | F |
| 4 | 40.0 | | 15.0 | | | 5 | A | H | I | E | F | |

c. Which task has the largest slack time?

H

d. What is the latest start time for task E?

Day 44

| | Early | | Late | |
|------|-------|--------|-------|--------|
| Task | Start | Finish | Start | Finish |
| E | 44.0 | 53.0 | 44.0 | 53.0 |

INSTITUTE OF INFORMATION TECHNOLOGY (IIT)

Software Project Management

SE 803, Marks-50, Time- 2Hours

GROUP B

[27]

Q3. NTT DATA has four potential projects all with an initial cost of \$2,000,000. The capital budget for the year will only allow NTT DATA industries to accept one of the four projects. Given the discount rates and the future cash flows of each project, which project should they accept? What are the IRRs of the four projects for NTT DATA? [5+5]

| <i>Cash Flows</i> | <i>Project M</i> | <i>Project N</i> | <i>Project O</i> | <i>Project P</i> |
|----------------------|------------------|------------------|------------------|------------------|
| <i>Year one</i> | \$500,000 | \$600,000 | \$1,000,000 | \$300,000 |
| <i>Year two</i> | \$500,000 | \$600,000 | \$800,000 | \$500,000 |
| <i>Year three</i> | \$500,000 | \$600,000 | \$600,000 | \$700,000 |
| <i>Year four</i> | \$500,000 | \$600,000 | \$400,000 | \$900,000 |
| <i>Year five</i> | \$500,000 | \$600,000 | \$200,000 | \$1,100,000 |
| <i>Discount Rate</i> | 6% | 9% | 15% | 22% |

Solution, find the NPV of each project and compare the NPVs.

$$\text{Project M's NPV} = -\$2,000,000 + \$500,000/1.05 + \$500,000/1.05^2 + \$500,000/1.05^3 + \\ \$500,000/1.05^4 + \$500,000/1.05^5$$

$$\text{Project M's NPV} = -\$2,000,000 + \$476,190.48 + \$453,514.74 + \$431,918.80 + \$411,351.24 + \\ \$391,763.08$$

$$\text{Project M's NPV} = \$164,738.34$$

$$\text{Project N's NPV} = -\$2,000,000 + \$600,000/1.09 + \$600,000/1.09^2 + \$600,000/1.09^3 + \\ \$600,000/1.09^4 + \$600,000/1.09^5$$

$$\text{Project N's NPV} = -\$2,000,000 + \$550,458.72 + \$505,008.00 + \$463,331.09 + \$425,055.13 + \\ \$389,958.83$$

$$\text{Project N's NPV} = \$333,790.77$$

$$\text{Project O's NPV} = -\$2,000,000 + \$1,000,000/1.15 + \$800,000/1.15^2 + \$600,000/1.15^3 + \\ \$400,000/1.15^4 + \$200,000/1.15^5$$

$$\text{Project O's NPV} = -\$2,000,000 + \$869,565.22 + \$604,914.93 + \$394,509.74 + \$228,701.30 + \\ \$99,435.34$$

$$\text{Project O's NPV} = \$197,126.53$$

INSTITUTE OF INFORMATION TECHNOLOGY (IIT)

Software Project Management

SE 803, Marks-50, Time- 2Hours

$$\text{Project P's NPV} = -\$2,000,000 + \$300,000/1.22 + \$500,000/1.22^2 + \$700,000/1.22^3 + \\ \$900,000/1.22^4 + \$1,100,000/1.22^5$$

$$\text{Project P's NPV} = -\$2,000,000 + \$245,901.64 + \$335,931.20 + \$385,494.82 + \$406,259.18 + \\ \$406,999.18$$

Project P's NPV = -\$219,413.98 (would reject project regardless of budget)

And the ranking order based on NPVs is,

Project N – NPV of \$333,790.77

Project O – NPV of \$197,126.53

Project M – NPV of \$164,738.34

Project P – NPV of -\$219,413.98

NTT DATA should pick Project N.

Solution, this is an iterative process but can be solved quickly on a calculator or spreadsheet.

Enter the keys noted for each project in the CF of a Texas BA II Plus calculator

| <i>Cash Flows</i> | <i>Project M</i> | <i>Project N</i> | <i>Project O</i> | <i>Project P</i> |
|-------------------|------------------|------------------|------------------|------------------|
| <i>CFO</i> | -\$2,000,000 | -\$2,000,000 | -\$2,000,000 | -\$2,000,000 |
| <i>CO1, F1</i> | \$500,000, 1 | \$600,000, 1 | \$1,000,000, 1 | \$300,000, 1 |
| <i>CO2, F2</i> | \$500,000, 1 | \$600,000, 1 | \$800,000, 1 | \$500,000, 1 |
| <i>Year three</i> | \$500,000, 1 | \$600,000, 1 | \$600,000, 1 | \$700,000, 1 |
| <i>Year four</i> | \$500,000, 1 | \$600,000, 1 | \$400,000, 1 | \$900,000, 1 |
| <i>Year five</i> | \$500,000, 1 | \$600,000, 1 | \$200,000, 1 | \$1,100,000, 1 |
| <i>CPT IRR</i> | 7.93% | 15.24% | 20.27% | 17.72% |

Q4. Tom is the CTO of an international reputed company. His company provides digital innovation, software engineering and management consulting services.

Comparing All Methods that we learned (NPV, Payback Period, Profitability Index) -- Tom is looking at a project with the estimated cash flows as follows:

Initial Investment at start of project: \$3,600,000

Cash Flow at end of Year 1: \$500,000

Cash Flow at end of Years 2 through 6: \$625,000 each year

Cash Flow at end of Year 7 through 9: \$530,000 each year

Cash Flow at end of Year 10: \$385,000

Top management of this company wants to know the Payback Period, NPV, and Profitability Index of this project. The appropriate discount rate for the project is 14%. If the cut-off period is six years for major projects, determine if the project is accepted or rejected under the three different decision models. [3+3+3]

INSTITUTE OF INFORMATION TECHNOLOGY (IIT)

Software Project Management

SE 803, Marks-50, Time- 2Hours

Solution:

Payback Period = $-\$3,600,000 + \$500,000 + \$625,000 + \$625,000 + \$625,000 + \$625,000 +$

$\$625,000 = \$25,000$ and we only need part of year 6 so,

$\$600,000 / \$625,000 = 0.96$ and **Payback Period is 5.96 years and project is accepted.**

$NPV = -\$3,600,000 + \$500,000 / 1.14 + \$625,000/1.14^2 + \$625,000/1.14^3 + \$625,000/1.14^4 +$

$\$625,000/1.14^5 + \$625,000/1.14^6 + \$530,000/1.14^7$

$+ \$530,000 / 1.14^8 + \$530,000/1.14^9 + \$385,000/1.14^{10}$

$NPV = -\$3,600,000 + \$438,596.49 + \$480,917.21 + \$421,857.20 + \$370,050.17$

$+ \$324,605.42 + \$284,741.59 + \$211,807.78 + \$185,796.30 + \$162,979.21$

$+ \$103,851.37 = -\$614,797.27$ and **project is rejected using NPV rules.**

Present Value of Benefits = $\$500,000 / 1.14 + \$625,000/1.14^2 + \$625,000/1.14^3 + \$625,000/1.14^4$

$+ \$625,000/1.14^5 + \$625,000/1.14^6 + \$530,000/1.14^7$

$+ \$530,000 / 1.14^8 + \$530,000/1.14^9 + \$385,000/1.14^{10}$

Present Value of Benefits = $\$438,596.49 + \$480,917.21 + \$421,857.20 + \$370,050.17 +$

$\$324,605.42 + \$284,741.59 + \$211,807.78 + \$185,796.30 + \$162,979.21 + \$103,851.37 =$

$\$2,985,202.73$

Present Value of Costs: $\$3,600,000$

Profitability Index = $\$2,985,202.73 / \$3,600,000 = 0.8292$ and reject.

Q5. The following table gives data on normal time and cost and crash time & cost for a project

| Activity | Normal | | Crash | |
|----------|-------------|-------------|-------------|-------------|
| | Time(weeks) | Cost (Taka) | Time(weeks) | Cost (Taka) |
| 1-2 | 3 | 300 | 2 | 400 |

INSTITUTE OF INFORMATION TECHNOLOGY (IIT)

Software Project Management

SE 803, Marks-50, Time- 2Hours

| | | | | |
|-------------------------------|----|------|----|------|
| 2-3 | 3 | 30 | 3 | 30 |
| 2-4 | 7 | 420 | 5 | 580 |
| 2-5 | 9 | 720 | 7 | 810 |
| 3-5 | 5 | 250 | 4 | 300 |
| 4-5 | 0 | 0 | 0 | 0 |
| 5-6 | 6 | 320 | 4 | 410 |
| 6-7 | 4 | 400 | 3 | 470 |
| 6-8 | 13 | 780 | 10 | 900 |
| 7-8 | 10 | 1000 | 9 | 1200 |
| Total cost = Taka 4220 | | | | |

The indirect cost per week is **Taka 50**.

- Draw the network for the project & Critical path.
- Find optimum time and optimum cost.
- Determine minimum total time & corresponding cost.

[2+3+3]

Solution:

- 1-2-5-6-7-8 = 32 weeks it is critical path (CPM) of the project duration.
- optimum cost (Taka 5805) and optimum duration (29 weeks)
- minimum total time (25 weeks) & corresponding cost (Taka 6150)

<http://docplayer.net/15560128-B-2-4-6-d-3-4-5-e-3-5-7-f-5-7-9.html>

Solution:

INSTITUTE OF INFORMATION TECHNOLOGY (IIT)

Software Project Management

SE 803, Marks-50, Time- 2Hours

Table 2

| Activity | Normal | | Crash | | ΔT | ΔC | $\Delta c/\Delta T$ |
|----------|----------------------|--------------------|---------------------|--------------------|------------|------------|---------------------|
| | TIME (Weeks) (TN) | Cost (RS.) (CN) | Time(Weeks) (TC) | Cost (Rs.) (CN) | | | |
| 1-2 | 3 | 300 | 2 | 400 | 1 | 100 | 100 |
| 2-3 | 3 | 30 | 3 | 30 | 0 | 0 | 0 |
| 2-4 | 7 | 420 | 5 | 580 | 2 | 160 | 80 |
| 2-5 | 9 | 720 | 7 | 810 | 2 | 90 | 45 |
| 3-5 | 5 | 250 | 4 | 300 | 1 | 50 | 50 |
| 4-5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-6 | 6 | 320 | 4 | 410 | 2 | 90 | 45 |
| 6-7 | 4 | 400 | 3 | 470 | 1 | 70 | 70 |
| 6-8 | 13 | 780 | 10 | 900 | 3 | 120 | 40 |
| 7-8 | 10 | 1000 | 9 | 1200 | 1 | 200 | 200 |

1. Draw the network of the proposed project.




Fig. 4.1

Critical path starting towards end

1-2-3-5-6-7-8 = 31 weeks

1-2-5-6-8 = 30 weeks

1-2-5-6-7-8 = 32 weeks it is critical path (CPM) of the project duration.

2. Optimum time and optimum cost.

Time scale diagram of critical path




Fig. 4.2

Crashing in activity 2-5 in 1 week.

Now we are identified their activity in critical path which can be crashed with the lowest cost slope that are to be chose as List activity 2-5 $\Delta C/\Delta T = 45$




Fig. 4.3

Crashing in activity 5-6 in 2 weeks




Fig. 4.4

Crashing in activity 6-7 in 1 week.




Fig. 4.5

Crashing in activity 1-2 in 1 week




Fig. 4.6

Crashing in activity 6-8 in 2 week




Fig. 4.7

Now Crashing in activity 7-8 in 1 week.




Fig. 4.8

Crashing in activity 3-5 in 1 week.




Fig. 4.9

Again crashing in activity 2-5 in remain 1 week.

INSTITUTE OF INFORMATION TECHNOLOGY (IIT)

Software Project Management

SE 803, Marks-50, Time- 2Hours




Fig. 4.10

The above results are summarized in the table below.

| Activity Crashed | No. Of Week Crash | Represent Fig. | Weeks Saved In Project | Project Duration (Week) | Normal Direct Cost (Dc) Rs. | Indirect Cost (Ic) Rs. | Crash Cost (Cc) Rs. | Total Cost = Dc+Ic+Cc Rs. |
|------------------|-------------------|----------------|------------------------|-------------------------|-----------------------------|------------------------|---------------------|---------------------------|
| CPM | - | fig.4.2 | - | 32 | 4220 | 32 x 50=1600 | 0 | 5820 |
| 2-5 | 1 | fig.4.3 | 1 | 31 | 4220 | 31x 50=1550 | 1x45=45 | 5815 |
| 5-6 | 2 | fig.4.4 | 2 | 29 | 4220 | 29x 50=1450 | 45+2x45=135 | 5805 Least |
| 6-7 | 1 | fig.4.5 | 1 | 28 | 4220 | 28x 50=1400 | 135+1x70=205 | 5825 |
| 1-2 | 1 | fig.4.6 | 1 | 27 | 4220 | 27x 50=1350 | 205+1x100=305 | 5875 |
| 6-8 | 2 | fig.4.7 | - | 27 | 4220 | 27x 50=1350 | 305+2x40=385 | 5955 |
| 7-8 | 1 | fig.4.8 | 1 | 26 | 4220 | 26x 50=1300 | 385+1x200=585 | 6105 |
| 3-5 | 1 | fig.4.9 | - | 26 | 4220 | 26x 50=1300 | 585+1x50=635 | 6155 |
| 2-5 | 1 | fig.4.10 | 1 | 25 | 4220 | 25x 50=1250 | 635+1x45=680 | 6150 |

- The above table indicates the optimum cost (Rs.5805) and optimum duration (29 weeks) and also shows the maximum crashing after the project duration is 25weeks.
- The all project duration is crashing is dependent in critical path (CPM) because the duration is reduce in only crashing in critical path.