

# DU Services System

SE-801: Software Project Lab-3

**Submitted by**

Amran Hossain

BSSE 0917

**Supervised by**

Dr. Ahmedul Kabir

Assistant Professor

Institute of Information Technology

University of Dhaka

**Submitted To**

SPL-III co-ordinators



Institute of Information Technology

University of Dhaka

Submission Date:04.04.2021

## Letter of Transmittal

Dr. Ahmedul Kabir

Assistant Professor,

Institute of Information Technology,

University of Dhaka.

Subject: Submission of term report on “DU Services System”.

Sir,

With due respect, I am submitting the report on the above topic you assigned me. In this report, I have given my best effort being some shortcomings. I earnestly hope that you would excuse my errors and oblige thereby.

Sincerely yours,

Amran Hossain

BSSE0917

Institute of Information Technology

University of Dhaka

Session: 2016-2017

## Table of Contents

1.1 Purpose.....	1
1.2 Intended Audience .....	1
1.3 Conclusion .....	1
2.1 Introduction.....	2
2.1.1 Identifying Stakeholders .....	2
2.1.2 Recognizing multiple viewpoints: .....	3
2.1.3 Working towards collaboration:.....	3
2.1.4 Asking the first questions: .....	4
2.2 Conclusion .....	5
3.1 Introduction.....	6
3.2 Eliciting requirements .....	6
3.2.1 Collaborative Requirements Gathering.....	6
3.2.2 Quality Function Deployment.....	6
3.2.2.1 Normal Requirements .....	7
3.2.2.2 Expected Requirements.....	7
3.2.2.3 Exciting Requirements .....	7
3.2.3 Usage Scenarios .....	7
3.2.4 Elicitation Work Products .....	8
3.3 Conclusion .....	8
4.1 Introduction.....	9
4.2 Use Case Definition .....	9
4.3 Use Case Descriptions .....	10
5.1 Data Modeling Concepts.....	27
5.2 Data Objects.....	27
5.3 ER diagram .....	30
6.1 Introduction:.....	31
6.2 Identifying Analysis Classes: .....	31
6.2.1 Selection Criteria .....	31
6.2.2 Associate Noun and Verb Identification .....	31
6.2.3 Attribute Selection and Method Identification.....	32
6.3 Class Responsibility Collaboration (CRC) .....	34
6.4 UML Class Diagram .....	36

7.1 Architectural Design for OOP.....	37
7.2 Representing the system in a context.....	37
7.3 Defining Architypes.....	38
7.4 Refining the architype into Component.....	38
7.4.1 Instantiations of the system.....	39
8.1 Introduction.....	40
8.2 Transform Mapping .....	40
9.1 Introduction.....	43
9.2 Analysis class.....	43
9.3 Elaboration of Design Components .....	43
9.3.1 Student .....	44
9.3.2 Transaction.....	45
9.3.3 Document.....	46
9.3.4 Authentication.....	47
9.3.5 Department.....	48
9.3.6 Admin .....	49
9.4 Deployment Diagram.....	50
10.1 Interface Analysis .....	51
10.1.1 User analysis .....	51
10.1.1.1 Identify User .....	51
10.1.1.2 Know User .....	51
10.1.2 Task analysis.....	52
10.2 Interface Design Steps .....	53
11.1 Introduction.....	62
11.2 Software Testing Goals.....	62
11.3 Levels of Testing.....	62
11.4 Testing Procedure .....	63
11.5 Risk and Contingencies.....	64
12.1 Application run .....	65
12.2 Use the Application.....	65
13.1 Conclusion: .....	66
13.2 Future Work:.....	66

## List of Figures

Figure 1:Level 0 DU Services System .....	11
Figure 2: Level 1 -Use Case Diagram.....	12
Figure 3:Level 1.1-Authentication .....	13
Figure 4:Level 1.2 – Certificate Management .....	14
Figure 5:Level 1.3- Testimonial Management.....	15
Figure 6: Level 1.5 – Notification process.....	16
Figure 7: Level 1.6 - Search.....	17
Figure 8: Level 2.1- Applicant’s enrollment form .....	18
Figure 9: Level 2.2- Login .....	19
Figure 10: Level 2.3- Recovery account .....	20
Figure 11: Level 2.4- application for testimonial/certificate .....	21
Figure 12: Level 2.5 - Transaction.....	22
Figure 13: Level 2.6- Application service status .....	23
Figure 14: Level 2.7– Department Search .....	24
Figure 15: Level 2.8- Admin Search.....	25
Figure 16: Level 2.9– Applicant Search .....	26
Figure 17: ER diagram.....	30
Figure 18: UML class diagram .....	36
Figure 19:Architectural Context Diagram .....	38
Figure 20: Archetype Design .....	38
Figure 21: Instantiation .....	39
Figure 22: Context level DFD.....	41
Figure 23: Level 1 mapping with DFD .....	41
Figure 24: Level 2 mapping with DFD.....	42
Figure 25: Analyses class for student component.....	44
Figure 26: Analyses class for Transaction .....	45
Figure 27: Analysis class for document.....	46
Figure 28: Analyses class for authentication .....	47
Figure 29:Analyses class for department .....	48
Figure 30: Analysis class for admin.....	49
Figure 31: Deployment diagram .....	50
Figure 32: Home page.....	54
Figure 33: Application form .....	54
Figure 34: Search status or login.....	55
Figure 35:User profile.....	55
Figure 36: payment process .....	56
Figure 37: Transactional process .....	57
Figure 38: notification process.....	57
Figure 39:admin login.....	58
Figure 40: recover account.....	58
Figure 41:department list .....	59

Figure 42: Edit .....	59
Figure 43: Delete.....	60
Figure 44: Sidebar admin.....	60
Figure 45: Certificate of Completion .....	61
Figure 46: Testimonial process .....	61

# Acknowledgement

I am highly indebted for getting such a tremendous opportunity to prepare this report. I would like to thank my first supervisor, Md. Saeed Siddik, Assistant Professor, Institute of Information Technology, University of Dhaka. He helped me a lot throughout this project. He gave me a proper guideline about how I can prepare this report and complete the project. Also, I would like to thank my current supervisor, Dr. Ahmedul Kabir, Assistant Professor, Institute of Information Technology, University of Dhaka for helping me a lot in this project. In completing this report, I have collected various important data and information from the authority and my supervisor. I am thankful to all of the works cited.

# Abstract

This study is made for Online Services Management System. The scope of the study is to analyze the web-based service system and to know the functions and drawbacks and component level design, interface design, deployment diagram and user manual of the system. In short, Applicant applies for the testimonial or certificate with giving personal details accurately. Then transact the money with payment module integrated in this system. Admin may accept or reject the application and build testimonial or certificate for the applicants. The status will be known through the email. Also, applicants may log in the system and see the status of application. Then applicants get the certificate or testimonial.

The object of the study is to develop a system of any kind of Services System of DU.



# Chapter 1: Introduction

This chapter is a part of the software requirement specification for the project “DU Services System”. In this chapter intended audience for the project are focused on.

## 1.1 Purpose

This document briefly describes the Software Requirement Analysis and user manual of DU Services system. It contains functional, non-functional, and supporting requirements and establishes a requirement baseline for the development of the system. The requirements specified in the SRS are independent, uniquely numbered and organized by topic. The SRS serves as an official mean of communicating user requirements to the developer and provides a common reference point for both the developer team and the stakeholder community. The SRS will evolve over time as users and developers work together to validate, clarify and expand its contents.

## 1.2 Intended Audience

This SRS is intended for several audiences including the customers as well as the project managers, designers, developers and testers. The customers will use this SRS to verify that the developer team has created a product that is acceptable to the customers. This project managers of the developer team will use this SRS to plan milestones and a delivery date and ensure that the developing team is on track during development of the system. The designers will use this SRS as a basis for creating the system’s design. The designers will fulfill the customer needs. The developers will use this SRS as a basis for developing the system’s functionality. The developers will link the requirements defined in this SRS to the software they create to ensure that they have created a software that will fulfill all the customer’s documented requirements. The testers will use this SRS to derive test plans and test cases for each documented requirement. When portions of the software are complete, the testers will run their tests on that software to ensure that the software fulfills the requirements documented in this SRS. The testers will again run their tests on the entire system when it is complete and ensure that all requirements documented in this SRS have been fulfilled.

## 1.3 Conclusion

This analysis of the audience helped us to focus on the users who will be using our analysis. This overall document will help each and every person related to this project to have a better idea about the project

# Chapter 2: Inception

In this chapter, the inception part of the SRS will be described briefly.

## 2.1 Introduction

Inception is the beginning phase of requirements engineering. It defines how a software project gets started and what the scope and nature of the problem to be solved is. The goal of the inception phase is to identify concurrent needs and conflicting requirements among the stakeholders of a software project. At project inception, we established a basic understanding of the effectiveness of preliminary communication and collaboration between the other stakeholders and the software team. To establish the ground work, the following factors have been worked onto the inception phase:

- List of stakeholders
- Recognizing multiple viewpoints
- Working towards collaboration
- Requirement questionnaire

### 2.1.1 Identifying Stakeholders

Stakeholders refers to any person or group who will be affected by the system directly or indirectly. Stakeholders include end-users who interact with the system and everyone else in an organization that might be affected by its installation. At inception, a list of people who will contribute input as requirements are elicited. The initial list will grow as stake holders are contacted because every stakeholder will be asked: “whom else do you think I should talk to?” The following stakeholders were identified for the “DU Services System”.

**Student:** Students are directly affected to the system. They can apply for the testimonial or language certificate through the system. Student can get notification for his readymade testimonial or certificate through the system.

**Admin:** There are two types of admin in this system. One is super admin another is normal admin. Super-admin can control the system and given allowance to the admin’s access. Normal admin will be department centric. Admin can accept or reject the application and given notification to the student.

**Software Developer:** A software developer is concerned with faces the software development process, including the research, design, programming, maintenance and testing of computer software. He will be responsible for the outcomes of the software.

**Merchant Service Provider:** This system has included payment process through the bKash/Nagad. So, they are also the stakeholder of this system.

### 2.1.2 Recognizing multiple viewpoints:

Different stakeholders demand different features from the software. To satisfy the stakeholders, most of these features should be included in the software.

#### **Student's viewpoint:**

- User friendly
- Error free system
- Application process easily
- Transaction process should be easy
- Knowing status of application
- Searching status of application
- Keeping a backup of data

#### **Admin's viewpoint:**

- User friendly
- Error free system
- Strongly authentication system
- Defining rules of admin
- Searching the applicant's name and department's name
- Keeping a backup of data
- Easy to use
- Approving the application
- Adding the department and admin (super-admin only)

#### **Developer's viewpoint:**

- Easy to built
- Error free effective software
- No ambiguous requirement
- Getting a decent amount of money for project budget

### 2.1.3 Working towards collaboration:

While working with different stakeholders, some conflicting and common viewpoints can be noticed. For this reason, final requirements can be gotten by collaborating the viewpoints.

#### **Common viewpoints**

- Error free effective system

- User friendly
- Easy to maintain the software
- Strong authentication system

### **Conflicting viewpoints**

- Final requirements
- Error free effective system
- Easy to maintain the software
- Strong authentication system
- Notifying the applications
- Payment system smooth
- Keeping a data backup

### **Final requirements**

- Final requirements
- Error free effective system
- Easy to maintain the software
- Strong authentication system
- Notify the applicants
- Keeping data back up
- Admin rule fixed
- Payment gateway system

#### **2.1.4 Asking the first questions:**

At first some context free questions were asked for identifying the stakeholders. Context free questions are helpful to identifying some stakeholders who cannot be identified by structural questions. Overall project benefits and goals are –

- Who is subsidizing for the project?
- Who will be benefited from the project?
- Who gets to make the final verdict about the project (if this is different from the money source)?
- Who has resources which I need in order to get the project done?
- Whose work will my project have an impact on? (During the project and also once the project is completed).

## 2.2 Conclusion

In this project, a demonstration is made for a basic understanding of the problem, the nature of the solution that is desired and the effectiveness of preliminary communication and collaboration between the stake-holders. More studies and communication will help both side (developer and client) to understand the future anticipation of the project. Hopes are high that the full functioning document will help us to define that future expectations.

# Chapter 3: Elicitation

This chapter specifies the Elicitation phase.

## 3.1 Introduction

Requirements Elicitation is a part of requirements engineering that is the practice of gathering requirements from the users, customers and other stakeholders. Many difficulties were faced, like understanding the problems, making questions for the stakeholders, limited communication with the stakeholders due to a short amount of time and volatility. Though it is not easy to gather requirements within a very short time, these problems have been surpassed in an organized and systematic manner.

## 3.2 Eliciting requirements

The main task of this phase is to combine the elements of problem solving, elaboration, negotiation and specification. The collaborative working approach of the stakeholders is required to elicit the requirements. The following tasks were done for eliciting requirements-

- Collaborative Requirements Gathering
- Quality Function Deployment
- Usage Scenarios
- Elicitation work products

### 3.2.1 Collaborative Requirements Gathering

The meetings with the stakeholders created an indecisive state to elicitate requirements. To solve this problem, more than one meeting was held with the stakeholders. A slightly different scenario from these approaches has been found following activities have been completed to accomplish this task. The meetings were conducted with the Admin of the Department, Students and Supervisors. They were questioned about their requirements and expectations from the Services System. They were asked about the problems they were facing with the current manual process of getting those services.

Lastly final requirement list was selected from the meetings.

### 3.2.2 Quality Function Deployment

Quality Function Deployment (QFD) is a technique that translates the needs of the customer into technical requirements for software. Ultimately the goal of QFD is to translate subjective quality criteria into objective ones that can be quantified and measured and which can be used to design and manufacture the product. It is a methodology that concentrates on maximizing customer satisfaction from the software engineering process. The requirements, which are given below, are identified successfully by the QFD.

### 3.2.2.1 Normal Requirements

The normal requirements are generally the objectives and goals that are stated for a product or system during meetings with the customer. The presence of these requirements fulfills customers' satisfaction. These are the normal requirements for the project.

- Applications form for the applicant both testimonial and language certificates.
- Admin login
- Admin logout
- Applicant profile view
- Admin and applicant list view & edit
- Different page for both testimonial and language certificate
- Seeing the status of the applicant.
- Add, Edit, Delete of departments.
- Add, Edit, Delete of different kind of services.

### 3.2.2.2 Expected Requirements

These requirements are intrinsic to the product or system and may be so elementary that the customer does not explicitly state them. Their absence will be a cause for significant dissatisfaction. Below the expected requirements for our project are briefly described.

- Admin will be remained from each department. admin can accept or reject the application
- Testimonial processing
- Language certificate processing
- Notify the applicants
- Application's status
- Demo payment gateway for transaction
- Effective System
- Unique application for each applicant

### 3.2.2.3 Exciting Requirements

These requirements are for features that go beyond the customer's expectations and prove to be very satisfying when present. Following are some exciting requirements of this project.

- Real time transaction system
- Super admin and normal admin role. Super admin control whole the system and given role to normal admin to control the applications process.
- Real feature for handling the system

## 3.2.3 Usage Scenarios

Getting a testimonial or Language Certificate is a lengthy process in our University. Manually student write an application, pay money to bank and then they get a testimonial or certificate. They are often needed in those services but feeling bored in this manual process. It is a time-consuming

process. The web system "DU Services System" can be the solution of the difficulties faced by the students and administration in our campus.

In this system, admin will enter the system giving email and password. Super admin and admin can see the application list, accept or reject the application, edit the application's information. After approving student's application, they receive notification through email. Admin also add departments of this panel or edit this. Super admin can add normal admin or delete it but normal admin can't access this functionality.

Applicant/student can choose which services he/she needs. Then he/she enter into the application by giving his/her Personal details into the Application form. Students should give his Name, Father's Name, Mother's Name, University Registration Number, Date of Birth, Phone, Session, Department, Current year for the application. After login with id and email they can see their personal information and status. Whether their application accept or not. After application submitting, they can transact the money with bKash or other services. After acceptance notification they can download or collect the testimonial or certificate.

### 3.2.4 Elicitation Work Products

The work products of the requirement elicitation can be different depending on the size of the system or product to be build. The work products include:

- A statement of requirements for our system.
- A bounded statement of scope for our system.
- A list of customer, users, and other stakeholders who participated in requirement elicitation.
- A detailed description of the system's technical environment.
- A set of usage scenarios.

Each of these work products are verified by all people who have participated in requirements elicitation.

## 3.3 Conclusion

All the necessary requirements to fulfill our project scope were identified. A generated scenario of the project has been developed. Based on this scenario, a scenario-based model is presented in the next chapter.



# Chapter 4 – Scenario Based Model

This chapter describes the scenario-based model for the DU Services System.

## 4.1 Introduction

Although the success of an android-based system or product is measured in many ways, user satisfaction resides at the top of the list. If the software developer team understands how end users (and other actors) want to interact with a system, they will be better able to properly characterize requirements and build meaningful analysis and design models. Hence, requirements modeling begins with the creation of scenarios in the form of Use Cases, activity diagrams and swim lane diagrams.

## 4.2 Use Case Definition

A Use Case captures a contract that describes the system behavior under various conditions as the system responds to a request from one of its stakeholders. In essence, a Use Case tells a stylized story about how an end user interacts with the system under a specific set of circumstances. A Use Case diagram simply describe satisfactory using corresponding actors who perform important roles in the story and make the story understandable for the users. The first step in writing a Use Case is to define that set of “actors” that will be involved in the story. Actors are different people that use the system or product within the context of the function and behavior that is to be described. Actors represent the roles that people play as the system.

**Primary Actor:** Primary actors interact directly to achieve required system function and derive the intended benefit from the system. They work directly and frequently with the software.

**Secondary Actor:** Secondary actors support the system so that primary actors can do their work. They either produce or consume information.

Table 1:Use Case Description

Level 0	Level 1	Level 2	Actor
DU Services System	Authentication	Applicant's enrollment/sign up	Student, Admin, Database
		Sign in	Admin, Database
		Sign out	Admin, Database
		Recovery Account	Admin, Database
		Admin's role	Super admin, normal admin
	Certificate Management	Certificate application	Student, Admin
		Transaction money with bKash	Student, Database
		Approve the application	Admin
		Cancel the application	Admin
		Download certificate	Student, Admin
		View the certificate	Student, Admin
	Testimonial Management	Testimonial application	Student, Admin
		Transaction money with bKash	Student, Admin
		Approve the application	Admin
		Download testimonial	Student, Admin
		Cancel the application	Admin
		View the testimonial	Student, Admin
	Notification System	Reject notification	Student, Admin
		Completion notification	Student, Admin
	Search	Search the applicant's	Admin
		Search the admin's	Super admin
		Search the department	Admin

### 4.3 Use Case Descriptions




Figure 1:Level 0 DU Services System

**Use Case:** DU Services System

**Use Case ID:** 0

**Primary Actors:** Student, Admin

**Secondary Actor:**

**Goal in Context:** To get a service

**Preconditions:** User must have a web browser and internet connection.

**Trigger:** User decides to run the system to create an account.

**Scenario:** User run the system to give the url into browser.

**Exception:** null

**Priority:** Essential.

**When available:** First Increment.




Figure 2: Level 1 -Use Case Diagram

**Use Case:** DU Services System

**Use Case ID:** 0

**Primary Actors:** Student, Admin

**Secondary Actor:** Database

**Goal in Context:** To get all the services from the system.

**Preconditions:** User must have a web browser and internet connection.

**Trigger:** User decides to run the system to create an account.

**Scenario:** User run the system to give the url into browser.

**Exception:** null

**Priority:** Essential.

**When available:** First Increment




Figure 3:Level 1.1-Authentication

**Use Case:** Authentication

**Use Case ID:** 0

**Primary Actors:** Student, Super Admin

**Secondary Actor:** Normal Admin

**Goal in Context:** Authenticate to the user.

**Preconditions:** System has been designed for the authentication and user must have a web browser.

**Trigger:** User decides to run the system to create an account.

**Scenario:** User run the system to give the url into browser.

**Exception:** Internet Connection failure or input wrong data.

**Priority:** Essential.

**When available:** First Increment




Figure 4:Level 1.2 – Certificate Management

**Use Case:** Certificate Management

**Use Case ID:** 0

**Primary Actors:** Student, Admin

**Secondary Actor:** Database

**Goal in Context:** To complete certificate from application to get.

**Preconditions:** User must have a web browser and internet connection.

**Trigger:** User decides to run the system to create an account.

**Scenario:** User run the system to give the url into browser.

**Exception:** null

**Priority:** Essential.

**When available:** First Increment




Figure 5:Level 1.3- Testimonial Management

**Use Case:** Testimonial Management

**Use Case ID:** 0

**Primary Actors:** Student, Admin

**Secondary Actor:** Database

**Goal in Context:** To get testimonial.

**Preconditions:** User must have a web browser and internet connection and have an application for getting this service.

**Trigger:** User decides to run the system to create an account.

**Scenario:** User run the system to give the url into browser.

**Exception:** null

**Priority:** Essential.

**When available:** First Increment




Figure 6: Level 1.5 – Notification process

**Use Case:** Notification process

**Use Case ID:** 0

**Primary Actors:** Admin

**Secondary Actor:** Student, Database

**Goal in Context:** To get notification after document ready.

**Preconditions:** User must have a web browser and internet connection. Document should be ready and admin accept the application.

**Trigger:** Student gets notification through email.

**Scenario:** Student apply for the testimonial and certificate admin accept or reject it and then get a notification.

**Exception:** If user fail to application then they might be fail to get a notification.

**Priority:** Essential.

**When available:** First Increment






Figure 7: Level 1.6 - Search

**Use Case:** Search

**Use Case ID:** 0

**Primary Actors:** Admin

**Secondary Actor:** Database

**Goal in Context:** To get a specific department or applicants.

**Preconditions:** User must have admin and searching results should be in list.

**Trigger:** Admin decides to run the system to create an account.

**Scenario:** Admin enter the system giving information. Then search the specific component from specific phase. To search admin, Admin must be Super Admin.

**Exception:** Giving wrong search key.

**Priority:** Essential.

**When available:** First Increment




Figure 8: Level 2.1- Applicant's enrollment form

**Use Case:** Applicant's enrollment

**Use Case ID:** 0

**Primary Actors:** Student

**Secondary Actor:** Database

**Goal in Context:** Apply for a testimonial or certificate to create an account

**Preconditions:** User must have a web browser and internet connection. System has been designed for opening an account.

**Trigger:** Student must have an account.

**Scenario:** User run the system to give the url into browser. Then choose the services and click on get testimonial/certificate. Then enter data into the application form.

**Exception:** Ambiguous input. Data not matched.

**Priority:** Essential. Must be implemented.

**When available:** First Increment




Figure 9: Level 2.2- Login

**Use Case:** Sign in

**Use Case ID:** 0

**Primary Actors:** Student, Admin

**Secondary Actor:** Database

**Goal in Context:** To sign in the system.

**Preconditions:** User must have a web browser and internet connection. System has been designed for signing in an account

**Trigger:** User have to sign in an account.

**Scenario:** User run the system to give the url into browser. Click application status or sign in page and given email, password and applicant\_id for sign in.

**Exception:** Email or password or applicant\_id wrong.

**Priority:** Essential. Must be implemented.

**When available:** First Increment




Figure 10: Level 2.3- Recovery account

**Use Case:** Recovery account

**Use Case ID:** 0

**Primary Actors:** Admin

**Secondary Actor:** Database.

**Goal in Context:** To recover an account

**Preconditions:** User must have a web browser and internet connection. System has been designed for recover an account.

**Trigger:** admin can recover their account.

**Scenario:** Recover account. Providing email address. Link will be sent on email.

**Exception:** Ambiguous input

**Priority:** Essential.

**When available:** First Increment.




Figure 11: Level 2.4- application for testimonial/certificate

**Use Case:** application for document

**Use Case ID:** 0

**Primary Actors:** Student

**Secondary Actor:** Database

**Goal in Context:** Successful application with money transaction.

**Preconditions:** User must have a web browser and internet connection. Application complete.

**Trigger:** Student decides to run the system with giving personal details and run the system.

**Scenario:** User run the system to give the url into browser. After application go to transaction page and transaction complete.

**Exception:** Internet connection broken.

**Priority:** Essential.

**When available:** First Increment.




Figure 12: Level 2.5 - Transaction

**Use Case:** Transaction

**Use Case ID:** 0

**Primary Actors:** Student

**Secondary Actor:** Database

**Goal in Context:** Successful money transaction.

**Preconditions:** User must have a web browser and internet connection. Application complete. Transaction system build up.

**Trigger:** Student decides to complete the application after transaction.

**Scenario:** User run the system to give the url into browser. After application go to transaction page and giving accurately transaction no, amount etc.

**Exception:** Internet connection broken. Transaction account is wrong. Service not available.

**Priority:** Essential.

**When available:** First Increment.




Figure 13: Level 2.6- Application service status

**Use Case:** Application service status

**Use Case ID:** 0

**Primary Actors:** Admin

**Secondary Actor:** Student

**Goal in Context:** Complete the application services.

**Preconditions:** User must have a web browser and internet connection. Application complete. Admin must be logged in.

**Trigger:** Admin can view, approve, download the application and build up document.

**Scenario:** User run the system to give the url into browser. Admin can approve/reject the application.

**Exception:** Internet connection broken. Application not successful. Document not ready.

**Priority:** Essential.

**When available:** First Increment.




Figure 14: Level 2.7– Department Search

**Use Case:** Department Search

**Use Case ID:** 0

**Primary Actors:** Admin

**Secondary Actor:** Database

**Goal in Context:** Successful money transaction.

**Preconditions:** User must have a web browser and internet connection. Admin should be logged in. Department has been in the list.

**Trigger:** Admin search department according name or faculty/institute name.

**Scenario:** Admin logged in then click into Departments and search from the search icon.

**Exception:** Internet connection broken. Search input wrong.

**Priority:** Essential.

**When available:** First Increment.






Figure 15: Level 2.8- Admin Search

**Use Case:** Admin Search

**Use Case ID:** 0

**Primary Actors:** Super-Admin

**Secondary Actor:** Database

**Goal in Context:** Search the admin from the list.

**Preconditions:** User must have a web browser and internet connection. Admin should be logged in. Admin has been in the list.

**Trigger:** Super-Admin search admin according name or department name.

**Scenario:** Super-Admin logged in then click into admin and search from the search icon.

**Exception:** Internet connection broken. Search input wrong.

**Priority:** Essential.

**When available:** First Increment.




Figure 16: Level 2.9– Applicant Search

**Use Case:** Applicant Search

**Use Case ID:** 0

**Primary Actors:** Admin

**Secondary Actor:** Database

**Goal in Context:** Search the applicant who complete the application.

**Preconditions:** User must have a web browser and internet connection. Admin should be logged in. Applicant has been in the list.

**Trigger:** Admin search applicant according name or id.

**Scenario:** Admin logged in then click into applicant and search from the search icon.

**Exception:** Internet connection broken. Search input wrong.

**Priority:** Essential.

**When available:** First Increment.

# Chapter 5 – Data Model

## 5.1 Data Modeling Concepts

If software requirements include the necessity to create, extend or interact with a database or complex data structures need to be constructed and manipulated, then the software team chooses to create data models as part of overall requirements modeling. The entity-relationship diagram (ERD) defines all data objects that are processed within the system, the relationships between the data objects and the information about how the data objects are entered, stored, transformed and produced within the system.

## 5.2 Data Objects

A data object is a representation of composite information that must be understood by the software. Here, composite information means an information that has a number of different properties or attributes. A data object can be an external entity, a thing, an occurrence, a role, an organizational unit, a place or a structure. All the nouns in the scenario were identified.

Table 2: Data objects

No.	Noun	Attributes of
1	Name	10,11,15,29,30
2	Father's name	10,11
3	Mother's name	10,11
4	Registration no.	10,11
5	Session	10,11
6	Phone number	10,11
7	Department	10,11,30
8	Date of birth	10,11
9	Current year	10,11
10	User	1,2,3,4,5,6,7,8,9
11	Student	1,2,3,4,5,6,7,8,9
12	Testimonial	27
13	Language certificate	28
14	Transaction	19,20,31,33
15	Admin	16,17,1
16	Email	10,11,15,29,30
17	Password	10,15,29,30
18	Application	22,23,24
19	Transaction id	14
20	Transaction no	14
21	Search key	
22	Application acceptance	18

23	Application cancelation	18
24	Status	18
25	Notification	
26	Document	
27	Testimonial id	12
28	Certificate id	13
29	Super admin	1,16,17
30	Normal admin	1,16,17
31	Transaction status	14
32	Applicant id	10,11,18
33	amount	14

In this above data objects, we assume these data table for our database.

1. User (U\_id, name, email, password)
2. Student (applicant\_id, name, email, father\_name, mother\_name, birthdate, session, department)
3. Admin (id, name, email, password, type)
4. Document (id, type, date)
5. Certificate (certificate\_id, date,name)
6. Testimonial (testimonial\_id, date,name)
7. Transaction (transaction\_id, status, transaction\_no, amount)
8. Application (application\_id, date, application\_status)
9. Department (id, dept\_name, faculty/institute\_name)

User		
Attribute	Type	Size
User_id	NUMBER	15
Name	VARCHAR2	25
Email	VARCHAR2	30
Password	VARCHAR2	14

Student		
Attribute	Type	Size
Applicant_id	NUMBER	15
Name	VARCHAR2	25
Email	VARCHAR2	30
Father_name	VARCHAR2	20

Mother_name	VARCHAR2	20
Session	VARCHAR2	20
Registration_no	VARCHAR2	20
Roll_no	VARCHAR2	10
Department_name	VARCHAR2	20

Admin		
<b>Attribute</b>	<b>Type</b>	<b>Size</b>
Admin_id	NUMBER	15
Name	VARCHAR2	25
Email	VARCHAR2	30
Password	VARCHAR2	14
Type	VARCHAR2	14

Document		
<b>Attribute</b>	<b>Type</b>	<b>Size</b>
Id	NUMBER	15
Date	NUMBER	25
Type	VARCHAR2	14

Testimonial		
<b>Attribute</b>	<b>Type</b>	<b>Size</b>
Testimonial_id	NUMBER	15
Date	NUMBER	25
Applicant_name	VARCHAR2	20

Certificate		
<b>Attribute</b>	<b>Type</b>	<b>Size</b>
Certificate_id	NUMBER	15
Date	NUMBER	25
Applicant_name	VARCHAR2	20

Transaction		
<b>Attribute</b>	<b>Type</b>	<b>Size</b>
transaction_id	NUMBER	15
status	VARCHAR2	25
Transaction_no	NUMBER	20
Amount	NUMBER	20

Application		
Attribute	Type	Size
Application_id	NUMBER	15
Date	NUMBER	25
Status	VARCHAR2	20

Department		
Attribute	Type	Size
Id	NUMBER	15
Dept_name	VARCHAR2	25
Faculty_name	VARCHAR2	20

### 5.3 ER diagram

In this section relationship between different data entities are shown Chen diagram is used for the representation of the relationships.




Figure 17: ER diagram

# Chapter 6: Class Based Model

## 6.1 Introduction:

Class-based modeling represents the objects that the system will manipulate, the operations that will be applied to the objects, relationships between the objects and the collaborations that occur between the classes that are defined.

## 6.2 Identifying Analysis Classes:

To identify the potential classes, nouns were selected from the solution space of the story. These were then characterized in seven general classifications. The seven general characteristics are as follows:

1. External entities
2. Things
3. Events
4. Roles
5. Organizational units
6. Places
7. Structures

Following are the specifications of the nouns according to the general classifications.

### 6.2.1 Selection Criteria

The potential classes were then selected as classes by six Selection Criteria. A potential class becomes a class when it fulfills all six characteristics.

1. Retained Information
2. Needed Services
3. Multiple Attributes
4. Common attributes
5. Common operations
6. Essential requirements

### 6.2.2 Associate Noun and Verb Identification

The nouns and the verbs associated with the potential classes are identified to find out the attributes and methods of each class.

Table 3: Noun and verb identification

No.	Potential Class	Noun	Verb
1	System	Admin, Student	Store, Update, Remove
2	Admin	Id, password, email, name, department	Approve request, add department, remove, edit department, receive application, ready document, Role given, send notification, Receive notification
3	Student	Applicant_id, name, email, session, mother_name, father_name, registration_no, department.	account, application, see message, receives notification, search, log in
4	Testimonial	Id, status, date	Accept, reject, sends notification, change status
5	Language Certificate	Id, status, date	Accept, reject, sends notification, change status
6	Transaction	Id, status, amount, transaction_no	Confirm transaction, update
7	Department	Id, name, faculty name	Add, delete, update
8	Application	Id, status, date	See status, Accept, Reject, Update
9	User	Id, email, name, personal details	Account, log in, sign up, receive notification, search, update
10	Account	Id, type	Log in, application, verify, modify, delete

### 6.2.3 Attribute Selection and Method Identification

No	Potential Class	Attribute	Method
1	System	Admin, Student	updateDatabase() storeInformation() manageInformation() view()
2	Admin	Id, password, email, name, department	acceptRequest() cancelRequest() addDept() removeDept() editDept() addNormalAdmin() giveRole() documentReady() editAdmin() deleteNormalAdmin() viewApplicantDetails()



3	Student	Applicant_id, name, email, session, mother_name, father_name, registration_no, department.	setPersonalDetails() getPersonalDetails() application() SignIn() receiveNotification() getTestimonial() getCertificate() ViewDetails() showStatus()
4	Testimonial	Id,status, date	makeTestimonial() application() acceptTestimonial() rejectTestimonial() changeStatus() sendNotification()
5	Language Certificate	Id,status, date	makeCertificate() application() acceptCertificate() rejectCertificate() changeStatus() sendNotification()
6	Transaction	Id, status, amount, transaction_no	generateID() createTransaction() paidAmount() updateCash() changeTransactionStatus()
7	Department	Id, name, faculty name	addDept() editDept() removeDept()
8	Application	Id, status, date	sentApplication() receiveApplcation() status()
9	User	Id, email, name, personal details	Login() Singup() Receivenotification() Search()
10	Account	Id, type	signUp() validateInput() setUser() login() GetUser() modifyaccount() deleteAccount() recoveryAccount()

## 6.3 Class Responsibility Collaboration (CRC)

System	
Responsibilities	Collaboration
Handling Database	Account
Handling Information	User
Sending Notification	User, Testimonial, Certificate

Account	
Responsibilities	Collaboration
Account Creation Getting Input for sign up & sign in Log Out Recovery Data	Student Admin. Student System

Admin	
Responsibilities	Collaboration
Authentication	Student
Manage Application	Student, Application
Prepare document	Testimonial, Certificate
Managing Department's info	Department

Student	
Responsibilities	Collaboration

Application for testimonial	Application, Testimonial
Application for Certificate	Application, Certificate
Notification receives	System
Getting document	Testimonial, Certificate, Admin
Status seen	System

Testimonial	
Responsibilities	Collaboration
Application for testimonial	Application, Student
Testimonial Processing	Admin
Sending Notification	System

Certificate	
Responsibilities	Collaboration
Application for certificate	Application, Student
Certificate Processing	Admin
Sending Notification	System

Transaction	
Responsibilities	Collaboration
Fill up transactional input	Student
Payment procedure	System
Sending Notification	System

Application	
Responsibilities	Collaboration
Application for document	Application, Student, Admin

Status procedure	System, Student
------------------	-----------------

Department	
Responsibilities	Collaboration
Adding departmental information	Admin
Store department information	System

## 6.4 UML Class Diagram




Figure 18: UML class diagram

# Chapter 7: Software Design Architecture

## 7.1 Architectural Design for OOP

The software architecture of a program or computing system is the structure or structures of the system, which comprise software components, the externally visible properties of those components, and the relationships among them. At the architectural design level, a software architect uses an architectural context diagram (ACD) to model the manner in which software interacts with entities external to its boundaries.

## 7.2 Representing the system in a context

Referring to the figure, systems that interoperate with the target system (the system for which an architectural design is to be developed) are represented as -

**Superordinate systems**—those systems that use the target system as part of some higher-level processing scheme.

**Subordinate systems**—those systems that are used by the target system and provide data or processing that are necessary to complete target system functionality.

**Peer-level systems**—those systems that interact on a peer-to-peer basis (i.e., information is either produced or consumed by the peers and the target system).

**Actors**—entities (people, devices) that interact with the target system by producing or consuming information that is necessary for requisite processing. Each of these external entities communicates with the target system through an interface.




Figure 19:Architectural Context Diagram

## 7.3 Defining Archetypes

An archetype is a class or pattern that represents a core abstraction that is critical to the design of an architecture for the target system. In general, a relatively small set of archetypes is required to design even relatively complex systems. The target system architecture is composed of these archetypes, which represent stable elements of the architecture but may be instantiated many different ways based on the behavior of the system. The archetypes of this project are given below:

Analyzing class:

- i. Admin: Admin control the testimonial and certificate process and add, modify the system class.
- ii. Student: Student apply for the document and get notification for his updated status.
- iii. Document: Testimonial and Certificate for the main purpose of this system.
- iv. Transaction: Control the payment process fully.
- v. Authentication: Login, sign up, recovery etc. process is defined here.
- vi. Department: Student must be from a department and admin also.




Figure 20: Archetype Design

## 7.4 Refining the archetype into Component

As the software architecture is refined into components, the structure of the system begins to emerge. But how are these components chosen? In order to answer this question, you begin with the classes that were described as part of the requirements model. These analysis classes represent entities within the application(business)domain that must be addressed within the software

architecture. Hence, the application domain is one source for the derivation and refinement of components. Another source is the infrastructure domain. The architecture must accommodate many infrastructure components that enable application components but have no business connection to the application domain. For example, memory management components, communication components, database components, and task management components are often integrated into the software architecture.

#### 7.4.1 Instantiations of the system

The architectural design that has been modeled to this point is still relatively high level. The context of the system has been represented, archetypes that indicate the important abstractions within the problem domain have been defined, the overall structure of the system is apparent, and the major software components have been identified. However, further refinement (recall that all design is iterative) is still necessary.




Figure 21: Instantiation

# Chapter 8: Architectural Mapping

## 8.1 Introduction

A mapping technique, called structured design, is often characterized as a data flow-oriented design method because it provides a convenient transition from a data flow diagram to software architecture. This system is performing mapping with data where the type of information flow must be determined. One type of information flow is called transform flow and exhibits a linear quality. Data flows into the system along an incoming flow path where it is transformed from an external world representation into internalized form. Once it has been internalized, it is processed at a transform center. Finally, it flows out of the system along an outgoing flow path that transforms the data into external world form. There are six steps to transition the process. These are: (1) the type of information flow is established, (2) flow boundaries are indicated, (3) the DFD is mapped into the program structure, (4) control hierarchy is defined, (5) the resultant structure is refined using design measures and heuristics, and (6) the architectural description is refined and elaborated.

## 8.2 Transform Mapping

Transform mapping is a set of design steps that allows a DFD with transform flow characteristics to be mapped into a specific architectural style. To illustrate this approach, we consider our project. One element of the analysis model is a set of data flow diagrams that describe information flow within the system. To map these data flow diagrams into a software architecture, you would initiate the following design steps:

Step -1: Review the fundamental system model.

Step-2: Review and refine data flow diagrams for the software.

Step-3: Determine whether the DFD has transform or transaction flow characteristics.

Step-4: Isolate the transform center by specifying incoming and outgoing flow boundaries.

Step-5: Perform “first-level factoring.

Step-6: Perform “second-level factoring.

Step-7: Refine the first-iteration architecture using design heuristics for improved software quality.






Figure 22: Context level DFD




Figure 23: Level 1 mapping with DFD




Figure 24: Level 2 mapping with DFD

# Chapter 9: Component Level Design

## 9.1 Introduction

Component-level design occurs after the first iteration of architectural design has been completed. At this stage, the overall data and program structure of the software has been established. The intent is to translate the design model into operational software. But the level of abstraction of the existing design model is relatively high, and the abstraction level of the operational program is low. The translation can be challenging, opening the door to the introduction of subtle errors that are difficult to find and correct in later stages of the software process.

A component is a modular building block for computer software. In the context of object-oriented software engineering, a component contains a set of collaborating classes. Each class within a component has been fully elaborated to include all attributes and operations that are relevant to its implementation. As part of the design elaboration, all interfaces that enable the classes to communicate and collaborate with other design classes must also be defined. To accomplish this, you begin with the requirements model and elaborate analysis classes (for components that relate to the problem domain) and infrastructure classes (for components that provide support services for the problem domain).

## 9.2 Analysis class

In Architectural design, I have selected some analyzing classes based on criteria. Those classes are:

- Admin: Admin control the testimonial and certificate process and add, modify the system class.
- Student: Student apply for the document and get notification for his updated status.
- Document: Testimonial and Certificate for the main purpose of this system.
- Transaction: Control the payment process fully.
- Authentication: Login, sign up, recovery etc. process is defined here.
- Department: Student must be from a department and admin also.

## 9.3 Elaboration of Design Components

Here I depict the design components elaborately.

### 9.3.1 Student




Figure 25: Analyses class for student component

### 9.3.2 Transaction




Figure 26: Analyses class for Transaction

### 9.3.3 Document




Figure 27: Analysis class for document

### 9.3.4 Authentication




Figure 28: Analyses class for authentication

### 9.3.5 Department




Figure 29:Analyses class for department



### 9.3.6 Admin




Figure 30: Analysis class for admin

## 9.4 Deployment Diagram

A deployment diagram in the Unified Modeling Language models the physical deployment of artifacts on nodes. Elaborating deployment diagrams provide additional implementation details. Deployment diagrams are used as part of architectural design and are represented in descriptor form. In this form, major system functions (often represented as subsystems) are represented within the context of the computing environment that will house them.




Figure 31: Deployment diagram

# Chapter 10: User Interface Design

User Interface Design is the design of websites, computers, appliances, machines, mobile communication devices and software applications with the focus on the user's experience and interaction. The Golden Rules:

Three golden rules for interface design are:

1. Place the user in control.
2. Reduce the user's memory load.
3. Make the interface consistent.

These golden rules actually form the basis for a set of user interface design principles that guide this important aspect of software design.

## 10.1 Interface Analysis

We divide interface analysis into the following part:

1. User analysis
2. Task analysis

### 10.1.1 User analysis

There are two steps in this part. 1) Identify User 2) Know User

#### 10.1.1.1 Identify User

From the requirement and specification document we found two types of user in this system. These are:

- 1) Admin
- 2) Applicant

#### 10.1.1.2 Know User

Table 4: Know User

User Type	Characteristics	Value
Admin	Age	25-40
	Skills	Above Average
	Domain expert	Yes
	Application expert	Yes
	Frequency of use	Frequently
	Consequence of a mistake	No
	General computer experience	Yes
Applicant	Age	18-50
	Skills	Average
	Domain expert	No
	Application expert	Yes
	Frequency of use	Frequently
	Consequence of a mistake	No
	General computer experience	Yes

### 10.1.2 Task analysis

- Admin Task analysis

Table 5: Admin Task analysis

Tasks	Process Goal	Precondition	Subtasks
Application processing	Applicants apply for the testimonial and certificate and admin checked it	Logged in as admin using email and password	Approve application Cancel application
Department manages	Adding department by admin	Logged in as an admin	Add department Remove department Delete department
Services manages	After admin login admin manages services	Logged in as an admin	Add service

Admin role	After admin login admin gives the role	Logged in as an admin	Super admin Sub admin
------------	---	--------------------------	--------------------------

- Applicant Task analysis

Table 6: Applicant Task analysis

Tasks	Process Goal	Precondition	Subtasks
Application processing	Applicant application with giving details	Applicant must be valid and must have a valid registration no.	Give valid input
Transaction	Applicant log in or sign up and then pay now button click and	Logged in as an applicant or applicant must have an application	Generate transaction Paid amount
Notification management	Applicant applies for an application.	Must have application	Email notification Message notification

## 10.2 Interface Design Steps




Figure 32: Home page

### User Application Form

Student's name:	Current Running year:	Choose a Department:
<input type="text"/>	<input type="text"/>	Chemistry ▾
Father's name:	Class Roll No:	
<input type="text"/>	<input type="text"/>	
Mother's name:	Date of Birth:	
<input type="text"/>	mm/dd/yyyy	
Registration No:	Email address:	
<input type="text"/>	<input type="text"/>	
Session:	Phone:	
<input type="text"/>	<input type="text"/>	

Figure 33: Application form

Sign for seeing status.

Email address:

Applicant's ID:

Search Status

Figure 34: Search status or login

User Profile		
Profile	Data	Status
ID	949045	Pending
Name	Amran Hossain	
Father's name	Iqbal Hossain	
Mother's name	Seuly Akter	
Registration No	2016-515-046	
Session	2016-17	
Running Year	4th	
class Roll	0917	
Email	ahossain0917@gmail.com	

©2021 All rights reserved|DU Services site

Figure 35:User profile

Applicant name

Abu Taleb

Mobile

+88 01851255878

Email (Optional)

talebabu947@gmail.com

Registration No.

2016-213-645

Department

Chemistry

Address

93 B, New Eskaton Road



PAY NOW

Figure 36: payment process






Figure 37: Transactional process

#	Applicant ID	Applicant Name	Registration No	Language	Action
#	570984	Amran Hossain	2016-515-046	Arabic	<a href="#">View Details</a> <a href="#">Approved</a> <a href="#">Download</a> <a href="#">Cancel</a>
#	139077	Zihadul Sheikh	2016-614-802	Turkish	<a href="#">View Details</a> <a href="#">Approved</a> <a href="#">Download</a> <a href="#">Cancel</a>

Figure 38: notification process



Welcome Admin Panel!

**SIGN IN**

[Forgotten Password?](#)

Figure 39:admin login

## Recover account

Enter your email address and an email with instructions will be sent to you.



**Recover account**

Have an account? [Signin](#)

OR



Signin with Facebook



Signin with Twitter

All rights reserved. © Mujahid. 2021 Amran Hossain.

Figure 40: recover account

Departments List			
#	Department Name	Faculty/Institute name	Action
#	Chemistry	Faculty of Science	<a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a>
#	Statistics	Faculty of Science	<a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a>
#	IIT	Institute of Information Technology	<a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a>
#	Leather Engineering	Institute of Leather Engineering and Technology	<a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a>
#	Footwear Engineering	Institute of Leather Engineering and Technology	<a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a>
#	Leather Products	Institute of Leather Engineering and Technology	<a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a>
#	Pharmacy	Faculty of Pharmacy	<a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a>
#	Pharmaceutical Chemistry	Faculty of Pharmacy	<a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a>
#	Clinical Pharmacy and Pharmacology	Faculty of Pharmacy	<a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a>
#	English	Faculty of Arts	<a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a>

« Previous [Next](#) »

Figure 41:department list

Edit Departments

Department Name:

Chemistry

Faculty/Institute Name:

Faculty of Science

Update Department

Figure 42: Edit




Figure 43: Delete




Figure 44: Sidebar admin




Figure 45: Certificate of Completion




Figure 46: Testimonial process

# Chapter 11: Testing Component

## 11.1 Introduction

Software Testing is a method to check whether the actual software product matches expected requirements and to ensure that software product is defect free. Actually, there are two types of testing. Black box testing and White box testing. I have used black box testing for this software.

## 11.2 Software Testing Goals

Most essential software testing goals are described in here,

- **Bug detection:** QA experts detect and root out bugs and malfunctions before customers find them. It's a short-term objective that requires a scrupulous approach which can be provided by the manual software testing.
- **Bug prevention:** The bug-prevention objective is superior to others and implies not only anticipation but also prevention of defects from recurring in the future. In the long run, bug prevention helps to shorten the product time to market, reduce the cost of software quality maintenance and increase the customer satisfaction and loyalty to your product.
- **User satisfaction:** The main aim of any product is to give satisfaction to their customers. UI/UX Testing ensures the best user experience.
- **Software quality and reliability:** It is an essential requirement of any software product. Testing ensures a quality and reliable product is delivered to customers.
- **Cost effective:** It is one of the important advantages of software testing. Testing any IT project on time helps you to save your money for the long term. In case if the bugs caught in the earlier stage of software testing, it costs less to fix.
- **Security:** It is the most vulnerable and sensitive benefit of software testing. People are looking for trusted products. It helps in removing risks and problems earlier.

## 11.3 Levels of Testing

Here are important strategies in levels of testing in software engineering:

- **Unit Testing:** This software testing approach is followed by the programmer to test the unit of the program. It helps developers to know whether the individual unit of the code is working properly or not.
- **Integration Testing:** It focuses on the construction and design of the software. You need to see that the integrated units are working without errors or not.

- **System Testing:** In this method, your software is compiled as a whole and then tested as a whole. This testing strategy checks the functionality, security, portability, amongst others.
- **Acceptance Testing:** Checks the requirements of a specification or contract are met as per its delivery.

## 11.4 Testing Procedure

Following test cases have been performed on this system. To run these cases, internet must be in working condition.

Table 7: Test case

Test ID	Test Case	Input Test Data	Steps to be Executed	Expected Result	Actual Result	Pass/Fail
T1	Test if application successful	Applicant personal details	1. Input required field 2. Click "Sign Up"	Application successfully submitted	Application Successful	Pass
T2	Test if applicant log in works	Email and applicant id	1. Input required field 2. Click "Search Status"	Successfully logged in	Successfully logged in	Pass
T3	Test if payment completed	Details for payment	1. Select "Pay now" 2. Given input data. 3. Choose payment option.	Payment completed	Payment completed	Pass
T4	Test if notification received	Application data	1. Logged in to search status. 2. Check email	Notification received	Notification not received	Pass
T5	Test if admin log in works	Email and password	1. input required field 2. Click "Log in"	Successfully logged in	Successfully logged in	Pass
T6	Test if password reset worked	Previous password, current password and email.	1. Click password reset option 2. Give Email	Password reset successfully	Password reset successfully	Pass

T7	Test if application approval worked	Application	Click approve button	Application approved	Application approved	Pass
T8	Test if application cancel worked	Application	Click cancel button	Application cancels	Application cancels	Pass
T9	Test if testimonial/certificate is ready	Application	Click download button	Document is ready	Document is ready	Pass
T10	Test if department added in system	Department name and faculty name	Click add button	Department added successfully	Department added successfully	Pass

## 11.5 Risk and Contingencies

There will some risks when using this system. Transaction process will be fall down for occurring internet problem or payment gateway company's internal server error occurs. For successfully application start to end user have to fulfill user credentials as needed carefully. Otherwise, system may not work properly.



# Chapter 12: User Manual

## 12.1 Application run

It is a web application. For run the application locally we need xampp control panel. Laravel installation, MySQL database and an IDE. To run the application just write “php artisan serve” in command line.

If this application host in internet just open the browser and hit the url.

## 12.2 Use the Application

Firstly, after hitting the url we get the homepage of the website and select services from the navbar what services do we want. Then click the button on get testimonial or get certificate and find an application form. Fill up the form accurately and submitting this get a unique applicant id which will be needed for log in this website for applicant. Then click the pay now button and get payment form and pay the money according to procedure.

After applicant complete his application to know his application status, he/she may click the application status button and give email and applicant id. After log in applicant see the status either admin accept or reject the application. Also, applicant know his status through the email. Also, applicant pay after login the system not in sign up time.

For Admin panel admin must log in with giving email and password. Also, admin may recover password also by clicking forgotten account. After log in the system admin see the applicant list who are apply for the certificate or testimonial. Admin accept or reject the application after click those buttons. Admin may download the testimonial and certificate copy. Admin click the approve button and change the status automatically. System gives email notification to the applicant. Also, admin add, delete or edit department, language and also director as much needed.

# Chapter 13: Conclusions and Future Work

## 13.1 Conclusion:

Working with DU Services system was a new experience for me. I got the opportunity to learn about building a website. I have learnt how transaction system added in a system. I have tried my level best to implement the system as flawlessly as possible. However, there is still room for improvement. In future, I will try to host it in the server. Also, I have been experienced with web development work by building this system. Now I will be able to build any kind of website.

## 13.2 Future Work:

For transaction process of this system, I used sandbox sslcommerz free api. I will do it real time transaction in next. Also, I will host this website into internet. Now it is in my localhost. Also, I will add any other services system in automatically by this system which are related to transaction system. I will build this more user friendly so that user will be happy after using this system. In future I will try to add machine learning in this system so that system works with more data within a shorten time.

# References

1. Pressman, Roger S. Software Engineering: A Practitioner's Approach (7<sup>th</sup> ed.). Boston, Mass: McGraw-Hill. ISBN 0-07-285318-2.
2. Database System Concepts, 5th Ed. ©Silberschatz, Korth and Sudarshan.
3. Sommerville, I. Software Engineering, 7th ed. Harlow, UK: Addison Wesley, 2006.
4. <https://www.qamadness.com/what-is-the-ultimate-goal-and-key-objectives-of-software-testing/#:~:text=Serving%20as%20a%20bridge%20between,quality%20of%20a%20resulted%20product>. Last access 19 February 2021 at 9:30 a.m.
5. <https://www.guru99.com/software-testing-introduction-importance.html> . Last access 19 February 2021 at 9.45 a.m.
6. <https://www.guru99.com/levels-of-testing.html>. Last access 19 February 2021 at 9.45 a.m.
7. <https://creately.com/blog/diagrams/deployment-diagram-tutorial/#:~:text=A%20deployment%20diagram%20is%20a,and%20software%20of%20a%20system>. Last access 26 March 2021 at 12:30 a.m.
8. <https://laravel.com/docs/4.2/introduction> Last access 26 March 2021 at 10:30 p.m.
9. <https://github.com/sslcommerz/SSLCommerz-Laravel> Last access 26 March 2021 at 10:34 p.m
10. <https://www.positronx.io/laravel-pagination-example-with-bootstrap-tutorial/> Last access 02 April 2021 at 07:20 p.m.