# Calculus II Labs

College of Wooster

June 27, 2017

### Contents

Introduction to Sage and Ximera	3
Introduction	3
Functions	3
Getting Help	5

### Introduction to Sage and Ximera

SageMath is a computer algebra system which uses python, throughout these labs sage cells will be used for certain problems. This lab introduces you to the basics of using SageMath via Sage Cells.

#### Introduction

If you ever want to use a sage cell when one is not provided, or would like to experiment with Sage Cells, you can follow this link.

\_ SAGE \_

#### **Functions**

To define a function you use the notation in the following sage cell:

 $f(x)=x^5+3*x+4$ 

Question 1 What output did you get from evaluating the sage cell?

Multiple Choice:

- (a) None ✓
- (b)  $f(x) = x^5 + 3x + 4$
- (c)  $x^5 + 3x + 4$

**Feedback (attempt):** All we did was define a function, to see the function definition type f(x).

Evaluate the function at x = 3 by typing f(3) in the sage cell, what did you get? 256

**Question 2** Define  $f(x) = \sin(x)^2$  in the following cell evaluate at  $x = 4\pi$ 

Learning outcomes:

See link at https://sagecell.sagemath.org/

	stop something from being evaluated put it in a comment using	the hashta
What	did you get? 0	ı
varial Sage	don't use function notation, or want to define a function of multiple bles you must define your variables before using them, as in the following Cell. The following sage cell defines the equation $4x + y = 1$ , and then it for $y$ .	_
	SAGE	
eqn=4	x y')  *x+y==1  *(eqn,y)	
	"=" is used for assignment and "==" is used to signify equality ✓	
` /	"=" is used for assignment and "==" is used to signify equality ✓ "=" is used to signify equality and "==" is used for assignment	
(~)	pack (attempt): Note that you need to include the * operator, go back and	
	ut the * to see how Sage Does error messages and debugging.	
take o	olve command is also shown above, it's fairly intuitive to use, the thing ant to solve is the first parameter and what you're solving for is the second	ا
The s you w paran	olve command is also shown above, it's fairly intuitive to use, the thing ant to solve is the first parameter and what you're solving for is the second	١
The s you w paran	olve command is also shown above, it's fairly intuitive to use, the thing ant to solve is the first parameter and what you're solving for is the second neter.	ا

## Getting Help

If you ever get stuck trying to use a command, there is built in documentation
(as well as Google). Type the command followed directly by "?" to get extensive
documentation on how to use it with examples. Try this for the solve command
in the following cell.

SAGE
2.102