Assignment-10

Create viewnotes page Frontend

Create another file in the "pages" folder as "viewnotes.js"

viewnotes.js


```
import React, {useState, useEffect} from 'react'; //useeffect--getting the
data from the api
import DashboardNavbar from '../Components/DashboardNavbar';
import Cookies from 'universal-cookie';
const cookies =new Cookies();
function Viewnotes() {
   const [notes, setNotes] = useState([]);
   useEffect(() =>{
       const fetchdata = async () =>{
          const response=await
fetch('http://127.0.0.1:2000/viewusernotes?username='+cookies.get('username'))
          const data=await response.json(); //wait until the data is stored
          setNotes(data['status']); //storing the data in the status
       fetchdata();
   },[]); //initial value is []
   return (
       <div>
          <DashboardNavbar/>
          <div className='container col-sm-6'><br/>>
              <h1 style={{color:"blue"}}>View notes</h1>
              <thead>
                     S.no
                     Notes
                     Owner
                     </thead>
                 //note is nothing but what we have inserted ,key is
nothing but index
                        notes.map((note,key) =>
                            {key}
```

Run the server by the command "npm start"



welcome to Notes Manager

By default it will display the "Home" page
Click on the login page, it will display the login page



now run the backend api in one terminal

-----→ "node api.js"

After that run the front end in another terminal

-----→ "npm start"


Enter the details and click on login button

If the details are valid it display the dashboard page



Welcome to Notes manager nationing

Go to the insertnotes page. Enter the notes and click on insert button It displays that "notes inserted successfully"



To connect the frontend insertnotes page with the backend api

We use the fetch method

```
fetch('http://127.0.0.1:2000/insertnotes?'+'notes='+enteredNotes+'&own
er='+cookies.get('username'))
```

now the inserted notes data is stored in the backend.

```
hi hello how r u 1234567890

connected with mongodb server
{
    acknowledged: true,
    insertedId: new ObjectId("648c348892b2527c8b9cc4f2")
}
```

Open the viewnotes page

