Parametric Vector Form

In general, suppose the free variables for $A\mathbf{x} = \mathbf{0}$ are x_k, \dots, x_n . Then all the solutions to $A\mathbf{x} = \mathbf{0}$ can be written as:

$$\mathbf{x} = x_k \mathbf{v}_k + x_{k+1} \mathbf{v}_{k+1} + \dots + x_n \mathbf{v}_n$$

For some $\mathbf{v}_k, \dots \mathbf{v}_n$.

This is Parametric Vector Form.

$$x_1 + 3x_2 + x_3 = 4$$
$$2x_1 - x_2 - 5x_3 = 1$$
$$x_1 - 2x_3 = 1$$

In RREF:

$$egin{bmatrix} 1 & 0 & -2 & 1 \ 0 & 1 & 1 & 1 \ 0 & 0 & 0 & 0 \end{bmatrix} \ x_1 &= 1 + 2x_3 \ x_2 &= 1 - x_3 \ x_3 &= x_3 \end{bmatrix} \ \mathbf{x} = egin{bmatrix} 1 + 2x_3 \ 1 - x_3 \ 0 + x_3 \end{bmatrix} = egin{bmatrix} 1 \ 1 \ 0 \end{bmatrix} + egin{bmatrix} 2x_3 \ -x_3 \ x_3 \end{bmatrix} = egin{bmatrix} 1 \ 1 \ 0 \end{bmatrix} + x_3 egin{bmatrix} 2 \ -1 \ 1 \ 0 \end{bmatrix} \ ext{if, } \mathbf{x} = egin{bmatrix} 1 + 2x_3 \ 1 - x_3 \ 0 + x_2 \end{bmatrix} \ ext{if, } \mathbf{x} = \mathbf{x} \end{bmatrix}$$

 $ext{in parametric vector form,} \, \mathbf{x} = egin{bmatrix} 1 \ 1 \ 0 \end{bmatrix} + x_3 egin{bmatrix} 2 \ -1 \ 1 \end{bmatrix}$