EP 4130/PH 6130 Assignment 1

Deadline 16 January 2023 before 23:59 hrs

All problems (Except the last) have equal weightage of 10 points each. The last problem has 20 points. Please show the source code used for each of the problems.

- 1. Redo figure 3.5 in astroml book https://www.astroml.org/book_figures/chapter3/fig_flux_errors.html with 5%, 10% and 20% flux error. Comment on whether the magnitude distribution is assymetric in all the three cases.
- 2. Create 1000 draws from a normal distribution of mean of 1.5 and standard deviation of 0.5. Plot the pdf. Calculate the sample mean, variance, skewness, kurtosis as well as standard deviation using MAD and σ_G of these samples.
- 3. Plot a Cauchy distribution with μ =0 and γ =1.5 superposed on the top of a Gaussian distribution with μ =0 and σ =1.5. Use two different line styles to distinguish between the Gaussan and Cauchy distribution on the plot and also indicate these in the legends.
- 4. Plot Poisson distribution with mean of 5, superposed on top of a Gaussian distribution with mean of 5 and standard deviation of square root of 5. Use two different line styles for the two distributions and make sure the plot contains legends for both of them.
- 5. The following were the measurements of mean lifetime of K meson (as of 1990) (in units of 10^{-10} s): $0.8920\pm0.00044; 0.881\pm0.009; 0.8913\pm0.00032; 0.9837\pm0.00048; 0.8958\pm0.00045$. Calculate the weighted mean lifetime and uncertainty of the mean.
- 6. Download the eccentricity distribution of exoplanets from the exoplanet catalog http://exoplanet.eu/catalog/. Look for the column titled e, which denotes the eccentricity. Draw the histogram of this distribution. Then redraw the same histogram after Gaussianizing the distribution using Box-transformation either using scipy.stats.boxcox or from first principles using the equations shown in class or in arXiv:1508.00931. Note that exoplanets without eccentricity data can be ignored.