

[PART V: Polkadot-JS \(Substrate setups\)](#)

1. Substrate accounts: Set Substrate networks for your Polkadot-JS accounts.

1. Click on the Polkadot.JS Extension icon to reveal the **Accounts** window.

The screenshot shows the Polkadot/Substrate Portal website on the left and the Polkadot.JS extension Accounts window on the right. The website has a top navigation bar with 'Kusama kusama/9070 #8,135,968', 'Accounts', 'Network', 'Governance', and 'Developer' tabs. Below this is a 'My accounts' section with a filter by name or tags input and a table of accounts. The table has columns for 'accounts', 'type', and 'tags'. It lists two accounts: 'ALTD@KSM (EXTENSION)' and 'ANAELLE LTD@KSM'. The extension window on the right is titled 'Accounts' and lists four accounts: 'CRING' (Darwinia Crab), 'ALTD@KSM' (Kusama), 'Anaelle LTD@KSM' (Kusama), and 'ALTD@DOT' (Polkadot). A green arrow points to the extension icon in the browser's toolbar, and another green arrow points to the three vertical dots next to the 'Anaelle LTD@KSM' account in the extension window.

2. Click on the 3 vertical dots to reveal the **Account settings** window.

GUIDE TO POLKADOT-JS APPS – PART V: Polkadot-JS (Substrate setups)

Version 1.0

The screenshot shows the Polkadot/Substrate Portal interface. The main navigation bar includes 'Accounts', 'Network', 'Governance', and 'Developer'. The 'Accounts' section is active, displaying a list of accounts. A modal window titled 'Accounts' is open, showing a list of accounts with a context menu open over the 'ALTD@DOT' account. The context menu options are: 'Rename', 'Derive New Account', 'Export Account', 'Forget Account', and 'Kusama Relay Chain'. A green arrow points to the dropdown arrow next to 'Kusama Relay Chain'.

filter by name or tags

accounts	type	tags
ALTD@KSM (EXTENSION)	injected	no tags
ANAELLE LTD@KSM	injected	no tags

Accounts

CRING
5CaG

ALTD@KSM
Feg

Anaelle LTD@KSM
HjcErRijmpoiBiKEHT3edPXM3

ALTD@DOT
1

Darwinia Crab

Kusama

Rename

Derive New Account

Export Account

Forget Account

Kusama Relay Chain

3. Click on the dropdown arrow to show the **Networks** list.

GUIDE TO POLKADOT-JS APPS – PART V: Polkadot-JS (Substrate setups)

Version 1.0

The screenshot shows the Polkadot/Substrate Portal interface. The top navigation bar includes 'Accounts', 'Network', 'Governance', and 'Developer'. The 'Accounts' section is active, showing a list of accounts under the 'My accounts' tab. A blue callout box with a green arrow points to the 'Accounts' dropdown menu, which is open and displays a list of networks. The callout box contains the text: '4. Select one network from the list or choose **Allow use on any chain** to access all networks.'

Accounts

filter by name or tags

accounts

		type	tags
★	ALTD@KSM (EXTENSION)	injected	no tags
★	✓ ANAELLE LTD@KSM	injected	no tags

Accounts

- Allow use on any chain
- Polkadot Relay Chain
- Kusama Relay Chain
- Acala Mandala TC5
- Acala Mandala TC6
- Bifrost Asgard CC4
- Bit.Country Tewai Chain
- ChainX
- Crust Maxwell**
- Darwinia
- Darwinia Crab
- Dock Mainnet
- Edgeware
- Equilibrium Network
- EquilibriumTestnet
- Galois
- HydraDX
- Jupiter A1
- Karura
- Kulupu
- Kusama Relay Chain

GUIDE TO POLKADOT-JS APPS – PART V: Polkadot-JS (Substrate setups)


Version 1.0

The screenshot displays the 'Accounts' section of the Polkadot-JS interface. On the left, a sidebar shows 'Accounts' selected, with 'My accounts' and 'Vanity generator' as sub-options. The main area lists accounts under the heading 'accounts'. A table shows two accounts: 'ALTD@KSM (EXTENSION)' and 'ANAELLE LTD@KSM', both marked as 'injected' with 'no tags'. A blue callout box with the text '5. Your account is now set up to access your chosen network.' is overlaid on the right. The right panel, titled 'Accounts', shows a list of accounts for the 'Darwinia Crab' network. The account 'Anaelle LTD@KSM' is highlighted with a green circle, and its address '5HDzaY5r7QosxXtsTadzkg2XCT62AwVdE86U1Ev1tquDAud6' is visible. Below it, the account 'ALTD@DOT' is shown for the 'Polkadot' network.

accounts	type	tags
★ ALTD@KSM (EXTENSION)	injected	no tags
★ ANAELLE LTD@KSM	injected	no tags

5. Your account is now set up to access your chosen network.

2. Substrate chains: Switch between Relay chain/Parachain/Testnets' interfaces.



The screenshot shows the Polkadot-JS interface. At the top, there is a dark header bar with the Kusama logo, the account name 'Kusama kusama/9070 #8,137,536', and a dropdown arrow. Below this, there is a light gray sidebar with the 'Accounts' tab selected. A green arrow points to the dropdown arrow next to the account name. A blue box with white text says: '1. Click on the dropdown arrow to show the **Networks sidebar**.'

Below the sidebar, there is a section for 'accounts' with a search bar 'filter by name or tags'. The accounts are listed in a table:

	accounts	type	tags	balances
★	ALTD@KSM (EXTENSION)	injected	no tags	10.3509 KSM ▼ send ⋮
★	✓ ANAELLE LTD@KSM	injected	no tags	1.0376 KSM ▼ send ⋮
				11.3886 KSM

GUIDE TO POLKADOT-JS APPS – PART V: Polkadot-JS (Substrate setups)

Version 1.0

2. The sidebar displays your **current network and node**.

3. Navigate the sidebar dropdown menus to **find your chosen network**.

The interface shows a sidebar on the left with a list of networks. The 'Kusama' network is highlighted with a green box. Below it, three node options are listed: 'via Parity' (unselected), 'via OnFinality' (selected), and 'via Patract Elara' (unselected). The main area displays a table of accounts with columns for type, tags, and balances. The table shows two injected accounts with balances of 10.3509 KSM and 1.0376 KSM, and a total balance of 11.3886 KSM.

type	tags	balances
injected	no tags	10.3509 KSM
injected	no tags	1.0376 KSM
		11.3886 KSM

GUIDE TO POLKADOT-JS APPS – PART V: Polkadot-JS (Substrate setups)

Version 1.0

The screenshot displays the Polkadot-JS Apps interface. On the left, a sidebar lists various networks under categories like 'POLKADOT & PARACHAINS', 'KUSAMA & PARACHAINS', 'TEST WESTEND & PARACHAINS', 'TEST ROCOCO & PARACHAINS', 'LIVE NETWORKS', and 'TEST NETWORKS'. The 'TEST NETWORKS' section is expanded, showing a list of networks including Amber, Arcadia, Beresheet, Bifrost Asgard, Bit.Country Tewai, Canvas, Crust Maxwell, and Dock. A green arrow points from the 'Switch' button at the top of the sidebar to the 'via DCloud Foundation' option under Crust Maxwell. Another green arrow points from the 'via DCloud Foundation' option to the 'Switch' button. A blue text box with the instruction '4. Select a node for your chosen network, then click on Switch.' is overlaid on the interface.

Switch

work Governance Developer Settings GitHub Wiki

community generator

+ Add account Restore JSON Add via Qr Multisig Proxied

type	tags	balances
injected	no tags	10.3509 KSM send
		1.0376 KSM send
		11.3886 KSM


4. Select a node for your chosen network, then click on Switch.

via Crust Network

via DCloud Foundation

Dock

5. You have successfully switched networks!



The screenshot shows the Polkadot-JS interface. At the top, the network is set to 'Crust Maxwell' with a balance of 'crust/25 #2,215,340'. The 'Settings' button, indicated by a green arrow, is located in the top navigation bar. Below the navigation bar, there are buttons for 'Add account', 'Restore JSON', 'Add via Qr', 'Multisig', and 'Proxied'. A yellow notification box states: 'You have 1 extensions that need to be updated with the latest chain properties in order to display the correct information for the chain you are connected to. This update includes chain metadata and chain properties. Visit your [settings page](#) to apply the updates to the injected extensions.'

6. If prompted, update your **Polkadot-JS settings**.

filter by name or tags

accounts	type	tags	balances
★ ANAELLE LTD@KSM (EXTENSION)	injected	no tags	0.0000 CRU send
			0.0000 CRU