


## [PART I: ACCOUNTS \(Basic setups\)](#)

### 1. Accounts: Manage your accounts.



**Basic information on technical words used in the ACCOUNTS section.**

**Options for creating/importing account(s).**

Accounts can be **injected** from Polkadot-JS extension, **created** from Polkadot-JS Apps, or derived from **Ledger** hardware.

**Any custom information/note about the account.**

**Existing account(s) enabled on the Kusama network.**


**Overview of account's KSM balances.**

The screenshot shows the 'Accounts' section of the Polkadot-JS interface. At the top, a navigation bar includes 'Kusama', 'kusama/9070', '#8,135,239', and tabs for 'Accounts', 'Network', 'Governance', 'Developer', and 'Settings'. Below this, a sub-header shows 'My accounts' and 'Vanity generator'. A filter bar 'filter by name or tags' is present. The main area displays a table of accounts. Two accounts are listed: 'ALTD@KSM (EXTENSION)' and 'ANAELLE LTD@KSM', both marked as 'injected' with 'no tags'. To the right of the table, a 'balances' section shows three KSM balances: 10.3509 KSM, 1.0376 KSM, and 11.3886 KSM, each with a 'send' button. Annotations with green arrows point to various elements: a question mark icon in the top right, the account creation options bar, the account names in the table, the 'type' and 'tags' headers, and the balance section.


	type	tags
ALTD@KSM (EXTENSION)	injected	no tags
ANAELLE LTD@KSM	injected	no tags

balances	
10.3509 KSM	send
1.0376 KSM	send
11.3886 KSM	

a) Create a Polkadot-JS account from a new Seed and save it in a JSON file.



1. Click **Add account**.



**NEVER** store your seed in a phone/PC! Write it in a notebook/sketchbook or diary and keep it private.

2. Follow **on-screen instructions** carefully.

3. Make sure you **note down your seed phrase neatly** and tick the box.

4. Click on **Next** to continue the procedure.

## GUIDE TO POLKADOT-JS APPS – PART I: Accounts (Basic setups)

Version 1.0

**Avoid using the same password for all your accounts.**

add an account via seed 2/3

LALA  
HEjiAtKMqsi85R1LJ3qkxKjAZCwCJ6h2JRrKHKk5Qyamsn

name ?  
Lala

password ?  
.....

password (repeat) ?  
.....

WEAK  STRONG

**5. Follow the new instructions carefully.**

The name for this account and how it will appear under your addresses. With an on-chain identity, it can be made available to others.

The password and password confirmation for this account. This is required to authenticate any transactions made and to encrypt the keypair.

Ensure you are using a strong password for proper account protection.

**6. Click on Next to continue the procedure.**

Cancel Prev **Next**

Consider storing your account in a signer such as a browser extension, hardware device, QR-capable phone wallet (non-connected) or desktop application for optimal account security. Future versions of the web-only interface will drop support for non-external accounts, much like the IPFS version.

## GUIDE TO POLKADOT-JS APPS – PART I: Accounts (Basic setups)

Version 1.0

Kusama  
kusama/9070  
#8,178,651

Accounts

add an account via seed 3/3

LALA  
HEjiAtKMqsi85R1LJ3qkxKjAZCwCJ6h2JRrKHKk5Qyamsn

partial seed  
pact ... wear ... dash ... usual ...

keypair type  
sr25519

derivation path  
<none provided>

We will provide you with a generated backup file after your account is created. As long as you have access to your account you can always download this file later by clicking on "Backup" button from the Accounts section.

Please make sure to save this file in a secure location as it is required, together with your password, to restore your account.

Cancel Prev **Save**

8. Click on **Save** to complete the procedure.

## GUIDE TO POLKADOT-JS APPS – PART I: Accounts (Basic setups)

Version 1.0

Star your most important accounts.

filter by name or tags

accounts	type	tags	balances
★ ALTD@KSM (EXTENSION)	injected	no tags	10.3633 KSM send
★ ANAELLE LTD@KSM	injected	no tags	1.0376 KSM send
★ LALA	sr25519	no tags	0.0000 KSM send

11,4009 KSM

9. Your account has been added to the *My accounts* list!

10. Click on the 3 vertical dots to view **Account settings**.

A JSON (backup) file has also been created for your account! It should be stored in a device that is not connected to the internet.

HEjiAtKMqsi85R1....json

Show all X

## GUIDE TO POLKADOT-JS APPS – PART I: Accounts (Basic setups)

Version 1.0

The screenshot shows the 'Accounts' section of the Polkadot.js Apps interface. The top navigation bar includes 'Kusama kusama/9070 #8,178,673', 'Accounts', 'Network', 'Governance', 'Developer', and 'Settings'. The 'Accounts' sub-page has tabs for 'Accounts', 'My accounts', and 'Vanity generator'. Below these are buttons for '+ Add account', 'Restore JSON', and 'Add via QR'. A search bar labeled 'filter by name or tags' is present. A table lists accounts with columns for a star icon, account name, type, and tags. A context menu is open for the 'ALTD@KSM (EXTENSION)' account, showing options like 'Set on-chain identity', 'Derive account via derivation path', 'Create a backup file for this account', 'Change this account's password', 'Forget this account', 'Make recoverable', 'Initiate recovery for another', 'Delegate democracy votes', and 'Add proxy'. A green arrow points from a blue instruction box to the 'Create a backup file for this account' option.

11. Click on **Create a backup file [...]** to download your account's JSON file.

	accounts	type	tags
★	ALTD@KSM (EXTENSION)	injected	no tags
★	ANAELLE LTD@KSM	injected	no tags
★	LALA	sr25519	no tags

- Set on-chain identity
- Derive account via derivation path
- Create a backup file for this account
- Change this account's password
- Forget this account
- Make recoverable
- Initiate recovery for another
- Delegate democracy votes
- Add proxy

only this network ☒

## GUIDE TO POLKADOT-JS APPS – PART I: Accounts (Basic setups)

Version 1.0

**12. Follow on-screen instructions carefully.**

backup account

LALA  
HEjiAt...yamscn

An encrypted backup file will be created once you have pressed the "Download" button. This can be used to re-import your account on any other machine.

Save this backup file in a secure location. Additionally, the password associated with this account is needed together with this backup file in order to restore your account.



password ?  
.....

Cancel Download

**13. Click on **Download** to complete the procedure.**



*b) Import a Polkadot-JS account from a JSON file.*



## GUIDE TO POLKADOT-JS APPS – PART I: Accounts (Basic setups)

Version 1.0

The screenshot shows the 'add via backup file' dialog in the Polkadot.js Apps interface. The dialog has a title bar with a close button. Below the title, there's a section for the account name, showing 'LALA' and 'HEjiAt...yamscn'. There are two input fields: 'backup file' and 'password'. The 'backup file' field contains the text 'HEjiAtKMqsi85R1U3qkxKjAZCwCJ6h2JRrKHKk5Qyamscn.json (600 bytes)'. The 'password' field is masked with dots. To the right of the 'password' field, there's a text label: 'The password previously used to encrypt this account.' Below the input fields, there's a yellow warning box with a triangle icon and the text: 'Consider storing your account in a signer such as a browser extension, hardware device, QR-capable phone wallet (non-connected) or desktop application for optimal account security. Future versions of the web-only interface will drop support for non-external accounts, much like the IPFS version.' At the bottom right of the dialog, there are two buttons: 'Cancel' and 'Restore'. The 'Restore' button is circled in green. On the left side of the image, there's a blue box with the text '3. Double-check warning messages.' and a green arrow pointing to the warning box. On the right side, there's a blue box with the text '4. Click on **Restore** to complete the procedure.'

add via backup file

LALA  
HEjiAt...yamscn

backup file ?  
HEjiAtKMqsi85R1U3qkxKjAZCwCJ6h2JRrKHKk5Qyamscn.json (600 bytes)

password ?  
.....

Supply a backed-up JSON file, encrypted with your account-specific password.

The password previously used to encrypt this account.

⚠ Consider storing your account in a signer such as a browser extension, hardware device, QR-capable phone wallet (non-connected) or desktop application for optimal account security. Future versions of the web-only interface will drop support for non-external accounts, much like the IPFS version.

Cancel Restore

3. Double-check  
warning  
messages.

4. Click on **Restore** to complete the procedure.

## GUIDE TO POLKADOT-JS APPS – PART I: Accounts (Basic setups)

Version 1.0



The screenshot shows the Polkadot.js Apps interface. At the top, there's a dark header with the Kusama logo, the address 'kusama/9070 #8,212,268', and navigation tabs: 'Accounts', 'Network', 'Governance', 'Developer', and 'Settings'. Below the header, there's a sub-header with 'Accounts', 'My accounts', and 'Vanity generator'. The 'My accounts' tab is active. On the right, a green notification banner says 'restore LALA account restored'. Below the sub-header, there are buttons: '+ Add account', 'Restore JSON', 'Add via Qr', '+ Multisig', and '+ Proxied'. A search bar 'filter by name or tags' is present. The main area shows a table of accounts:

			type	tags	balances	
★	ALTD@KSM (EXTENSION)		injected	no tags	10.3768 KSM	send
★	ANAELLE LTD@KSM	✓	injected	no tags	1.0376 KSM	send
★	LALA		sr25519	no tags	0.0000 KSM	send



The 'LALA' account row is highlighted with a green box. At the bottom right, the total balance is shown as 11.4144 KSM.

**5. Your account has been restored in the *My accounts* list!**

*c) Add a Polkadot-JS account from a QR Code.*



*d) Set up a Polkadot-JS Multisig account.*



*e) Set up a Polkadot-JS Proxied account.*

1. Click **Proxied**.

2. Follow **on-screen instructions** carefully.

3. Click on **Add** to complete the procedure.

add proxied account

proxied account ?

name ?  
proxied name

The address that has previously setup a proxy to one of the accounts that you control.

The name is for unique identification of the account in your owner lists.

Cancel Add

Account	Status	Tags
ALTD@KSM (EXTENSION)	injected	no tags
ANAELLE LTD@KSM	injected	no tags

*f) Check your account information, receive funds at your KSM address and view your KSM balances.*

The screenshot shows the 'Accounts' section of the Kusama interface. At the top, there's a navigation bar with 'Kusama kusama/9070 #8,135,239', 'Accounts', 'Network', 'Governance', 'Developer', and 'Settings'. Below this, there's a sub-navigation bar with 'Accounts', 'My accounts', and 'Vanity generator'. The main content area shows a list of accounts. Three numbered instructions are overlaid on the image:

1. Click on the **account name** to view its information. (Points to 'ALTD@KSM (EXTENSION)')
2. Click on the **identicon** to copy your KSM address. (Points to the identicon of 'ANAELLE LTD@KSM')
3. Click on the **dropdown arrow** to view your detailed KSM balances. (Points to the dropdown arrow next to '10.3509 KSM')

The accounts table has columns for 'accounts', 'type', 'tags', and 'balances'. The first account is 'ALTD@KSM (EXTENSION)' with a balance of '10.3509 KSM'. The second account is 'ANAELLE LTD@KSM' with a balance of '1.0376 KSM'. A total balance of '11.3886 KSM' is shown at the bottom.

accounts	type	tags	balances
ALTD@KSM (EXTENSION)	injected	no tags	10.3509 KSM
ANAELLE LTD@KSM	injected	no tags	1.0376 KSM
			11.3886 KSM

## GUIDE TO POLKADOT-JS APPS – PART I: Accounts (Basic setups)

Version 1.0

The screenshot shows the 'Accounts' section of the Polkadot.js Apps interface. The top navigation bar includes 'Kusama kusama/9070 #8,136,085', 'Accounts', 'Network', 'Governance', 'Developer', and 'Settings'. Below the navigation bar, there are tabs for 'Accounts', 'My accounts', and 'Vanity generator'. The 'Accounts' tab is active, showing a list of accounts. A yellow overlay box is positioned over the account list, containing detailed explanations of KSM balance components. To the right of the overlay, a 'balances' panel is visible, showing the breakdown of KSM for the selected account.

**Your KSM balance in details:**

- Transferrable** = KSM existential deposit (0.000034 KSM) + available KSM.
- Locked** = KSM not currently transferrable because it is bonded or vested.
- Bonded** = KSM locked for staking nominations. Must be unbonded over 7 days to become transferrable.
- Democracy** = KSM locked for voting. Must be unlocked at the end of the voting period to become transferrable. Note: If a voluntary locking period of 8 days has been set during the last vote, the voting balance will be unlocked after 8 days.
- Reserved** = KSM locked for submitting council candidatures, treasury proposals, tips, on-chain identities, etc. Must be

The 'balances' panel on the right shows the following details for the selected account:

balances	
10.3509 KSM ▲	
transferrable	0.3427 KSM
locked	10.0082 KSM
bonded	10.0082 KSM
democracy	9.8733 KSM
1.0376 KSM	
transferrable	1.0043 KSM
reserved	0.0333 KSM
11.3886 KSM	



*g) Generate a vanity address.*

The screenshot shows the Polkadot.js Accounts page. The top navigation bar includes 'Kusama kusama/9070 #8,135,263', 'Accounts', 'Network', 'Governance', 'Developer', 'Settings', 'GitHub', and 'Wiki'. Below the navigation bar, the 'Accounts' section is active, showing 'My accounts' and 'Vanity generator'. A green arrow points to the 'Vanity generator' tab, with a blue box containing the text '1. Click Vanity generator.' To the right of the 'Vanity generator' tab is a help icon (?). The main content area contains a form with three input fields: 'Search for ?' (containing 'Kusama'), 'keypair crypto type ?' (containing 'Schnorrkel (sr25519, recommended)'), and 'case sensitive ?' (containing 'Yes'). A green box highlights these three input fields, with a blue box containing the text '2. Fill-in or select the information required.' to the left. At the bottom right of the form is a 'Start generation' button, which is circled in green. A blue box containing the text '3. Click on Start generation to complete the procedure.' is positioned to the right of the button.

Kusama  
kusama/9070  
#8,135,263

Accounts ▾ Network ▾ Governance ▾ Developer ▾ Settings

GitHub Wiki

Accounts ▾ My accounts Vanity generator 1. Click Vanity generator. ?

Search for ?  
Kusama

keypair crypto type ?  
Schnorrkel (sr25519, recommended)


case sensitive ?  
Yes

2. Fill-in or select the information required.

Start generation



3. Click on Start generation to complete the procedure.

## 2. Address book: Bookmark your favourite KSM addresses as contacts.




## GUIDE TO POLKADOT-JS APPS – PART I: Accounts (Basic setups)

Version 1.0




## GUIDE TO POLKADOT-JS APPS – PART I: Accounts (Basic setups)

Version 1.0




3. Click on **Save** to complete the procedure.



4. Your contact has been added in the *My contacts* list!


Note: If your contact has an identity, it will automatically replace the name your provided.

### 3. Claim tokens: Claim your KSM from your ETH address.



## GUIDE TO POLKADOT-JS APPS – PART I: Accounts (Basic setups)

Version 1.0



Kusama  
kusama/9070  
#8,135,295

Accounts ▾

Network ▾

Governance ▾

Developer ▾

⚙️ Settings

GitHub

Wiki



★ Claim Tokens

Claim tokens

claim your KSM tokens

1. Select your Kusama account.

claim to account ?

  ANAELLE LTD@KSM

HjcErRijmpoiBIKEHT3edPXM3NFycJogVwDP... ▾

2. Enter the ETH address from the sale.


Pre-sale ethereum address ?

➡️ Continue

1. Fill-in the information required.

2. Click on **Continue** to view and complete subsequent steps in the procedure.

#### 4. Transfer: Send KSM to another KSM address.



The receiving account must be an account from **your My Accounts or My contacts list**.

The screenshot shows the 'send funds' modal in the Polkadot.js Apps. It includes two options for sending: 'send from account' (selected) and 'send to address'. The 'send from account' option shows a balance of 1.0043 KSM. The 'send to address' option shows a balance of 0.3427 KSM. The 'amount' field is set to 0, and the 'existential deposit' is 33.3333 micro. A toggle for 'Transfer with account keep-alive checks' is currently turned on. At the bottom, there are 'Cancel' and 'Make Transfer' buttons. A green arrow points from the 'send from account' option to the 'ANAELLE LTD@KSM' account. Another green arrow points from the 'Make Transfer' button to the 'Make Transfer' button. A green box highlights the explanatory text on the right side of the modal.

1. Follow on-screen instructions carefully.

The transferred balance will be subtracted (along with fees) from the sender account.

The beneficiary will have access to the transferred fees when the transaction is included in a block.

If the recipient account is new, the balance needs to be more than the existential deposit. Likewise if the sending account balance drops below the same value, the account will be removed from the state.

amount 0 KSM

existential deposit 33.3333 micro

Transfer with account keep-alive checks ☒

With the keep-alive option set, the account is protected against removal due to low balances.


Cancel Make Transfer

If you want to **empty the account completely**, switch the keep-alive checks **OFF**. The existential deposit will be transferred, and the account will be destroyed.

2. Click on **Make Transfer** to complete the procedure.



## 5. Teleport: Send your KSM to a parachain address.



Always double-check the **parachain** information.

teleport assets

send from account: ANAELLE LTD@KSM (transferrable 1.0043 KSM)

destination chain: Statemine

send to address: ALTD@KSM (EXTENSION)

amount: 1 KSM

destination transfer fee: 7.9999 micro

destination existential deposit: 3.3333 micro

1. Follow on-screen instructions carefully.

The transferred balance will be subtracted (along with fees) from the sender account.

The destination chain for this asset teleport. The transferred value will appear on this chain.

The beneficiary will have access to the transferred amount when the transaction is included in a block.

If the recipient account is new, the balance needs to be more than the existential deposit on the recipient chain.

The amount deposited to the recipient will be net the calculated cross-chain fee.

Cancel Teleport

2. Click on **Teleport** to complete the procedure.

Always double-check the **existential deposit** information.