

## PART V: Substrate setups

### 1. Substrate accounts: Set Substrate networks for your Polkadot-JS accounts.

The screenshot shows the Polkadot/Substrate Portal interface. The main window displays a list of accounts under the 'Accounts' tab. The accounts listed are:

- CRING (Darwinia Crab)
- ALTD@KSM (Kusama)
- Anaelle LTD@KSM (Kusama)
- ALTD@DOT (Polkadot)

Two callout boxes provide instructions:

1. Click on the **Polkadot-JS extension icon** to reveal the Accounts window.
2. Click on the **3 vertical dots** to reveal the Account settings window.

## GUIDE TO POLKADOT-JS – PART V: Substrate setups

Version 1.1

The screenshot shows the Polkadot/Substrate Portal interface. The main navigation bar includes 'Accounts', 'Network', 'Governance', and 'Developer'. The 'Accounts' section is active, displaying a list of accounts. A modal window titled 'Accounts' is open, showing a list of accounts with a context menu open over the 'ALTD@DOT' account. The context menu options are: 'Rename', 'Derive New Account', 'Export Account', 'Forget Account', and 'Kusama Relay Chain'. A green arrow points to the dropdown arrow next to 'Kusama Relay Chain'.

filter by name or tags

accounts	type	tags
ALTD@KSM (EXTENSION)	injected	no tags
ANAELLE LTD@KSM	injected	no tags

Accounts

CRING  
5CaG

ALTD@KSM  
Feg

Anaelle LTD@KSM  
HjcErRijmpoiBiKEHT3edPXM3

ALTD@DOT  
1

Darwinia Crab

Kusama

Rename

Derive New Account

Export Account

Forget Account

Kusama Relay Chain

3. Click on the **dropdown arrow** to show the list of Substrate networks.

## GUIDE TO POLKADOT-JS – PART V: Substrate setups

Version 1.1

The screenshot shows the Polkadot/Substrate Portal interface. The top navigation bar includes 'Accounts', 'Network', 'Governance', and 'Developer'. The 'Accounts' section is active, displaying a list of accounts under the heading 'accounts'. A blue callout box with a green arrow points to the 'Network' dropdown menu, which is open, showing a list of Substrate networks. The callout text reads: '4. Select one Substrate network from the list or choose **Allow use on any chain** to access all Substrate networks.'

**Accounts**

filter by name or tags

accounts	type	tags
★ ALT@KSM (EXTENSION)	injected	no tags
★ ANAELLE LTD@KSM	injected	no tags

**Network Selection List:**

- Allow use on any chain
- Polkadot Relay Chain
- Kusama Relay Chain
- Acala Mandala TC5
- Acala Mandala TC6
- Bifrost Asgard CC4
- Bit.Country Tewai Chain
- ChainX
- Crust Maxwell**
- Darwinia
- Darwinia Crab
- Dock Mainnet
- Edgeware
- Equilibrium Network
- EquilibriumTestnet
- Galois
- HydraDX
- Jupiter A1
- Karura
- Kulupu
- Kusama Relay Chain

## GUIDE TO POLKADOT-JS – PART V: Substrate setups

Version 1.1

The screenshot displays the Polkadot.js Accounts interface. On the left, the 'Accounts' tab is active, showing a list of accounts under the heading 'accounts'. The list includes 'ALTD@KSM (EXTENSION)' and 'ANAELLE LTD@KSM', both marked as 'injected' and having 'no tags'. On the right, the 'Accounts' panel is open, showing a list of accounts with their respective icons and names. The account 'Anaelle LTD@KSM' is highlighted with a green circle, and the 'Crust Maxwell' network is selected for it. A blue banner at the bottom of the panel reads: '5. Your account is now set up to access your chosen Substrate network.'

Kusama  
kusama/9070  
#8,137,530

Accounts Network Governance Developer

Accounts My accounts Vanity generator

filter by name or tags

accounts	type	tags
ALTD@KSM (EXTENSION)	injected	no tags
ANAELLE LTD@KSM	injected	no tags

Accounts

CRING  
5CaG

Anaelle LTD@KSM  
5HDzaY5r7QosxXtsTadzkg2XCT62AwVdE86U1Ev1tquDAud6

Crust Maxwell




5. Your account is now set up to access your chosen Substrate network.

ALTD@DOT

## 2. Substrate chains: Switch between Relay chain/Parachain/Testnets' interfaces.

The screenshot shows the Polkadot-JS interface. At the top, a dark navigation bar contains the Kusama logo, the text 'Kusama kusama/9070 #8,137,536', and a dropdown arrow. To the right are links for 'Accounts', 'Network', 'Governance', 'Developer', and 'Settings'. Further right are links for 'GitHub' and 'Wiki'. Below the navigation bar, a light gray sidebar is visible with the 'Accounts' section selected. A blue callout box with the text '1. Click on the dropdown arrow to show the Substrate networks sidebar.' points to the dropdown arrow in the top navigation bar. The main content area displays a table of accounts. The table has columns for 'accounts', 'type', 'tags', and 'balances'. There are two accounts listed: 'ALTD@KSM (EXTENSION)' and 'ANAELLE LTD@KSM'. Both are 'injected' and have 'no tags'. The balances are '10.3509 KSM' and '1.0376 KSM' respectively. A total balance of '11.3886 KSM' is shown at the bottom right of the table.

1. Click on the **dropdown arrow** to show the Substrate networks sidebar.

accounts	type	tags	balances
★  ALTD@KSM (EXTENSION)	injected	no tags	10.3509 KSM ↕ send ⋮
★   ANAELLE LTD@KSM	injected	no tags	1.0376 KSM ↕ send ⋮
			11.3886 KSM

The screenshot shows the Polkadot.js interface. The sidebar on the left lists various Substrate networks under the heading 'KUSAMA & PARACHAINS'. The 'Kusama' network is highlighted with a green box. Below it, there are three radio buttons for connection methods: 'via Parity' (unselected), 'via OnFinality' (selected), and 'via Patract Elara' (unselected). The main content area displays a table of account balances. The table has columns for 'type', 'tags', and 'balances'. The first row shows 'injected' with 'no tags' and a balance of '10.3509 KSM'. The second row shows 'injected' with 'no tags' and a balance of '1.0376 KSM'. The total balance is '11.3886 KSM'. A blue callout box with the text '2. The sidebar displays your current Substrate network and node.' points to the 'Kusama' network in the sidebar. Another blue callout box with the text '3. Navigate the sidebar dropdown menus to find your chosen Substrate network.' points to the 'Kusama' network in the sidebar.

2. The sidebar displays your current Substrate network and node.

3. Navigate the sidebar dropdown menus to find your chosen Substrate network.

## GUIDE TO POLKADOT-JS – PART V: Substrate setups

Version 1.1

work Governance Developer Settings GitHub Wiki

community generator

+ Add account Restore JSON Add via Qr Multisig Proxied

	type	tags	balances	
	injected	no tags	10.3509 KSM	send
			1.0376 KSM	send
			11.3886 KSM	


4. Select a node for your chosen Substrate network, then click on **Switch**.

via Crust Network

via DCloud Foundation

Dock

## 5. You have successfully switched Substrate networks!



The screenshot shows the Polkadot-JS interface. At the top, the 'Crust Maxwell' account is selected, showing a balance of 2,215,340. The 'Settings' button, indicated by a green arrow, is located in the top navigation bar. Below the navigation bar, a message box states: 'You have 1 extensions that need to be updated with the latest chain properties in order to display the correct information for the chain you are connected to. This update includes chain metadata and chain properties. Visit your [settings page](#) to apply the updates to the injected extensions.'

6. If prompted, update your **settings**.

filter by name or tags

accounts	type	tags	balances
★ ANAELLE LTD@KSM (EXTENSION)	injected	no tags	0.0000 CRU

0.0000 CRU