Name:		(PRINT CLEARLY)
Lab Section:	Grader:	

Quiz 3B - November 8

CS 2102 B19

1. (2 points) Examine the program below and write what will be displayed to the console (via the System.out.println command) when the program is run:

```
import java.util.LinkedList;

public class Main {
    public static void main(String[] args) {
        LinkedList<String> names = new LinkedList<String>();
        names.add("Kirk");
        names.add("Picard");
        names.add("Sisco");
        names.add("Janeway");
        names.add("Spock");

        int sum = 0;
        for (String aName: names)
        {
            sum = aName.length() + 2;
        }
        System.out.println(sum);
    }
}
```

Answer:

27 (2 points)

2. (4 points) On the back side of this page is the wordsLongerThan () method from the WordList class that we created in lecture. Examine the code and the two JUnit tests that follow it. For each test, indicate whether the test will pass, fail, or result in an error that keeps your code from compiling. Write PASS, FAIL, or ERROR where appropriate. (You do not need to provide an explanation.)

```
//import statements omitted to save space
public class WordList {
LinkedList<String> words;
//Additional code omitted to save space
//Return a list of the words longer than the given length
LinkedList<String> wordsLongerThan(int low) {
     LinkedList<String> resultList = new LinkedList<String>();
     for(String word: this.words) {
          if(word.length() > low)
               resultList.add(word);
     return resultList;
}
}
public class Examples {
WordList wList;
public Examples() {
     wList = new WordList();
     wList.words.addFirst("apples");
     wList.words.addFirst("or");
     wList.words.addFirst("pears");
}
@Test
public void testWordsLongerThan1() {
     LinkedList<String> expected = new LinkedList<String>();
     expected.addFirst("apples");
     expected.addFirst("pears");
     assertEquals(wList.wordsLongerThan(3), expected);
PASS (2 points)
@Test
public void testWordsLongerThan2() {
     LinkedList<String> expected = new LinkedList<String>();
     assertEquals(wList.wordsLongerThan(3), expected);
FAIL (2 points)
```

3. (4 points) Describe the problem in the following code, why it's a problem, and the change that needs to be made to make the code correct:

```
import java.util.LinkedList;
public interface IDog {
}
public class Wolf implements IDog {
     boolean isAlive;
     double age;
     // constructor omitted to save space
     public boolean canHuntPeople() {
          return isAlive && age > 1;
     }
}
public class Corgi implements IDog {
     String name;
     // constructor omitted to save space
     public boolean canHuntPeople() {
          return false;
     }
}
public class PuppyDogs {
     LinkedList<IDog> dogs;
     public PuppyDogs() {
          this.dogs = new LinkedList<IDog>();
          Corgi clark = new Corgi("Clark Gable");
          Wolf alpha = new Wolf(true, 5);
          this.dogs.add(clark);
          this.dogs.add(alpha);
          boolean result = this.dogs.get(0).canHuntPeople();
     }
}
```

Answer:

The LinkedList holds any objects that implement the IDog interface, but we then try to call canHuntPeople() on one of these objects. We can't do this because we can only call methods implemented in IDog. To fix this, we need to add the method signature for canHuntPeople() to the IDog interface.

2 points - Description of the problems (first sentence)
2 points - How we fix the problem (second sentence) - Also acceptable if the student just shows the fix by editing the code.