

Factors affecting Mental Health amongst Canadians*

Athaliah Biju and Yuxuan Zhao

27 March 2022

Abstract

This paper takes a look at mental health in Canada.

1 Introduction

Mental health is one of the most compelling global trending subjects, particularly in Canada. It includes “our emotional, psychological and social well-being” (2021). According to the WHO, 450 million people worldwide struggle with mental illness, which includes 6.7 million Canadians (n.d.). Many different factors can affect our mental health. The main objective of this paper is to analyze how different socioeconomic variables influence mental health in Canadians, to see what information can be gleaned from the data we discovered, and how the statistics represent mental health in Canada. Our paper has been divided into 5 sections. Section 2 talks about the data, the data source, the methodology of the survey and variables. Section 3 visualizes and describes the data analysis. Section 4 goes through some interesting trends.

2 Data

In this paper, we run our analysis in R (R Core Team 2020). The dataset was obtained from the Computing in the Humanities and Social Services (CHASS) Data Center by the University of Toronto, from the Survey Documentation and Analysis database (Arts and Science, n.d.). The dataset was cleaned by Rohan Alexander and Samantha Caetano using the `tidyverse` (Wickham et al. 2019) and `janitor` (Firke 2021). Additional data manipulation was done by the authors using `dplyr` (Wickham et al. 2021). The graphs were created using the `ggplot2` package (Wickham 2016).

2.1 Data Source

The dataset is sourced from the 2017 Canadian General Social Survey (GSS). The GSS is a survey that is conducted in order to “gather data on social trends in order to monitor changes in the living conditions and well-being of Canadians over time, and to provide information on specific social policy issues of current or emerging interest” (Canada 2016). This information is used to help decision-makers draft policies based on data. It is conducted on an annual basis, focusing on a single topic at a time (Canada 2019). This paper will be analyzing the survey responses received during Cycle 31 of the GSS, which focused on Families. The Family cycle collected “information on conjugal and parental history (chronology of marriages, common-law unions and children), family origins, children’s home leaving, fertility intentions and other socioeconomic characteristics” (Canada 2017). The survey contained questions about “families, household and housing, educational attainment, ethnic diversity and immigration, aboriginal peoples and disability” (Canada 2017).

2.2 Methodology

The GSS targets “all non-institutionalized persons 15 years of age or older, living in the 10 provinces of Canada” (Canada 2016). Statistics Canada used a field sample of approximately 43,000 units, with

*Code and data are available at <https://github.com/anb99/Factors-affecting-Mental-Health-in-Canadians>

34,000 invitation letters being sent out (Canada 2016). They targeted an estimated sample size of 20,000 questionnaires (Canada 2016). The data was collected from February 1, 2017 to November 30, 2017 (Canada 2016). Responses were collected on a voluntary basis through telephone interviews (Canada 2016). The Family cycle saw an overall response rate of 52.4% (Canada 2016). According to Statistics Canada, “a sample survey with a cross-sectional design” was used (Canada 2016). A two stage sampling design was used, with the first being “groups of telephone numbers” and “individuals within the identified households” (Canada 2016). To ensure unique responses, only one person from each household was selected on a random basis for the interview (Canada 2016).

They state that they use their “common telephone frame, which combines landline and cellular telephone numbers from the Address Register, the Census of Population and various administrative sources” (Canada 2019). The results of the survey may have been biased towards the population that had telephones, as those households that did not have telephones were not included in the sample size. However, Statistics Canada stated that “since these exclusions are small, one would expect the biases introduced to be small” (Canada 2016). Data relating to income was derived through linkages to personal tax records in order to “enhance the data... and to minimize the reporting burden for respondents” (Canada 2017). This was done only after the respondent expressed consent.

While the GSS survey offers Indigenous respondents the chance to self identify, Statistics Canada acknowledges that “data are not available for First Nations people living on or off reserve specifically” (Canada 2019). As a result, the data for First Nations people “must often be aggregated to the total Indigenous population in order to obtain population counts high enough to be reliable for production” (Canada 2019). Non-responses occurred at both the household and individual level. To account for this, the survey estimates were adjusted in order to “account for non-response cases” (Canada 2016). Furthermore, information about income and household composition were extracted from 2016 Census data to account for non-response (Canada 2016).

2.3 Variables

For the purposes of this paper, we chose to use 15 variables in our analysis as we wanted to see if these particular factors had an affect on mental health. Table 1 provides the list of variables used and their descriptions. We created a new variable **age_range** to better showcase the data comparing age and mental health self rating.

It must be noted that the respondents were given the following choices to rate their mental health: excellent, very good, good, fair, poor and don’t know. The choice to use these options rather than a numerical rating system was validated by Statistics Canada themselves, as they found that they were “strong positive associations between all mental morbidity measures” and the self rated mental health rating measure (Mawani, Gilmour, et al. 2010).

Table 1: Variables and their descriptions

Variable	Description of variable
self_rated_mental_health	Self rating of mental health
province	Province of respondent
age	Age of respondent
sex	Sex of respondent
marital_status	Marital status of respondent
aboriginal	Aboriginal status of respondent
vis_minority	Visible minority status of respondent
income_family	Income level of family
age_range	Age group respondent belongs to

3 Results

3.1 Mental Health Rating: Overall

Figure 1 shows how respondents rate their mental health overall. The most popular response is ‘Very good,’ which was chosen by 6924 respondents.




Figure 1: Mental health self rating amongst all respondents in the 2017 Canadian General Social Survey

3.2 Mental Health Rating: Provinces

Figure 2 shows the breakdown of mental health self rating by province. The province with the highest number of respondents is Ontario ($n = 5621$). The province with the lowest number of respondents is Prince Edward Island ($n = 708$). With the exception of Quebec, the most popular category in every province is “Very good.” Across all provinces, the least popular response, apart from NA, is “Poor.” The top three responses in every province are, in no particular order, “Excellent,” “Very good” and “Good.” In Quebec, 1350 respondents rated their mental health as being “Excellent,” which is the highest number among other rating categories.

3.3 Mental Health Rating: Age

Figure 3 shows the breakdown of mental health self rating by age group. The age group with the most respondents is the 60-65 year old group ($n = 2062$). The most popular response across all age groups is “Very good,” with the exception of the 80-84 year old group, where the most popular response was “Good” ($n = 398$). The second most popular response amongst the all age groups apart from 40-44, 45-49, 75-79 and 80-84 groups was “Excellent.”

3.4 Mental Health Rating: Sex

Figure 4 shows the breakdown of mental health self rating by sex. There were 11203 female respondents and 9399 male respondents. The most popular in both groups was “Very good” (Female, $n = 3859$ and Male, $n = 3065$). However, the second most popular response by 2957 Male respondents is “Excellent” and “Good” by 3220 Female respondents. The least popular response in both groups, excluding “Don’t know” or “NA,” is “Poor.”

3.5 Mental Health Rating: Indigenous Identity

Figure 5 shows the breakdown of mental health self rating by Indigenous identity. 792 respondents identified as Indigenous. The top three most popular responses amongst this group were “Good” ($n = 267$), “Very good” ($n = 223$) and “Excellent” ($n = 174$).




Figure 2: Mental health self rating by province in the 2017 Canadian General Social Survey




Figure 3: Mental health self rating by age group in the 2017 Canadian General Social Survey




Figure 4: Mental health self rating by sex in the 2017 Canadian General Social Survey




Figure 5: Mental health self rating in Indigenous population the 2017 Canadian General Social Survey

3.6 Mental Health Rating: Visible Minority Status

Figure 6 shows the breakdown of mental health self rating by visible minority status. 2574 respondents identified as a visible minority. The top three most popular responses amongst this group were “Excellent” (n = 806), “Very good” (n = 851) and ‘Good’ (n = 726).




Figure 6: Mental health self rating across visible minority population in the 2017 Canadian General Social Survey

3.7 Mental Health Rating: Household Income

Figure 7 shows the breakdown of mental health self rating by household income level. The group with the most respondents was the ‘\$125,000 and more group’ (n = 4707) and the ‘\$100,000 to \$124,999’ group (n = 2158). The top three responses in all income levels, in no particular order, are “Excellent,” “Very good” and “Good.” The top response of both the lower earning groups, ‘Under \$25,000’ (n = 877) and ‘\$25,000 to \$49,000’ (n = 1382), was “Good.”




Figure 7: Mental health self rating by household income level in the 2017 Canadian General Social Survey

4 Discussion

4.1 Quebecois report the most positive mental rating

Out of 20,602 respondents, majority ($n = 18,817$) gave themselves a positive rating (i.e., those who chose “Excellent,” “Very good” and “Good”), as seen in Figure 1. Respondents in Quebec seem to have the best mental health in the country (Figure 2). In January 2022, the Quebec government announced that they would be investing \$1.2 billion into improving mental health infrastructure (2022). Additionally, Quebec also reported the lowest prevalence of any mental disorder (Palay et al. 2019). Although, this may have changed since the advent of the COVID-19 pandemic.

4.2 Indigenous respondents report lower mental health ratings

Out of 792 Indigenous respondents that took part in the survey, the most popular response was “Good” ($n = 267$) as seen in Figure 5. Compared to the non-Indigenous respondents, whose most popular response was “Very good” ($n = 5496$), the rating seems lower. One of the contributing factors to this is lack of accessible mental health services, especially in younger Indigenous populations (Walker et al. 2018). The Indigenous population in Canada faces systematic barriers to access “clean water, infrastructure, first-responder services and crisis response” (Walker et al. 2018). Additionally, mental health resources that service Indigenous populations are “under-resourced” (Walker et al. 2018).

4.3 People who earn lower incomes report lower mental health ratings

Figure ((7) shows that respondents with lower income levels generally have lower mental health ratings. While still positive, the “least” positive response was chosen to describe their mental health. This finding is consistent with literature that has shown that “low levels of household income are associated with several lifetime mental disorders and suicide attempts, and a reduction in house hold income is associated with increased risk for incident of mental disorders” (Sareen et al. 2011). Another reason is that lower income households face more stress as they are trying to cope with the financial strain (Sareen et al. 2011).

Appendix

Our survey can be found at <https://forms.gle/sUTE5kPeAm9h8JJJ7>

References

2021. <https://www.cdc.gov/mentalhealth/learn/index.htm>.
2022. *Global News*. <https://globalnews.ca/news/8537941/quebec-government-funding-mental-health-issues/>.
- n.d. *CAMH*. <https://www.camh.ca/en/driving-change/the-crisis-is-real>.
- Arts, Faculty of, and University of Toronto Science. n.d. “Microdata Analysis and Subsetting with SDA.” *SDA @ CHASS*. <http://sda.chass.utoronto.ca/sdaweb/index.html>.
- Canada, Statistics. 2016. “General Social Survey - Family (GSS).” <https://www23.statcan.gc.ca/imdb/p2SV.pl?Function=getSurvey&Id=335816#a4>.
- . 2017. <https://www.statcan.gc.ca/en/survey/household/4501>.
- . 2019. “General Social Survey: An Overview, 2019.” <https://www150.statcan.gc.ca/n1/en/pub/89f0115x/89f0115x2019001-eng.pdf?st=C4tS9SiB>.
- Firke, Sam. 2021. *Janitor: Simple Tools for Examining and Cleaning Dirty Data*. <https://CRAN.R-project.org/package=janitor>.
- Mawani, Farah N, Heather Gilmour, et al. 2010. “Validation of Self-Rated Mental Health.” *Health Rep* 21 (3): 61–75.
- Palay, Joshua, Tamara L. Taillieu, Tracie O. Afifi, Sarah Turner, James M. Bolton, Murray W. Enns, Mark Smith, et al. 2019. “Prevalence of Mental Disorders and Suicidality in Canadian Provinces” 64 (November): 761–69. <https://doi.org/10.1177/0706743719878987>.
- R Core Team. 2020. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. <https://www.R-project.org/>.
- Sareen, Jitender, Tracie O. Afifi, Katherine A. McMillan, and Gordon J. G. Asmundson. 2011. “Relationship Between Household Income and Mental Disorders: Findings From a Population-Based Longitudinal Study.” *Archives of General Psychiatry* 68 (4): 419–27. <https://doi.org/10.1001/archgenpsychiatry.2011.15>.
- Walker, PsyD., Jason, M. A. Harris Sandra, B. S. W. Thomas Jennie, PhD. Phillips Miranda M., and PhD. Stones Andjelka. 2018. “A NATIONAL LEGACY FRAMEWORK FOR COMPREHENSIVE AND SUSTAINABLE ACCESS TO MENTAL HEALTH SERVICES FOR INDIGENOUS CHILDREN AND YOUTH MENTAL HEALTH IN CANADA.” *The Canadian Journal of Native Studies* 38 (2): 145–64. <http://myaccess.library.utoronto.ca/login?url=https%3A%2F%2Fwww.proquest.com%2Fscholarly-journals%2Fnational-legacy-framework-comprehensive%2Fdocview%2F2246252531%2Fse-2%3Faccountid%3D14771>.
- Wickham, Hadley. 2016. *Ggplot2: Elegant Graphics for Data Analysis*. Springer-Verlag New York. <https://ggplot2.tidyverse.org>.
- Wickham, Hadley, Mara Averick, Jennifer Bryan, Winston Chang, Lucy D’Agostino McGowan, Romain François, Garrett Grolemund, et al. 2019. “Welcome to the tidyverse.” *Journal of Open Source Software* 4 (43): 1686. <https://doi.org/10.21105/joss.01686>.
- Wickham, Hadley, Romain François, Lionel Henry, and Kirill Müller. 2021. *Dplyr: A Grammar of Data Manipulation*. <https://CRAN.R-project.org/package=dplyr>.