



Predictor

- ABC (A=scATAC, C=power law) (BMMC22_CD4_pos_T_activated)
- ABC (A=scATAC, C=power law) (BMMC22_CD4_pos_T_naive)
- ABC (A=scATAC, C=power law) (PBMC_20_CD4.N1)
- ABC (A=scATAC, C=power law) (PBMC_22_CD4.M)
- Cicero (co-accessibility) (BMMC22_CD4_pos_T_activated)
- Cicero (co-accessibility) (BMMC22_CD4_pos_T_naive)
- FigR (p-value) (BMMC22_CD4_pos_T_activated)
- FigR (p-value) (BMMC22_CD4_pos_T_naive)
- FigR (p-value) (PBMC_22_CD4.M)
- In element (ABC (A=scATAC)) & distance to TSS (BMMC22_CD4_pos_T_activated)
- In element (ABC (A=scATAC)) & distance to TSS (BMMC22_CD4_pos_T_naive)
- In element (ABC (A=scATAC)) & distance to TSS (PBMC_20_CD4.N1)
- In element (ABC (A=scATAC)) & distance to TSS (PBMC_22_CD4.M)
- Kendall correlation (access. at E x expr. at G) (BMMC22_CD4_pos_T_activated)
- Kendall correlation (access. at E x expr. at G) (BMMC22_CD4_pos_T_naive)
- Kendall correlation (access. at E x expr. at G) (PBMC_20_CD4.N1)
- Kendall correlation (access. at E x expr. at G) (PBMC_22_CD4.M)
- scE2G (Multiome) (BMMC22_CD4_pos_T_activated)
- scE2G (Multiome) (BMMC22_CD4_pos_T_naive)
- scE2G (Multiome) (PBMC_20_CD4.N1)
- scE2G (Multiome) (PBMC_22_CD4.M)
- scE2G (scATAC) (BMMC22_CD4_pos_T_activated)
- scE2G (scATAC) (BMMC22_CD4_pos_T_naive)
- scE2G (scATAC) (PBMC_20_CD4.N1)
- scE2G (scATAC) (PBMC_22_CD4.M)
- scE2G (scATAC) (PBMC_22_CD4.M)
- SCENIC+ (importance) (BMMC22_CD4_pos_T_activated)
- SCENIC+ (importance) (BMMC22_CD4_pos_T_naive)
- SCENIC+ (importance) (PBMC_22_CD4.M)
- SnapATAC (p-value) (BMMC22_CD4_pos_T_activated)
- SnapATAC (p-value) (BMMC22_CD4_pos_T_naive)
- SnapATAC (p-value) (PBMC_22_CD4.M)
- ArchR (high-confidence) (PBMC_22_CD4.M)
- DIRECTNET (high-confidence) (BMMC22_CD4_pos_T_activated)
- DIRECTNET (high-confidence) (BMMC22_CD4_pos_T_naive)
- DIRECTNET (high-confidence) (PBMC_22_CD4.M)
- ArchR (high-confidence) (BMMC22_CD4_pos_T_activated)