## **BFO 2020 At T Temporalized Axioms**

```
Located in at some time [asd-1]
     \forall p,q (locatedInAtSomeTime(p,q) \leftrightarrow \exists t (existsAt(p,t) \land existsAt(q,t) \land locatedIn(p,q,t)))
Concretizes at some time [gkc-1]
     \forall p,q \text{ (concretizesAtSomeTime(p,q))}
            \leftrightarrow \exists t (existsAt(p,t) \land existsAt(q,t) \land concretizes(p,q,t)))
Location of at some time [spm-1]
     \forall p,q (locationOfAtSomeTime(p,q) \leftrightarrow \exists t (existsAt(p,t) \land existsAt(q,t) \land locationOf(p,q,t)))
Is carrier of at some time [qkm-1]
     ∀p,q (isCarrierOfAtSomeTime(p,q)
            \leftrightarrow \exists t (existsAt(p,t) \land existsAt(q,t) \land isCarrierOf(p,q,t)))
Member part of at some time [kax-1]
     \forall p,q (memberPartOfAtSomeTime(p,q))
            \leftrightarrow \exists t (existsAt(p,t) \land existsAt(q,t) \land memberPartOf(p,q,t)))
Has member part at some time [smy-1]
     \forall p,q (hasMemberPartAtSomeTime(p,q))
            \leftrightarrow \exists t (existsAt(p,t) \land existsAt(q,t) \land hasMemberPart(p,q,t)))
Has participant at some time [ebs-1]
     \forall p,q (hasParticipantAtSomeTime(p,q))
            \leftrightarrow \exists t (existsAt(p,t) \land existsAt(q,t) \land hasParticipant(p,q,t)))
Participates in at some time [oia-1]
     \forall p,q (participatesInAtSomeTime(p,q))
            \leftrightarrow \exists t (existsAt(p,t) \land existsAt(q,t) \land participatesIn(p,q,t)))
Rdf:type is interpreted as meaning an instance is a given type whenever it exists, and that the instance exists at some point.
[fyy-1]
     \forall \, c, i \, (rdfType(c,i) \leftrightarrow (\forall \, t \, (existsAt(i,t) \rightarrow instanceOf(i,c,t))) \land \, \exists \, t \, existsAt(i,t))
Is concretized by at some time [zgk-1]
     \forall p,q (isConcretizedByAtSomeTime(p,q))
            \leftrightarrow \exists t (existsAt(p,t) \land existsAt(q,t) \land isConcretizedBy(p,q,t)))
Material basis of at some time [exa-1]
     \forall p,q (materialBasisOfAtSomeTime(p,q)
            \leftrightarrow \exists t (existsAt(p,t) \land existsAt(q,t) \land materialBasisOf(p,q,t)))
Continuant part of at some time [lzq-1]
     ∀p,q (continuantPartOfAtSomeTime(p,q)
            \leftrightarrow \exists t (existsAt(p,t) \land existsAt(q,t) \land continuantPartOf(p,q,t)))
Has material basis at some time [fqc-1]
     \forall p,q (hasMaterialBasisAtSomeTime(p,q))
            \leftrightarrow \exists t (existsAt(p,t) \land existsAt(q,t) \land hasMaterialBasis(p,q,t)))
Has continuant part at some time [jvz-1]
     \forall p,q (hasContinuantPartAtSomeTime(p,q)
            \leftrightarrow \exists t (existsAt(p,t) \land existsAt(q,t) \land hasContinuantPart(p,q,t)))
Generically depends on at some time [vrq-1]
     \forall p,q (generically Depends On At Some Time(p,q)
            \leftrightarrow \exists \, t \, (existsAt(p,t) \, \land \, existsAt(q,t) \, \land \, genericallyDependsOn(p,q,t)))
Occupies spatial region at some time [yci-1]
     \forall p,q (occupiesSpatialRegionAtSomeTime(p,q))
            \leftrightarrow \exists t (existsAt(p,t) \land existsAt(q,t) \land occupiesSpatialRegion(p,q,t)))
Spatially projects onto at some time [epa-1]
     \forall p,q (spatiallyProjectsOntoAtSomeTime(p,q)
            \leftrightarrow \exists t (existsAt(p,t) \land existsAt(q,t) \land spatiallyProjectsOnto(p,q,t)))
```

```
Proper continuant part of at some time [sql-1]
     \forall p,q (properContinuantPartOfAtSomeTime(p,q)
            \leftrightarrow \exists t (existsAt(p,t) \land existsAt(q,t) \land properContinuantPartOf(p,q,t)))
Has proper continuant part at some time [ule-1]
     ∀p,q (hasProperContinuantPartAtSomeTime(p,q)
            \leftrightarrow \exists t (existsAt(p,t) \land existsAt(q,t) \land hasProperContinuantPart(p,q,t)))
Located in at all times [vdo-1]
     \forall p,q (locatedInAtAllTimes(p,q))
            \leftrightarrow (\existst(locatedIn(p,q,t) \land existsAt(p,t))) \land (\forallt(existsAt(p,t) \rightarrow locatedIn(p,q,t))))
Concretizes at all times [uge-1]
     \forall p,q \text{ (concretizesAtAllTimes(p,q))}
            \leftrightarrow (\exists t (concretizes(p,q,t) \land existsAt(p,t)))
             \land (\forall t (existsAt(p,t) \rightarrow concretizes(p,q,t))))
Location of at all times [imi-1]
     \forall p,q (locationOfAtAllTimes(p,q)
            \leftrightarrow (\existst(locationOf(p,q,t) \land existsAt(p,t)))
             \land (\forall t (existsAt(p,t) \rightarrow locationOf(p,q,t))))
Is carrier of at all times [fya-1]
     \forall p,q (isCarrierOfAtAllTimes(p,q))
            \leftrightarrow (\existst(isCarrierOf(p,q,t) \land existsAt(p,t)))
             \land (\forall t (existsAt(p,t) \rightarrow isCarrierOf(p,q,t))))
Member part of at all times [maf-1]
     \forall p,q \text{ (memberPartOfAtAllTimes(p,q))}
            \leftrightarrow (\existst(memberPartOf(p,q,t) \land existsAt(p,t)))
             \land (\forall t (existsAt(p,t) \rightarrow memberPartOf(p,q,t))))
Has member part at all times [xwi-1]
     \forall p,q (hasMemberPartAtAllTimes(p,q))
            \leftrightarrow (\existst(hasMemberPart(p,q,t) \land existsAt(p,t)))
             \land (\forall t (existsAt(p,t) \rightarrow hasMemberPart(p,q,t))))
Has participant at all times [wyo-1]
     ∀p,q (hasParticipantAtAllTimes(p,q)
            \leftrightarrow (\existst(hasParticipant(p,q,t) \land existsAt(p,t)))
             \land (\forall t (existsAt(p,t) \rightarrow hasParticipant(p,q,t))))
Participates in at all times [ghl-1]
     \forall p,q (participatesInAtAllTimes(p,q))
            \leftrightarrow (\existst(participatesIn(p,q,t) \land existsAt(p,t)))
             \land (\forall t (existsAt(p,t) \rightarrow participatesIn(p,q,t))))
Is concretized by at all times [qhq-1]
     \forall p,q \text{ (isConcretizedByAtAllTimes(p,q))}
            \leftrightarrow (\existst(isConcretizedBy(p,q,t) \land existsAt(p,t)))
             \land (\forall t (existsAt(p,t) \rightarrow isConcretizedBy(p,q,t))))
Material basis of at all times [scx-1]
     \forall p,q (materialBasisOfAtAllTimes(p,q))
            \leftrightarrow (\existst(materialBasisOf(p,q,t) \land existsAt(p,t)))
             \land (\forall t (existsAt(p,t) \rightarrow materialBasisOf(p,q,t))))
Continuant part of at all times [ztt-1]
     \forall p,q (continuantPartOfAtAllTimes(p,q))
            \leftrightarrow (\existst(continuantPartOf(p,q,t) \land existsAt(p,t)))
             \land (\forall t (existsAt(p,t) \rightarrow continuantPartOf(p,q,t))))
Has material basis at all times [eeg-1]
     ∀p,q (hasMaterialBasisAtAllTimes(p,q)
            \leftrightarrow (\existst(hasMaterialBasis(p,q,t) \land existsAt(p,t)))
             \land (\forall t (existsAt(p,t) \rightarrow hasMaterialBasis(p,q,t))))
Has continuant part at all times [uhy-1]
```

```
∀p,q (hasContinuantPartAtAllTimes(p,q)
            \leftrightarrow (\existst(hasContinuantPart(p,q,t) \land existsAt(p,t)))
             \land (\forall t (existsAt(p,t) \rightarrow hasContinuantPart(p,q,t))))
Generically depends on at all times [wie-1]
     \forall p,q \text{ (generically Depends On At All Times (p,q))}
            \leftrightarrow (\exists t (generically Depends On(p,q,t) \land exists At(p,t)))
             \land (\forall t (existsAt(p,t) \rightarrow genericallyDependsOn(p,q,t))))
Occupies spatial region at all times [tpr-1]
     ∀p,q (occupiesSpatialRegionAtAllTimes(p,q)
            \leftrightarrow (\exists t (occupiesSpatialRegion(p,q,t) \land existsAt(p,t)))
             \land (\forall t (existsAt(p,t) \rightarrow occupiesSpatialRegion(p,q,t))))
Spatially projects onto at all times [ogh-1]
     \forall p,q (spatiallyProjectsOntoAtAllTimes(p,q)
            \leftrightarrow (\exists t (spatially Projects Onto(p,q,t) \land exists At(p,t)))
             \land (\forall t (existsAt(p,t) \rightarrow spatiallyProjectsOnto(p,q,t))))
Proper continuant part of at all times [jiz-1]
     \forall p,q (properContinuantPartOfAtAllTimes(p,q)
            \leftrightarrow (\exists t (properContinuantPartOf(p,q,t) \land existsAt(p,t)))
             \land (\forall t (existsAt(p,t) \rightarrow properContinuantPartOf(p,q,t))))
Has proper continuant part at all times [mxe-1]
     ∀p,q (hasProperContinuantPartAtAllTimes(p,q)
            \leftrightarrow (\existst(hasProperContinuantPart(p,q,t) \land existsAt(p,t)))
             \land (\forall t (existsAt(p,t) \rightarrow hasProperContinuantPart(p,q,t))))
```

Alan Ruttenberg, November 12, 2021. The most recent version of this file will always be in the GitHub repository https://github.com/bfo-ontology/bfo-2020

This work is licensed under a Creative Commons "Attribution 4.0 International" license.