BFO 2020 Universal Declaration Axioms

Role is a universal [ewm-1]
universal(role)
Site is a universal [yhb-1]
universal(site)
Object is a universal [kxo-1]
universal(object)
History is a universal [gki-1]
universal(history)
Process is a universal [bsm-1]
universal(process)
Quality is a universal [mit-1]
universal(quality)
Function is a universal [rym-1]
universal(function)
Fiat line is a universal [spk-1]
universal(fiatLine)
Occurrent is a universal [lkt-1]
universal(occurrent)
Continuant is a universal [axs-1]
universal(continuant)
Fiat point is a universal [rns-1]
universal(fiatPoint)
Disposition is a universal [mld-1]
universal(disposition)
Fiat surface is a universal [ebw-1]
universal(fiatSurface)
Spatial region is a universal [qga-1]
universal(spatialRegion)
Material entity is a universal [hru-1]
universal(materialEntity)
Temporal region is a universal [toj-1]
universal(temporalRegion)
Fiat object part is a universal [csp-1]
universal(fiatObjectPart)
Object aggregate is a universal [cqv-1]

```
universal(objectAggregate)
Process boundary is a universal [zqv-1]
    universal(processBoundary)
Temporal instant is a universal [bjs-1]
    universal(temporalInstant)
Immaterial entity is a universal [zcc-1]
    universal(immaterialEntity)
Realizable entity is a universal [gpp-1]
    universal(realizableEntity)
Temporal interval is a universal [kuz-1]
    universal(temporalInterval)
Relational quality is a universal [zrp-1]
    universal(relationalQuality)
Spatiotemporal region is a universal [mdh-1]
    universal(spatiotemporalRegion)
Independent continuant is a universal [ufw-1]
    universal(independentContinuant)
Continuant fiat boundary is a universal [zvi-1]
    universal(continuantFiatBoundary)
One dimensional spatial region is a universal [zwl-1]
    universal(oneDimensionalSpatialRegion)
Two dimensional spatial region is a universal [whi-1]
    universal(twoDimensionalSpatialRegion)
One dimensional temporal region is a universal [qar-1]
    universal(oneDimensionalTemporalRegion)
Zero dimensional spatial region is a universal [vij-1]
    universal(zeroDimensionalSpatialRegion)
Universals and particulars comprise the whole domain of discourse [eto-1]
    \forallx(universal(x)\lorparticular(x))
Generically dependent continuant is a universal [qiz-1]
    universal(genericallyDependentContinuant)
Three dimensional spatial region is a universal [qov-1]
    universal(threeDimensionalSpatialRegion)
Zero dimensional temporal region is a universal [bau-1]
    universal(zeroDimensionalTemporalRegion)
Specifically dependent continuant is a universal [wda-1]
    universal(specificallyDependentContinuant)
```

```
Universals are not particulars [qkp-1]
     \neg(\exists x (universal(x) \land particular(x)))
History is subclass of process [abo-1]
    \forall t,x (instanceOf(x,history,t) \rightarrow instanceOf(x,process,t))
Process is subclass of occurrent [Iso-1]
    \forall t,x (instanceOf(x,process,t) \rightarrow instanceOf(x,occurrent,t))
Function is subclass of disposition [lnj-1]
    \forall t,x (instanceOf(x,function,t) \rightarrow instanceOf(x,disposition,t))
Object is subclass of material entity [vbm-1]
    \forall t,x (instanceOf(x,object,t) \rightarrow instanceOf(x,materialEntity,t))
Role is subclass of realizable entity [tcp-1]
    \forall t,x (instanceOf(x,role,t) \rightarrow instanceOf(x,realizableEntity,t))
Site is subclass of immaterial entity [tcd-1]
    \forall t,x (instanceOf(x,site,t) \rightarrow instanceOf(x,immaterialEntity,t))
If something is an instance of temporal region at t, then t is part of that temporal region [njq-1]
    \forall ti,t(instanceOf(ti,temporalRegion,t) \rightarrow temporalPartOf(t,ti))
Temporal region is subclass of occurrent [ejl-1]
    \forall t,x (instanceOf(x,temporalRegion,t) \rightarrow instanceOf(x,occurrent,t))
Disposition, role are mutually disjoint [bwk-1]
     \neg(\exists x,t(instanceOf(x,disposition,t) \land instanceOf(x,role,t)))
Process boundary is subclass of occurrent [xot-1]
    \forall t,x (instanceOf(x,processBoundary,t) \rightarrow instanceOf(x,occurrent,t))
Relational quality is subclass of quality [taj-1]
    \forall t,x (instanceOf(x,relationalQuality,t) \rightarrow instanceOf(x,quality,t))
Disposition is subclass of realizable entity [fxd-1]
    \forall t,x (instanceOf(x,disposition,t) \rightarrow instanceOf(x,realizableEntity,t))
Continuant, occurrent are mutually disjoint [wrf-1]
     \neg(\exists x,t(instanceOf(x,continuant,t) \land instanceOf(x,occurrent,t)))
Spatiotemporal region is subclass of occurrent [les-1]
    \forall t,x (instanceOf(x,spatiotemporalRegion,t) \rightarrow instanceOf(x,occurrent,t))
Fiat object part is subclass of material entity [lal-1]
    \forallt,x(instanceOf(x,fiatObjectPart,t) \rightarrow instanceOf(x,materialEntity,t))
Object aggregate is subclass of material entity [fda-1]
    \forall t,x (instanceOf(x,objectAggregate,t) \rightarrow instanceOf(x,materialEntity,t))
Spatial region is subclass of immaterial entity [bre-1]
    \forall t,x (instanceOf(x,spatialRegion,t) \rightarrow instanceOf(x,immaterialEntity,t))
Independent continuant is subclass of continuant [wyq-1]
```

```
\forall t, x (instanceOf(x, independentContinuant, t) \rightarrow instanceOf(x, continuant, t))
Fiat line is subclass of continuant fiat boundary [dhy-1]
    \forall t,x (instanceOf(x,fiatLine,t) \rightarrow instanceOf(x,continuantFiatBoundary,t))
Quality, realizable entity are mutually disjoint [ksk-1]
    \neg (\exists x, t (instanceOf(x, quality, t) \land instanceOf(x, realizableEntity, t)))
Fiat point is subclass of continuant fiat boundary [xlm-1]
    \forallt,x(instanceOf(x,fiatPoint,t) \rightarrowinstanceOf(x,continuantFiatBoundary,t))
Fiat surface is subclass of continuant fiat boundary [kfj-1]
    \forallt,x(instanceOf(x,fiatSurface,t) \rightarrow instanceOf(x,continuantFiatBoundary,t))
Material entity is subclass of independent continuant [faf-1]
    \forallt,x(instanceOf(x,materialEntity,t) \rightarrow instanceOf(x,independentContinuant,t))
Immaterial entity is subclass of independent continuant [bzp-1]
    \forall t, x (instanceOf(x, immaterialEntity, t) \rightarrow instanceOf(x, independentContinuant, t))
Quality is subclass of specifically dependent continuant [nbm-1]
    \forallt,x(instanceOf(x,quality,t) \rightarrow instanceOf(x,specificallyDependentContinuant,t))
Continuant fiat boundary is subclass of immaterial entity [tgs-1]
    \forall t, x (instanceOf(x, continuantFiatBoundary, t) \rightarrow instanceOf(x, immaterialEntity, t))
Material entity, immaterial entity are mutually disjoint [sij-1]
     \neg(\exists x,t(instanceOf(x,materialEntity,t) \land instanceOf(x,immaterialEntity,t)))
Generically dependent continuant is subclass of continuant [zyw-1]
    \forall t,x(instanceOf(x,genericallyDependentContinuant,t) \rightarrow instanceOf(x,continuant,t))
Specifically dependent continuant is subclass of continuant [dhv-1]
    \forall t, x \text{ (instanceOf(x,specificallyDependentContinuant,t))} \rightarrow \text{instanceOf(x,continuant,t))}
One dimensional spatial region is subclass of spatial region [fzn-1]
    \forallt,x(instanceOf(x,oneDimensionalSpatialRegion,t)\rightarrowinstanceOf(x,spatialRegion,t))
Two dimensional spatial region is subclass of spatial region [abo-1]
    \forallt,x(instanceOf(x,twoDimensionalSpatialRegion,t)\rightarrowinstanceOf(x,spatialRegion,t))
Zero dimensional spatial region is subclass of spatial region [abh-1]
    \forallt,x(instanceOf(x,zeroDimensionalSpatialRegion,t)\rightarrowinstanceOf(x,spatialRegion,t))
One dimensional temporal region is subclass of temporal region [fpd-1]
    \forall t,x(instanceOf(x,oneDimensionalTemporalRegion,t)) \rightarrow instanceOf(x,temporalRegion,t))
Three dimensional spatial region is subclass of spatial region [apt-1]
    \forall t,x(instanceOf(x,threeDimensionalSpatialRegion,t) \rightarrow instanceOf(x,spatialRegion,t))
Zero dimensional temporal region is subclass of temporal region [pvu-1]
    \forall t,x(instanceOf(x,zeroDimensionalTemporalRegion,t) \rightarrow instanceOf(x,temporalRegion,t))
Temporal instant is subclass of zero dimensional temporal region [bjp-1]
    \forallt,x(instanceOf(x,temporalInstant,t) \rightarrow instanceOf(x,zeroDimensionalTemporalRegion,t))
```

```
Temporal interval is subclass of one dimensional temporal region [fye-1]
     \forall t,x(instanceOf(x,temporalInterval,t) \rightarrow instanceOf(x,oneDimensionalTemporalRegion,t))
Entity is either universal or particular, so not all are instantiated. Instead make a predicate 'entity' analogous to particular
universal [vgn-1]
     \forall x (\exists t (instanceOf(x,continuant,t) \lor instanceOf(x,occurrent,t)) \rightarrow entity(x))
Realizable entity is subclass of specifically dependent continuant [qix-1]
     \forall t,x(instanceOf(x,realizableEntity,t) \rightarrow instanceOf(x,specificallyDependentContinuant,t))
If something is a role at any time then as long as it exists it is a role. [hxo-1]
     \forall x (\exists t \text{ instanceOf}(x, role, t) \rightarrow \forall t (existsAt(x, t) \rightarrow instanceOf(x, role, t)))
If something is a site at any time then as long as it exists it is a site. [txn-1]
     \forall x (\exists t \text{ instanceOf}(x, \text{site}, t) \rightarrow \forall t (\text{existsAt}(x, t) \rightarrow \text{instanceOf}(x, \text{site}, t)))
If something is a quality at any time then as long as it exists it is a quality. [jdo-1]
     \forall x (\exists t \text{ instanceOf}(x,quality,t) \rightarrow \forall t (existsAt(x,t) \rightarrow instanceOf(x,quality,t)))
If something is a function at any time then as long as it exists it is a function. [hww-1]
     \forall x (\exists t \text{ instanceOf}(x, function, t)) \rightarrow \forall t (existsAt(x, t)) \rightarrow instanceOf(x, function, t)))
One dimensional temporal region, zero dimensional temporal region are mutually disjoint [zkj-1]
     \neg(\exists x,t(instanceOf(x,oneDimensionalTemporalRegion,t))
              \land instanceOf(x,zeroDimensionalTemporalRegion,t)))
If something is a fiat line at any time then as long as it exists it is a fiat line. [ylr-1]
     \forall x (\exists t \text{ instanceOf}(x, fiatLine, t) \rightarrow \forall t (existsAt(x, t) \rightarrow instanceOf(x, fiatLine, t)))
If something is a continuant at any time then as long as it exists it is a continuant. [ghs-1]
     \forall x (\exists t \text{ instanceOf}(x, continuant, t)) \rightarrow \forall t (existsAt(x, t)) \rightarrow instanceOf(x, continuant, t)))
If something is a fiat point at any time then as long as it exists it is a fiat point. [cqf-1]
     \forall x (\exists t \text{ instanceOf}(x, fiatPoint, t) \rightarrow \forall t (existsAt(x, t) \rightarrow instanceOf(x, fiatPoint, t)))
If something is a disposition at any time then as long as it exists it is a disposition. [ijx-1]
     \forall x (\exists t \text{ instanceOf}(x, disposition, t)) \rightarrow \forall t (existsAt(x, t) \rightarrow instanceOf(x, disposition, t)))
If something is a fiat surface at any time then as long as it exists it is a fiat surface. [dyv-1]
     \forall x (\exists t \text{ instanceOf}(x, fiatSurface, t) \rightarrow \forall t (existsAt(x, t) \rightarrow instanceOf(x, fiatSurface, t)))
If something is a spatial region at any time then as long as it exists it is a spatial region. [thk-1]
     \forall x (\exists t \text{ instanceOf}(x,spatialRegion,t)) \rightarrow \forall t (existsAt(x,t) \rightarrow instanceOf(x,spatialRegion,t)))
If something is a material entity at any time then as long as it exists it is a material entity. [opd-1]
     \forall x (\exists t instanceOf(x,materialEntity,t))
         \rightarrow \forall t (existsAt(x,t) \rightarrow instanceOf(x,materialEntity,t)))
If something is a immaterial entity at any time then as long as it exists it is a immaterial entity. [nlc-1]
     \forall x (\exists t instanceOf(x,immaterialEntity,t))
         \rightarrow \forall t (existsAt(x,t) \rightarrow instanceOf(x,immaterialEntity,t)))
If something is a realizable entity at any time then as long as it exists it is a realizable entity. [gsg-1]
     \forall x (\exists t instanceOf(x,realizableEntity,t))
          \rightarrow \forall t (existsAt(x,t) \rightarrow instanceOf(x,realizableEntity,t)))
If something is a relational quality at any time then as long as it exists it is a relational quality. [jyh-1]
     \forall x (\exists t instanceOf(x,relationalQuality,t))
         \rightarrow \forall t (existsAt(x,t) \rightarrow instanceOf(x,relationalQuality,t)))
```

```
If something is a independent continuant at any time then as long as it exists it is a independent continuant. [otk-1]
     \forall x (\exists t instanceOf(x, independentContinuant, t))
         \rightarrow \forall t (existsAt(x,t) \rightarrow instanceOf(x,independentContinuant,t)))
If something is a continuant fiat boundary at any time then as long as it exists it is a continuant fiat boundary. [yuh-1]
     \forall x (\exists t instanceOf(x,continuantFiatBoundary,t))
         \rightarrow \forall t (existsAt(x,t) \rightarrow instanceOf(x,continuantFiatBoundary,t)))
If something is a one dimensional spatial region at any time then as long as it exists it is a one dimensional spatial region.
[bld-1]
     \forall x (\exists t instanceOf(x, oneDimensionalSpatialRegion, t))
         \rightarrow \forall t (existsAt(x,t) \rightarrow instanceOf(x,oneDimensionalSpatialRegion,t)))
If something is a two dimensional spatial region at any time then as long as it exists it is a two dimensional spatial region.
[uld-1]
     \forall x (\exists t \text{ instanceOf}(x,twoDimensionalSpatialRegion,t})
         \rightarrow \forall t (existsAt(x,t) \rightarrow instanceOf(x,twoDimensionalSpatialRegion,t)))
If something is a zero dimensional spatial region at any time then as long as it exists it is a zero dimensional spatial region.
[vsa-1]
     \forall x (\exists t \text{ instanceOf}(x, zeroDimensionalSpatialRegion, t))
         \rightarrow \forall t (existsAt(x,t) \rightarrow instanceOf(x,zeroDimensionalSpatialRegion,t)))
If something is a generically dependent continuant at any time then as long as it exists it is a generically dependent continuant.
[iup-1]
     \forall x (\exists t \text{ instanceOf}(x,genericallyDependentContinuant,t})
         \rightarrow \forall t (existsAt(x,t) \rightarrow instanceOf(x,genericallyDependentContinuant,t)))
If something is a three dimensional spatial region at any time then as long as it exists it is a three dimensional spatial region.
[qpr-1]
     \forall x (\exists t \text{ instanceOf}(x, threeDimensionalSpatialRegion, t))
         \rightarrow \forall t (existsAt(x,t) \rightarrow instanceOf(x,threeDimensionalSpatialRegion,t)))
If something is a specifically dependent continuant at any time then as long as it exists it is a specifically dependent continuant.
[hke-1]
    \forall x (\exists t \text{ instanceOf}(x, specificallyDependentContinuant,t)}
         \rightarrow \forall t (existsAt(x,t) \rightarrow instanceOf(x,specificallyDependentContinuant,t)))
No occurrent changes type during its existence [ayr-1]
     \forall o (\existst instanceOf(o,occurrent,t)
         \rightarrow \forall u (\exists t \text{ instanceOf}(o,u,t) \rightarrow \forall t (\text{instanceOf}(o,occurrent,t) \leftrightarrow \text{instanceOf}(o,u,t))))
Fiat surface, fiat line, fiat point are mutually disjoint [sjf-1]
     \neg(\exists x,t(instanceOf(x,fiatSurface,t) \land instanceOf(x,fiatLine,t)))
     \land \neg (\exists x, t (instanceOf(x, fiatSurface, t) \land instanceOf(x, fiatPoint, t)))
     \land \neg (\exists x, t (instanceOf(x, fiatLine, t) \land instanceOf(x, fiatPoint, t)))
Site, spatial region, continuant fiat boundary are mutually disjoint [twc-1]
     \neg(\exists x, t(instanceOf(x, site, t) \land instanceOf(x, spatialRegion, t)))
     \land \neg (\exists x, t (instanceOf(x, site, t) \land instanceOf(x, continuantFiatBoundary, t)))
     \land \neg (\exists x, t (instanceOf(x, spatialRegion, t) \land instanceOf(x, continuantFiatBoundary, t)))
Specifically dependent continuant, independent continuant, generically dependent continuant are mutually disjoint [cig-1]
     \neg(\exists x,t(instanceOf(x,specificallyDependentContinuant,t))
             ∧ instanceOf(x,independentContinuant,t)))
     \land \neg (\exists x,t (instanceOf(x,specificallyDependentContinuant,t))
               \land instanceOf(x,genericallyDependentContinuant,t)))
     \land \neg (\exists x, t (instanceOf(x, independentContinuant, t)))
               ∧ instanceOf(x,genericallyDependentContinuant,t)))
Process, spatiotemporal region, process boundary, temporal region are mutually disjoint [mem-1]
     \neg(\exists x,t(instanceOf(x,process,t) \land instanceOf(x,spatiotemporalRegion,t)))
     \land \neg (\exists x, t (instanceOf(x, process, t) \land instanceOf(x, processBoundary, t)))
     \land \neg (\exists x, t (instanceOf(x, process, t) \land instanceOf(x, temporalRegion, t)))
     \land \neg (\exists x, t (instanceOf(x, spatiotemporalRegion, t) \land instanceOf(x, processBoundary, t)))
     \land \neg (\exists x, t (instanceOf(x, spatiotemporalRegion, t) \land instanceOf(x, temporalRegion, t)))
     \land \neg (\exists x, t (instanceOf(x, processBoundary, t) \land instanceOf(x, temporalRegion, t)))
```

Continuant, material entity, object, fiat object part, object aggregate, site, immaterial entity, continuant fiat boundary, fiat surface, fiat line, fiat point, spatial region, three dimensional spatial region, two dimensional spatial region, one dimensional spatial region, zero dimensional spatial region, independent continuant, generically dependent continuant, specifically dependent continuant, quality, relational quality, function, disposition, realizable entity, role, occurrent, process, process boundary, temporal region, zero dimensional temporal region, temporal instant, one dimensional temporal region, temporal interval, history, spatiotemporal region are all different [xtf-1]

The axiom is too large to show. It is a conjunction of 1190 pairwise inequalities between the constants continuant, materialEntity, object, fiatObjectPart, objectAggregate, site, immaterialEntity, continuantFiatBoundary, fiatSurface, fiatLine, fiatPoint, spatialRegion, threeDimensionalSpatialRegion, twoDimensionalSpatialRegion, oneDimensionalSpatialRegion, zeroDimensionalSpatialRegion, independentContinuant, genericallyDependentContinuant, specificallyDependentContinuant, quality, relationalQuality, function, disposition, realizableEntity, role, occurrent, process, processBoundary, temporalRegion, zeroDimensionalTemporalRegion, temporalRegion, temporalInstant, oneDimensionalTemporalRegion, temporalInterval, history and spatiotemporalRegion.

Zero dimensional spatial region, one dimensional spatial region, two dimensional spatial region, three dimensional spatial region are mutually disjoint [luc-1]

 $\neg (\exists x, t (instanceOf(x, zeroDimensionalSpatialRegion, t)) \\ \land instanceOf(x, oneDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, zeroDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t)))) \\ \land \neg (\exists x, t (instanceOf(x, zeroDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, threeDimensionalSpatialRegion, t)))) \\ \land \neg (\exists x, t (instanceOf(x, oneDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, oneDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, threeDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t)))) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t)))) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t)))) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t))) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t)) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t)) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t)) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t)) \\ \land \neg (\exists x, t (instanceOf(x, twoDimensionalSpatialRegion, t)) \\ \land \neg (\exists x, t (instanceOf(x, twoDimen$

Alan Ruttenberg, November 12, 2021. The most recent version of this file will always be in the GitHub repository https://github.com/bfo-ontology/bfo-2020

This work is licensed under a Creative Commons "Attribution 4.0 International" license.