





Real-Time Bridge Monitoring Project Plan

Version 1.1

Real-Time Bridge Monitoring	Version: 1.1
Project Plan	Date: 2013-10-28

Revision History

Date	Version	Description	Author
2013-10-10	1.0	Initial Draft	DSD Staff
2013-10-28	1.1	Project Plan v1.0	Real-Time Bridge Monitoring team

Real-Time Bridge Monitoring	Version: 1.1
Project Plan	Date: 2013-10-28

Table of Contents

1.Introduction.	5
1.1Purpose of this document	5
1.2Intended Audience	
1.3Scope	
1.4Definitions and acronyms	
1.4.1Definitions.	
1.4.2Acronyms and abbreviations	
1.5References.	6
2.Background and Objectives	6
2.1Project Goal.	6
2.2Project Requirements	
2.2.1Data sources	
2.2.2Data calculations	
2.2.3User interface	
2.2.4Web Application	
2.3Project Milestone	7
2.4Project Deliverables	7
2.5Project testing.	7
2.6Project delivery	8
3.Organization.	8
3.1Project group	8
3.2Customer.	8
3.3Supervisor	8
4D 1	
4.Development process	
4.1Project Phases	
4.1.1Analysis	
4.1.2Requirements Specification	
4.1.3Design.	
4.1.4Implementation	
4.1.5Testing & Integration	
4.2Roles	
4.3 Quality Assurance	10
5 Deliverables	10
0.2 0.1 0.4 0.1	
5.1.1Remarks	11
6.Inputs	11
6.1.1Remarks	11
7.Project risks.	12
8.Communication.	13
9.Configuration management	12
7.Comiguiation management	13
10.Project plan	14
·	

Real-Time Bridge Monitoring	Version: 1.1
Project Plan	Date: 2013-10-28

10.1Time schedule	14
10.1.1Remarks	14
10.2Activity plan	
10.2.1Remarks	17

Real-Time Bridge Monitoring	Version: 1.1
Project Plan	Date: 2013-10-28

1. Introduction

Real-Time Bridge Monitoring is a project for the Distributed Software Development course held by Politecnico ti Milano, Malardalen University and University of Zagreb.

1.1 Purpose of this document

The purpose of this document is to assist in the planning of the development of the project 'Real-Time Bridge Monitoring', as a part of the Distributed Software Development course. This document will be the starting point and first deliverable of the project. It is essential for the beginning phase of the development process, and will be slightly updated throughout the whole project.

1.2 Intended Audience

This document is written primarily for the development team. The crucial planning decisions will be recorded in this document, so the development team will use it as a guidance while planning their time, splitting tasks and it will serve as a basis for the next phases of the project.

Also, this document is intended for the supervisors, in order to give them insight into our initial view and plan of the project.

1.3 Scope

This document will have main focus on the organization of the team and planning and distribution of work during the development process.

Firstly, the background and objectives of the project will be briefly explained.

After that, the organization within the team will be shown, regarding the distribution of work and responsibilities of each team member. Also, the stakeholders of the project will be introduced.

The development process that will be used in the development of the system will be presented in the fourth section. Here there will also be a brief description of each increment of the system.

Each deliverable will be described in the sixth section. This part will be updated throughout the project in order to record the delivered products and documents, and passed deadlines.

Further on, the inputs to the system will be presented. The inputs present the data that will be received from the customer and be processed by the system.

The document will also cover communication tools and conventions that we have agreed upon. In this chapter, it will be described in details how the information flow should look like.

Finally, configuration management and the project plan will be introduced. The project plan will cover the main planning decisions main about the project, regarding time, milestones, activities. This plan will be represented in an intuitive way, by using tables, charts and gantt-charts with timestamps.

Real-Time Bridge Monitoring	Version: 1.1
Project Plan	Date: 2013-10-28

1.4 Definitions and acronyms

1.4.1 Definitions

Keyword	Definitions

1.4.2 Acronyms and abbreviations

Acronym or abbreviation	Definitions

1.5 References

2. Background and Objectives

2.1 Project Goal

The Goal of this project is to develop a system that can help the monitoring process of bridges and to improve the speed of reaction at dangerous events. The system has to indicate the level of alarm in which the bridge is, so eventual security measures can be performed by the users; also make these information available on the web.

2.2 Project Requirements

2.2.1 Data sources

The system gathers data from various sensors that are:

- Anemometer
- Hydrometer
- Echo sonar
- Cameras

Real-Time Bridge Monitoring	Version: 1.1
Project Plan	Date: 2013-10-28

2.2.2 Data calculations

The system has to calculate the various characteristics of the bridge

- The bridge stresses
- The forces acting on the bridge
- The wind speed
- The impact of the amount of traffic and its direction

2.2.3 User interface

The system has a user interface on which all the information will be displayed. Also will be displayed a temporal graph showing the temporal trend of values in the current day. Also the interface let to the users the possibilities to change some bound, as the alarm bounds, or other variables about the bridge. There will be also the possibility to display historical data of the bridge on graph to allow the users to make comparison from the current state and the historical one; the users have to insert the period of time that they will want to see.

2.2.4 Web Application

The system can be reach on web, to allow the uses to see all the information on their own devices as notebook, tablet or smart phone.

2.3 Project Milestone

The main milestones are:

- Project Vision
- Project Plan
- Requirements definitions
- Design description
- Alpha prototype
- Beta prototype
- Acceptance test
- Final product

2.4 Project Deliverables

The deliverable are:

- Project Plan & Vision (with presentation)
- Project Plan document
- Project Requirements and Architecture (with presentation)
- Design description
- Alpha prototype (with presentation)
- Beta prototype (with presentation)
- Testing report
- Final project (with presentation)

2.5 Project testing

The testing phase expect to test the system reaction at some unexpected situations as the loss of network connection, loss of data, incorrect data, data missing and some other cases.

Real-Time Bridge Monitoring	Version: 1.1
Project Plan	Date: 2013-10-28

2.6 Project delivery

The final project/product will be delivered at 13-01-2014 on the web page with all the source codes.

3. Organization

3.1 Project group

The project group consists of seven members all together. There are three members from the Italian side, that are coming from the Politecnico di Milano University: Andrea Bottoli, Lorenzo Pagliari and Marko Brcic. The other four members are from the Mälardalens University: Dzana Kujan, Miraldi Fifo, Jorn Tillmanns and Nikola Radisavljevic. Their roles in the group are defined and represented in the table below.


Name	Initials	Responsibility (roles)
Andrea Bottoli	AB	Project Manager
Dzana Kujan	DK	Team Leader
Marko Breic	MB	Documentation manager
Lorenzo Pagliari	LP	Design manager
Miraldi Fifo	MF	Testing manager
Jorn Tillmanns	JT	Database manager
Nikola Radisavljevic	NR	Integration manager

3.2 Customer

There are two customers in this project. They are Ballio Francesco and Crotti Gianluca.

3.3 Supervisor


There are two supervisors in this project. They are Mirandola Raffaela and Di Nitto Elisabetta. This organization structure is better depicted in the following picture.



Real-Time Bridge Monitoring	Version: 1.1
Project Plan	Date: 2013-10-28

4. Development process

On the overall project the team follow a Waterfall model, but in the Requirements phase, Design phase and Implementation phase the team will follow a SCRUM model.



4.1 Project Phases

4.1.1 Analysis

In this phase the team analyzed the project, thinking at high level at the possible users, at the possible scenarios in which the system will work. Also works to build a shared vision of the project, on which each members of the team is agree.

4.1.2 Requirements Specification

In this phase the team set up with the customers the requirements of the project, focusing on the behavior of the final product and also on the type and structure of data in input at the system.

During the Design phase and Implementation phase the team can make some changes at the requirements, adding or removing some features depending on the issues that will rise.

4.1.3 Design

In this phase the team works on the design of the architecture of the system and on the behavior of the user interface to make it as user friendly, expressive and comprehensible as possible for the user.

4.1.4 Implementation

In this phase the team focus on the development of the various parts of the system.

4.1.5 Testing & Integration

In this phase the team will test the system's features in all the possible scenarios, to verify the correctness of the behavior of the system.

Real-Time Bridge Monitoring	Version: 1.1
Project Plan	Date: 2013-10-28

4.2 Roles

In the overall development process all the members of the team are developers. Adding this, threre are also other roles:

- Project leader
- Team leader
- Document manager
- Design manager
- Test manager
- Integration manager
- Database manager

4.3 Quality Assurance

During all the iterations of the Design phase and Implementation phase the Test manager will check that the system's features meet the customers desires. Sometimes, the customers involvement guarantees that the product fits their needs.

5. Deliverables

То	Output	Planned week	Promised week	Late +/-	Delivere d week	Rem
Supervisors/	Project Plan	43	44	+1	44	
DSD staff	Document					
Supervisors/	Requirements	44	45	-	-	
DSD staff	Definition					
	Document					
Supervisors/	Design Description	45	45	-	-	
DSD staff	Document					
Supervisors/	Alpha Prototype	48	48	-	-	1
DSD staff						
Supervisors/	Status Report	49	49	-	-	
DSD staff						
Supervisors/	Beta Prototype	52	52	-	-	2
DSD staff						
Supervisors/	Acceptance Test	1	1	-	-	
DSD staff	Plan					
Supervisors/	Test Report	2	2	-	-	
DSD staff						
Supervisors/	Final Project	2	2	-	-	
DSD staff/	Presentation					
Customers						
Supervisors/	Final Project	3	3	-	-	
DSD staff/	Report					
Customers						

Real-Time Bridge Monitoring	Version: 1.1
Project Plan	Date: 2013-10-28

Supervisors/	Final Product	3	3	-	-	3
DSD staff/						
Customers						

5.1.1 Remarks

Remark Id	Description
1	The alpha prototype will have the basic features required, so the data parser and the DB integration
2	The beta prototype will have the main features of the product, like a local user interface, graphs, statistics,
3	The final product will have all the features settled with the customers, like historical statistics, graphs, remote user interfaces

6. Inputs

From	Required item	Planned week	Promised week	Late +/-	Delivered week	Rem
Anemometer	Yes	44	44			1
Hydrometer	Yes	44	44			2
Echo sonar	Yes	44	44			3
Camera	Yes	44	44			4

Comment:

Required week = week when it is required by the project; Promised week indicates when the From expects to deliver; Late + indicates a discrepancy between Required week and Promised week; Received week is week when it was actually received; Rem is a remark index number.

6.1.1 Remarks

Remark Id	Description	
1	Data that measure the wind speed	
2	Data that measure the depth of water	

Real-Time Bridge Monitoring	Version: 1.1	
Project Plan	Date: 2013-10-28	

3	Data that measure the presence of debris on the river's bed
4	Cameras that take pictures of pylons base for show the presence of debris on them.

7. Project risks

There are several risks that can affect the productivity of the team members and the accuracy of the final result of this project. Therefore, it is essential to be analyze the possibility of each risk happening, and to come up with a preventive action for each risk early in the project. This will increase the possibility of producing a high quality product and dealing with problems easier. In the table below, risks are listed, along with their possibility and preventive actions.

Possibility	Risk	Preventive action
Н	Poor communication with the customer	Try to insist on more frequent meetings with the customers.
Н	Undefined date for receiving input data	Try to insist on receiving it as soon as possible.
Н	Unclear requirements	Try to have as much contact with customer, and ask them for feedback. Get acceptance of requirements from the customer early in the project.
M	Communication within the team	Define precise roles of the team members (team manager, team leader) and define communication flow between all the sides of the team. Also, define fixed dates for group meetings.
L	Communication within the distributed groups	This will be solved by planning to have daily meetings and try to have sprints together.
L	Lack of technical background	We deal with this by choosing technologies that are widely used and well known to the team members
L	Cultural differences	Be patient and open-minded
L	Language misunderstandings	Be patient and ask a lot of questions, in order to not get a wrong understanding of what a person meant
M	Information flow – risk of now receiving all information or of receiving correct one	Work on frequent communication especially between customer-project manager, project manager-team leader
M	Losing data	Always have a back-up of all the files that have been created during the project
М	Integration problems	Good interface definitions
L	Missing Inputs	Create fake .txt files and images with fake plausible data, to simulate the situation of the bridge

Real-Time Bridge Monitoring	Version: 1.1		
Project Plan	Date: 2013-10-28		

8. Communication

In this type of project when team members are physically separated, setting up communication protocols turns out to be a big deal. It is important to make it clear how the information will be shared among the team members and to make sure everyone has the same picture of the project.

In our team we have three separated groups of team members. We have four team members in Vastertas(SWE), two in Milan(ITA) and one in Zagreb(CRO). According to this we have agreed to have two subgroups. The first one consist of team members from Vasteras, and second one consist of members form Milano and Zagreb.

The subteam from Milano has a project manager and team from Vasteras has a team leader. Communication between these two people will be the most frequent, they will be in touch basically all the time and try to coordinate all team members and lead the project in the right direction. Having this frequent communication between these two people, we hope we will be able to react more quickly to any unexpected problem.

The next stage of communication within the group are group meetings. We agree to have at least one weekly meeting. More meetings during the week will be organized if needed. Each group meeting will be documented in the minutes of meeting document.

Finally, meetings within subgroups will be organized on a daily bases.

As technical support for communication, Skype, Google hangout and spreadsheets will be used. For sharing documentation and code Git will be used.

9. Configuration management

- Github will be the repository for code and product documentation
- The Github policy and the internal group policies provide information about coordinated usage and preventive action to take
- Google Drive is will be the tool used for drafting documents and to manage and coordinate some actions
- The Github manager and the Documentation manager will handle the corrective actions regarding merging or correcting the documents

Real-Time Bridge Monitoring	Version: 1.1
Project Plan	Date: 2013-10-28

10. Project plan

In this section, the project plan will be presented. It will include a list of all the milestones of the project along with the responsible team members associated with the milestone, and the planned week for the milestone. Also, the activity plan will be presented with a Gantt chart.

10.1 Time schedule

In the table below, the milestones are presented.

		Resp						
		onsibl		Forecast				Rem.
Id	Id Milestone description e dept./ initial		Plan	Week	+/-	Actual	Metr.	
		S						
1	Requirements v1.	AB	44					
2	System design	LP	44					
5	Alpha prototype	AB	48					
6	Beta prototype	AB	51					
7	Final prototype	AB	02					


10.1.1 Remarks


Remark Id	Description

Real-Time Bridge Monitoring	Version: 1.1		
Project Plan	Date: 2013-10-28		

10.2 Activity plan

The activity plan is presented in the Gantt chart below. The activities and milestones are shown.





The requirements analysis is planned to be finished earlier in the project, and it is not planned to be updated much in the following prototypes. This decision was made because the customers know what they want and are not available for frequent communication with the development team.

Real-Time Bridge Monitoring	Version: 1.1
Project Plan	Date: 2013-10-28

The design activity is planned throughout the project. This is due to the fact that the design decisions will be updated in each prototype development cycle. The design document will be also constantly updated, in order to be consistent with the working prototypes at all times. The design activity includes design of database, UI design and interface design, which should all be finished before starting work on the Alpha prototype.

The product will be developed incrementally, and as a result of that, there will be three increments: Alpha, Beta and Final prototype. Each prototype contains the activity of design, implementation and testing. This will ensure high quality of each prototype.

In the alpha prototype, the basic functionalities of the system will be implemented. At the end of this increment, we will have a working product which will contain at least reading of one sensor data from the database, and presenting that data on the user interface. This will be the foundation of the following increments, and the product that we will build upon.

The beta prototype will take longer time to develop, compared to the Alpha and Final prototypes. It is because the plan is to introduce most of the functionalities in this prototype. This means that the database will be upgraded to support all sensors, and all sensor data will be available on the UI, as well as all calculation results.

The final prototype will include the finalization of requirements and will concentrate on adding minor fixes, enhancing the UI or adding low priority functionality.

In order to achieve high quality of the product, each prototype will be tested.

ID	Predecessor	Activity	Days	Mdays	Rem.
1		Requirements Analysis			
2		System Design			
3		Program Design: Alpha Prototype			
4		Implementation: Alpha Prototype			
5		Testing: Alpha Prototype			
6		Program Design: Beta Prototype			
7		Implementation: Beta Prototype			
8		Testing: Beta Prototype			
9		Program Design: Final Version			

Real-Time Bridge Monitoring	Version: 1.1		
Project Plan	Date: 2013-10-28		

10	Implementation: Final Version		
11	Testing: Final Version		

Total planned calendar days for the project to be finished and total planned man-days required to finish the project

Planned effort (days)	Planned effort (man-days)

10.2.1 Remarks

Remark Id	Description