

Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e7280683c45700544e3f1a

Fecha de creación: 2016-03-14T21:07:25.816Z

creation_date: 2016-03-14T21:07:25.816Z

usesManagementAndConservation

[ancillaryData](#)

managementAndConservationUnstructured:

[managementAndConservationAtomized](#)

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

0

keywords: Canthidium macroculare,Canthon morsei,Uroxys nebulinus

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 201--224

issue:

volume: 41

year: 1987

0: Howden, H.

1: Gill, B.

title: New species and new records of Panamanian and Costa Rican Scarabaeinae (Coleoptera: Scarabaeidae)

source: The Coleopterists' Bulletin

type: article

tags: Canthidium macroculare,Canthon morsei,Uroxys nebulinus

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:
mimeType:
dataType:
identifier:
fullDescriptionUnstructured: Macho: Dorsalmente brillante, marrón - negro; cabeza y pronoto con ligero tinte cobrizo, élitros con un tinte verdoso tenue. Cabeza fina y cercanamente puntuada, margen anterior del clípeo débilmente producida, emarginado superficial –medialmente. Frente y vertex plano, 6.5 mm de longitud y 4.0 mm de ancho. Hembra: élitros carecen del tinte verdoso; pigidio 1.9 veces de longitud con respecto al del macho. Longitud 6.1mm de longitud y 3.9 de ancho (Howden & Gill, 1987).
briefDescription:

references

keywords: Canthidium macroculare,Canthon morsei,Uroxys nebulinus

editors

institution:
address:
publisher:
accessed:
websites:
chapter:
series:
pages: 201--224
issue:
volume: 41
year: 1987

authors

authors: Howden, H.
authors: Gill, B.
title: New species and new records of Panamanian and Costa Rican Scarabaeinae (Coleoptera: Scarabaeidae)
source: The Coleopterists' Bulletin
type: article
tags: Canthidium macroculare,Canthon morsei,Uroxys nebulinus
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo:
providerLink:

publicationStatus

microReference:

source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

replacementNameFor

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

sanctioned

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

laterHomonymOf

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

[conservedAgainst](#)

basedOn

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

basionym

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

[spellingCorrentionOf](#)

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typificacion

typeOfType:

[lectotypeMicroReferenceVoucher](#)

[lectotypePublicationVoucher](#)

[voucherReference](#)

simple:
microReference:
year:

publishedIn

simple:
source:
datatype:
identifier:

specialAuthorship

[authors](#)

[year](#)

simple:
canonicalAuthorship

[authors](#)

year

simple:
simple: Howden & Gill, 1987

canonicalName

infraspecificEpithet:
specificEpithet:
infragenericEpithet:
linkType:
ref:
uninomial:
simple: Canthidium macroculare
rank: SPECIES
simple: Canthidium macroculare Howden & Gill, 1987

attributes

nomenclaturalCode:
isAnamorphic:
id:

synonymsAtomized

hierarchy

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source: The Catalogue of Life, 3rd January 2011

audience

bibliographicCitation:
rightsHolder:
rights:
license:
title:
modified: 2016-03-14T21:07:05.812Z
created: 2016-03-14T21:07:05.812Z

agent

homepage:
role:

email:
phone:
address:
position:
organisation:
lastName:
firstName:
mimeType:
dataType:
identifier:
parentTaxon: Canthidium
higherClassification:
infraspecificEpithet:
specificEpithet:
taxonRank: SPECIES
subGenus:
genus: Canthidium
family: Scarabaeidae
order: Coleoptera
classHierarchy: Insecta
phylum: Arthropoda
kingdom: Animalia
recommended:
classification:

commonNameAtomized

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

mimeType:
dataType:

identifier:
usedBy:

usedIn

distributionUnstructured:
endDate:
startDate:

ancillaryData

type:
language: Español
name: Escarabajo coprófago

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
reproductionUnstructured:

0

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

audience

rightsHolder:

rights:
license:
modified:
created:

agent

mimeType:
dataType:
identifier:
relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedBy: TraitBank
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue: Sexual
measurementType: Tipo de Reproducción
measurementID:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

interactionsUnstructured:

feeding

feedingUnstructured:

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

behaviorUnstructured:

ancillaryData

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

annualCycle

annualCycleUnstructured:

habitat

habitatUnstructured:

endemicAtomized

distribution

ancillaryData

dataObject:
additionalInformation:

reference

keywords: Canthidium macroculare,Canthon morsei,Uroxys nebulinus

editors

institution:
address:
publisher:
accessed:
websites:

chapter:
series:
pages: 201--224
issue:
volume: 41
year: 1987

authors

authors: Howden, H.
authors: Gill, B.
title: New species and new records of Panamanian and Costa Rican Scarabaeinae (Coleoptera: Scarabaeidae)
source: The Coleopterists' Bulletin
type: article
tags: Canthidium macroculare, Canthon morsei, Uroxys nebulinus
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:
distributionUnstructured: Esta especie ha sido registrada en Colombia, Ecuador y Panamá (Howden & Gill, 1987).
En Colombia se distribuye en el departamento de Chocó (Medina et al., 2001).

distributionAtomized

stateProvince: Chocó

ancillaryData

locality:

municipality:
country: Colombia

temporalCoverage

endDate:
startDate:

distributionScope

type:

[threatStatus](#)

territory

territoryUnstructured:
areaOfOccupancy:
extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

abstract: *Canthidium macroculare* es una especie del género *Canthidium* que se distribuye Colombia, Ecuador y Panamá (Howden & Gill, 1987). Los machos son dorsalmente brillantes con una coloración marrón con negro, su cabeza y pronoto tienen un ligero tinte cobrizo y los élitros un tinte verdoso tenue. En las hembras los élitros carecen del tinte verdoso (Howden & Gill, 1987).

associatedParty

role:
personnelIdentifier:
personnelDirectory:
homepage:
email: enataliagomezm@gmail.com
phone:
postalCode:
country: Colombia
state: Bogotá Distrito Capital
city: Bogotá D.C.
address:
organisation:
position:
lastName: Gómez Melendro
firstName: Edith Natalia

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:
mediaURL: http://zipcodezoo.com/Animals/C/Canthidium_macroculare/
description:

subject

source: <http://zipcodezoo.com>

audience

bibliographicCitation:
rightsHolder:
rights:
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:

_id

_bsonType: ObjectID
id: Vç(h<EpTN?