

## Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e7236c83c45700544e3f08

Fecha de creación: 2016-03-14T20:47:47.901Z

creation\_date: 2016-03-14T20:47:47.901Z

usesManagementAndConservation

[ancillaryData](#)

managementAndConservationUnstructured:

[managementAndConservationAtomized](#)

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

0

keywords: Agamopus lampros,Ateuchus aeneomicans,Canthidium aurifex,Canthidium centrale,Canthidium elegantulum,Canthidium perceptibile,Canthon deyrollei,Canthon lituratus,Copris incertus,Dichotomius agenor,Onthophagus landolti landolti,Onthophagus transisthmus,Pseudocanthon perplexus,Uroxys bidentis,Uroxys depressifrons,Uroxys gatunensis,Uroxys gorgon,Uroxys micros

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 1--204

issue:

volume: 18

year: 1981

0: Howden, H.

1: Young, O.P.

title: Panamanian Scarabaeinae: taxonomy, distribution, and habits (Coleoptera, Scarabaeidae)[New taxa]

source: Contributions of the American Entomological Institute (USA)

type: article

tags: Agamopus lampros,Ateuchus aeneomicans,Canthidium aurifex,Canthidium centrale,Canthidium elegantulum,Canthidium perceptibile,Canthon deyrollei,Canthon lituratus,Copris incertus,Dichotomius agenor,Onthophagus landolti landolti,Onthophagus transisthmus,Pseudocanthon perplexus,Uroxys bidentis,Uroxys depressifrons,Uroxys gatunensis,Uroxys gorgon,Uroxys micros

abstract:

last\_modified:

created:

group\_id:

profile\_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:  
bibliographicCitation:  
rightsHolder:  
rights: Claudia Alejandra Medina  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:  
mimeType:  
dataType:  
identifier:  
fullDescriptionUnstructured: Ojos dorsalmente en el borde posterior interno del cantus no constreñido, más de 10  
facetas de ancho; tibias posteriores con el margen interno débilmente (hembra) a distintamente (macho) sinuosos  
(Howden & Young, 1981)  
briefDescription:

## references

keywords: Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium  
centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium  
escalerai, Canthidium euchalceum, Canthidium funebre, Canthidium gerstaeckeri, Canthidium lebasi, Canthidium  
onitoides, Canthidium perceptibile, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili

## editors

institution:  
address:  
publisher:  
accessed:  
websites:  
chapter:  
series:  
pages: 19--40  
issue:  
year: 1986

## authors

authors: Martínez, A.  
authors: Halffter, G.  
title: Situación del género Canthidium Erichson (Coleoptera: Scarabaeidae: Scarabaeinae)  
source: Acta Zoológica Mexicana  
type: article  
tags: Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium  
centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium  
escalerai, Canthidium euchalceum, Canthidium funebre, Canthidium gerstaeckeri, Canthidium lebasi, Canthidium  
onitoides, Canthidium perceptibile, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili  
abstract:

## identifiers

last\_modified:  
created:  
group\_id:  
profile\_id:  
id:

taxonRecordName

## ancillaryData

providerSpecificData

anyTwo:  
providerLink:

publicationStatus

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

replacementNameFor

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

sanctioned

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

laterHomonymOf

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

## conservedAgainst

basedOn

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

basionym

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

spellingCorrentionOf

typeNameEntity

source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:

typificacion

typeOfType:

lectotypeMicroReferenceVoucher

lectotypePublicationVoucher

voucherReference

simple:  
microReference:  
year:

publishedIn

simple:  
source:  
datatype:  
identifier:

specialAuthorship

authors

year

simple:  
canonicalAuthorship

authors

year

simple:  
simple: (Boucomont, 1928)

canonicalName

infraspecificEpithet:  
specificEpithet:  
infragenericEpithet:  
linkType:  
ref:  
uninomial:  
simple: Canthidium centrale  
rank: SPECIES  
simple: Canthidium centrale (Boucomont, 1928)

attributes

nomenclaturalCode:  
isAnamorphic:  
id:

synonymsAtomized

ancillaryData

synonymStatus:  
synonymName

anyTwo:

anyOne

providerLink:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:

ruleConsidered:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:

typeNameEntity

source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:

typeVoucherEntity

typeOfTypes:  
simple:  
microReference:  
year:  
source:  
datatype:  
identifier:

[combinationAuthorship](#)

basionymAuthorship

simple:

authorship

simple:  
simple: Edmonds & Halffter, 1978

epithet

infraspecificEpithet:  
specificEpithet:  
infragenericEpithet:

genus

linkType:  
ref:  
uninominal:  
simple: Neocanthidium martinezi  
rank: SPECIES  
simple: Neocanthidium martinezi Edmonds & Halffter, 1978

nomenclaturalCode:  
isAnamorphic:  
id:

## [hierarchy](#)

## [ancillaryData](#)

dataObject:  
additionalInformation:

## [reference](#)

geoPoint:  
location:  
thumbnailURL:

## [mediaURL](#)

description:

## [subject](#)

source: The Catalogue of Life, 3rd January 2011

## [audience](#)

bibliographicCitation:  
rightsHolder:  
rights:  
license:  
title:  
modified: 2016-03-14T20:47:27.889Z  
created: 2016-03-14T20:47:27.889Z

## [agent](#)

homepage:  
role:  
email:  
phone:  
address:  
position:  
organisation:  
lastName:  
firstName:  
mimeType:  
dataType:  
identifier:  
parentTaxon: Canthidium  
higherClassification:  
infraspecificEpithet:  
specificEpithet:  
taxonRank: SPECIES  
subGenus:  
genus: Canthidium  
family: Scarabaeidae  
order: Coleoptera  
classHierarchy: Insecta



phylum: Arthropoda  
kingdom: Animalia  
recommended:  
classification:

commonNameAtomized

ancillaryData

dataObject:  
additionalInformation:

reference

geoPoint:  
location:  
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:  
rightsHolder:  
rights: Claudia Alejandra Medina  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:

agent

mimeType:  
dataType:  
identifier:  
usedBy:

usedIn

distributionUnstructured:  
endDate:  
startDate:

ancillaryData

type:  
language: Español  
name: Escarabajo coprófago

invasiveness

invasivenessUnstructured:

reproduction

dataObject:  
additionalInformation:  
geoPoint:  
location:  
thumbnailURL:  
description:  
source:  
bibliographicCitation:  
rightsHolder:  
rights: Claudia Alejandra Medina  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:  
mimeType:  
dataType:  
identifier:  
reproductionUnstructured:

0

dataObject:  
additionalInformation:

## [reference](#)

geoPoint:  
location:  
thumbnailURL:

## [mediaURL](#)

description:

## [subject](#)

## [audience](#)

rightsHolder:  
rights:  
license:  
modified:  
created:

## [agent](#)

mimeType:  
dataType:  
identifier:  
relatedTo:  
measurementRemarks:  
measurementMethod:  
measurementDeterminedBy: TraitBank  
measurementDeterminedDate:  
measurementUnit:  
measurementAccuracy:  
measurementValue: Sexual  
measurementType: Tipo de Reproducción  
measurementID:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

interactionsUnstructured:

feeding

feedingUnstructured:

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

behaviorUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:

license:

modified:

created:

contentType:

dataType:

identifier:

measurementOrFact

relatedTo:  
measurementRemarks:  
measurementMethod:  
measurementDeterminedDate:  
measurementUnit:  
measurementAccuracy:  
measurementValue:  
measurementType:  
measurementID:

annualCycle

annualCycleUnstructured:

habitat

habitatUnstructured:

endemicAtomized

distribution

ancillaryData

dataObject:  
additionalInformation:

reference

keywords: Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerae, Canthidium euchalceum, Canthidium funebre, Canthidium gerstaeckeri, Canthidium lebasi, Canthidium onitoides, Canthidium perceptibile, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili

editors

institution:  
address:  
publisher:  
accessed:  
websites:  
chapter:  
series:  
pages: 19--40  
issue:  
year: 1986

authors

authors: Mart\ínez, A.  
authors: Halffter, G.  
title: Situación del género Canthidium Erichson (Coleoptera: Scarabaeidae: Scarabaeinae)  
source: Acta Zoológica Mexicana  
type: article  
tags: Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerae, Canthidium euchalceum, Canthidium funebre, Canthidium gerstaeckeri, Canthidium lebasi, Canthidium onitoides, Canthidium perceptibile, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili  
abstract:

## identifiers

last\_modified:  
created:  
group\_id:  
profile\_id:  
id:  
geoPoint:  
location:  
thumbnailURL:

## mediaURL

description:

## subject

source:

## audience

bibliographicCitation:  
rightsHolder:  
rights: Claudia Alejandra Medina  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:

## agent

contentType:  
dataType:  
identifier:  
distributionUnstructured: Esta especie ha sido registrada en Colombia, Ecuador, Guatemala, México y Panamá (Martínez & Halffter, 1986; Medina et al., 2001).

## distributionAtomized

stateProvince: Antioquia

## ancillaryData

locality:  
municipality:  
country: Colombia

## temporalCoverage

endDate:  
startDate:

## distributionScope

type:

## threatStatus

## territory

territoryUnstructured:  
areaOfOccupancy:

extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:

license:

modified:

created:

contentType:

dataType:

identifier:

measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

abstract: Canthidium centrale es una especie de escarabajo que se distribuye en el país en las regiones de la Amazonia, Pacífica y Andina (Medina et al., 2001). Las hembras presentan tibias posteriores con el margen interno débilmente sinuoso y los machos distintamente sinuoso (Howden & Young, 1981).

[associatedParty](#)

role:

personnelIdentifier:

personnelDirectory:

homepage:

email: enataliagomez@gmail.com

phone:

postalCode:

country: Colombia

state: Bogotá Distrito Capital

city: Bogotá D.C.

address:  
organisation:  
position:  
lastName: Gómez Melendro  
firstName: Edith Natalia

## ancillaryData

dataObject:  
additionalInformation:

## reference

geoPoint:  
location:  
thumbnailURL:  
mediaURL: <http://darnis.inbio.ac.cr/ubisen/FMPro?-DB=UBIPUB.fp3&-lay=WebAll&-error=norec.html&-Format=detail.html&-Op=eq&id=287&-Find>  
description:

## subject

source: <http://darnis.inbio.ac.cr>

## audience

bibliographicCitation:  
rightsHolder:  
rights:  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:

## agent

contentType:  
dataType:  
identifier:

\_id

\_bsonType: ObjectID  
id: Vç#lfÄW Dãø