

Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e088b383c45700544e3cc6

Fecha de creación: 2016-03-09T20:34:01.325Z

annualCycles

annualCycleUnstructured:

habitats

habitatUnstructured:

[commonNamesAtomized](#)

[ancillaryData](#)

dataObject:

additionalInformation:

[reference](#)

geoPoint:

location:

thumbnailURL:

[mediaURL](#)

description:

[subject](#)

source:

[audience](#)

bibliographicCitation:

rightsHolder:

rights: Nancy Carolina Rojas Riaño

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

[agent](#)

contentType:

dataType:

identifier:

usedBy:

usedIn

distributionUnstructured:

endDate:

startDate:

[ancillaryData](#)

type:

language: Español

name: Abejita amazónica

creation_date: 2016-03-09T20:34:01.325Z

usesManagementAndConservation

ancillaryData

dataObject:
additionalInformation:

reference

keywords: Aglae caerulea

editors

editors: Amat-G, G
editors: Andrade-C, M G
editors: Amat-G, E
institution:
address:
publisher: Instituto de Ciencias Naturales- Universidad Nacional de Colombia, Conservación Internacional Colombia
Instituto Alexander von Humboldt, Ministerio de Ambiente, Vivienda y Crédito Territorial
accessed:
websites:
chapter:
series:
pages: 157--159
issue:
year: 2007

authors

authors: Bonilla, M A
title: Abejita amazónica (Aglae caerulea)
source: Libro Rojo de los Invertebrados Terrestres de Colombia
type: book_section
tags: Aglae caerulea
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Equipo Coordinador del SiB Colombia
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:
created:

agent

contentType:
dataType:
identifier:

managementAndConservationUnstructured: Se debe establecer la distribución geográfica real de esta especie y de su hospedero en el país. Además determinar su tamaño poblacional para identificar las áreas prioritarias donde se encuentran las poblaciones más vulnerables (Bonilla, 2007).

managementAndConservationAtomized

identificationKeys

fullDescription

fullDescriptionUnstructured:
briefDescription:

references

keywords: Aglae caerulea

editors

institution:
address:
publisher:
accessed:
websites:
chapter:
series:
pages: 832
issue:
volume: 1
year: 1825

authors

authors: Lepeletier, A. L. M.
authors: Serville, J. G. A.
title: Encyclopédie méthodique : Histoire naturelle : Entomologie, ou Histoire naturelle des crustacés, des arachnides et des insectes
source:
type: book
tags: Aglae caerulea
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo:
providerLink:

publicationStatus

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

replacementNameFor

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

sanctioned

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

laterHomonymOf

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

conservedAgainst

basedOn

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

basionym

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

spellingCorrentionOf

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typificacion

typeOfType:

lectotypeMicroReferenceVoucher

lectotypePublicationVoucher

voucherReference

simple:
microReference:
year:

publishedIn

simple:
source:
datatype:
identifier:

specialAuthorship

authors

year

simple:
canonicalAuthorship

authors

year

simple:
simple: Lepeletier & Audinet-Serville, 1825
canonicalName
infraspecificEpithet:
specificEpithet:
infragenericEpithet:
linkType:
ref:
uninomial:
simple: Aglae caerulea
rank: SPECIES
simple: Aglae caerulea Lepeletier & Audinet-Serville, 1825

attributes

nomenclaturalCode:
isAnamorphic:
id:

synonymsAtomized

hierarchy

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source: The Catalogue of Life, 3rd January 2011

audience

bibliographicCitation:

rightsHolder:
rights:
license:
title:
modified: 2016-03-09T20:11:41.316Z
created: 2016-03-09T20:11:41.316Z

agent

homepage:
role:
email:
phone:
address:
position:
organisation:
lastName:
firstName:
mimeType:
dataType:
identifier:
parentTaxon: Aglae
higherClassification:
infraspecificEpithet:
specificEpithet:
taxonRank: SPECIES
subGenus:
genus: Aglae
family: Apidae
order: Hymenoptera
classHierarchy: Insecta
phylum: Arthropoda
kingdom: Animalia
recommended:
classification:

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Nancy Carolina Rojas Riaño
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:

dataType:
identifier:
reproductionUnstructured:

0

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

audience

rightsHolder:
rights:
license:
modified:
created:

agent

contentType:
dataType:
identifier:
relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedBy: TraitBank
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue: Sexual
measurementType: Tipo de Reproducción
measurementID:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

0

dataObject:
additionalInformation:

0

keywords: Aglae caerulea

0: Amat-G, G

1: Andrade-C, M G

2: Amat-G, E

institution:

address:

publisher: Instituto de Ciencias Naturales- Universidad Nacional de Colombia, Conservación Internacional Colombia

Instituto Alexander von Humboldt, Ministerio de Ambiente, Vivienda y Crédito Territoria

accessed:

websites:

chapter:

series:

pages: 157--159

issue:

year: 2007

0: Bonilla, M A

title: Abejita amazónica (Aglae caerulea)

source: Libro Rojo de los Invertebrados Terrestres de Colombia

type: book_section

tags: Aglae caerulea

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

interactionsUnstructured: Estos insectos son cleptoparásitos de los nidos de Eulaema nigrita (Bonilla, 2007).

0

0

dataObject:
additionalInformation:

[reference](#)

geoPoint:
location:
thumbnailURL:

[mediaURL](#)

description:

[subject](#)

source: https://docs.google.com/document/d/1i3mLz_QRu3Ds4Z19EaJM1iNS1XAv8gObGB17ASur8EM/edit?usp=sharing

[audience](#)

bibliographicCitation: Futuyma, D.J. 1998. Evolutionary Biology, Third Edition. Sinauer Associates, Inc. EUA
rightsHolder:
rights:
license:
modified:
created:

[agent](#)

contentType:
dataType:
identifier:
relatedTo:
measurementRemarks:
measurementMethod:

[measurementDeterminedBy](#)

measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue: Parasitismo
measurementType: CONABIO
measurementID:
interactionSpecies: Eulaema nigrita

feeding

feedingUnstructured:

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:
structureDispersed:
type:
purpose:

behavior

0

dataObject:
additionalInformation:

0

keywords: Aglae caerulea

0: Amat-G, G

1: Andrade-C, M G

2: Amat-G, E

institution:

address:

publisher: Instituto de Ciencias Naturales- Universidad Nacional de Colombia, Conservación Internacional Colombia

Instituto Alexander von Humboldt, Ministerio de Ambiente, Vivienda y Crédito Territoria

accessed:

websites:

chapter:

series:

pages: 157--159

issue:

year: 2007

0: Bonilla, M A

title: Abejita amazónica (Aglae caerulea)

source: Libro Rojo de los Invertebrados Terrestres de Colombia

type: book_section

tags: Aglae caerulea

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

behaviorUnstructured: Son muy poco observadas o coleccionadas, en consecuencia se sabe muy poco sobre su comportamiento (Bonilla, 2007).

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:
bibliographicCitation:
rightsHolder:
rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

[endemicAtomized](#)

[distribution](#)

[ancillaryData](#)

dataObject:
additionalInformation:

[reference](#)

keywords: *Aglae caerulea*

[editors](#)

institution:
address:
publisher:
accessed:
websites:
chapter:
series:
pages: 373--394
issue:
volume: 13
year: 1982

[authors](#)

authors: Dressler, R
title: Biology of the orchid bees (*Euglossini*)
source: Annual Review of Ecology and Systematics
type: article
tags: *Aglae caerulea*
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Equipo Coordinador del SiB Colombia
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:
distributionUnstructured: Esta especie se distribuye en áreas con rangos altitudinales entre los 200 y 750 msnm. Se ha registrado en Sudamérica en Bolivia, Brasil, Colombia, Guyana Francesa, Guyana, Perú, Venezuela y Panamá. En el Colombia se ha encontrado en el occidente del país (Dressler, 1982)

distributionAtomized

temporalCoverage

endDate:
startDate:

distributionScope

type:

threatStatus

ancillaryData

threatStatusUnstructured:

threatStatusAtomized

apendiceCITES:
locality:
municipality:
county:

stateProvince:
country: Colombia
0: IUCN
measurementValue: Vulnerable (VU)
relatedTo:
measurementRemarks:
measurementMethod:

measurementDeterminedBy

measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementType: IUCN
measurementID:

territory

territoryUnstructured:
areaOfOccupancy:
extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

0

dataObject:
additionalInformation:

0

keywords: Aglae caerulea

0: Amat-G, G
1: Andrade-C, M G
2: Amat-G, E

institution:

address:

publisher: Instituto de Ciencias Naturales- Universidad Nacional de Colombia, Conservación Internacional Colombia
Instituto Alexander von Humboldt, Ministerio de Ambiente, Vivienda y Crédito Territoria

accessed:

websites:

chapter:

series:

pages: 157--159

issue:

year: 2007

0: Bonilla, M A

title: Abejita amazónica (Aglae caerulea)

source: Libro Rojo de los Invertebrados Terrestres de Colombia

type: book_section

tags: Aglae caerulea

abstract:

last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Nancy Carolina Rojas Riaño
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
directThreatsUnstructured: La principal amenaza para esta especie es la destrucción y fragmentación de su hábitat (Bonilla, 2007).

ancillaryData

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

abstract: Esta especie pertenece al género monotípico *Aglae* y se caracterizan por ser abejas grandes (23-25mm. de largo) de cuerpo aplanado y color oscuro. Son muy poco observadas o coleccionadas, en consecuencia se sabe muy poco sobre su biología (Bonilla, 2007).

[associatedParty](#)

role:
personnelIdentifier:
personnelDirectory:
homepage:
email: enataliagomezm@gmail.com
phone:
postalCode:
country: Colombia
state: Bogotá Distrito Capital
city: Bogotá D.C.
address:
organisation:
position:
lastName: Gómez Melendro
firstName: Edith Natalia

ancillaryData

dataObject:
additionalInformation: Créditos específicos: Al Instituto Amazónico de Investigaciones Científicas Sinchi. Al Sistema de Información Ambiental Territorial de la Amazonia Colombiana SIAT-AC. La elaboración de esta ficha fue posible gracias al apoyo del gobierno de Finlandia a través del convenio entre la Secretaria General de la CAN y el Instituto Sinchi para el proyecto "Sistema Regional Amazónico de Información Ambiental con énfasis en Biodiversidad de los países miembros de la CAN, (programa BIOCAN), componente SIAT-AC".
Información de tipos: El lectotipo está depositado en el Museo Regionale di Scienze Naturali (MRSN), Turín, Italia.

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights:
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:

_id

_bsontype: ObjectID
id: Vâ~3fÄW Dãì`