Reporte de Fichas para el usuario: edith gómez
Ficha ID: 56e3269683c45700544e3daa Fecha de creación: 2016-03-11T20:12:12.244Z
annualCycle
annualCycleUnstructured:
annualCycles
annualCycleUnstructured:
habitat
0
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: habitatUnstructured: Habita bosques tropicales de Sudamérica y Centroamérica.
habitats
habitatUnstructured:
commonNameAtomized
commonNamesAtomized
creation_date: 2016-03-11T20:12:12.244Z
usesManagementAndConservation
ancillaryData
managementAndConservationUnstructured:
managementAndConservationAtomized
identificationKeys
fullDescription
0
dataObject: additionalInformation: geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Nancy Carolina Rojas Riaño

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

fullDescriptionUnstructured: Palpo maxilar con 6 segmentos; palpo labial con 3 segmentos; primer segmento abdominal, algunas veces, más reducido que el segundo y rara vez en forma de copa. Son avispas grandes y negras con alas oscuras cuya punta es clara o blanquecina.

briefDescription:

#### references

keywords: Agelaia angulata angulata, Agelaia angulicollis, Agelaia brevistigma, Agelaia cajennensis, Agelaia fulvofasciata, Agelaia hamiltoni, Agelaia testacea, Angiopolybia obidensis, Angiopolybia pallens, Angiopolybia paraensis, Angiopolybia zischkai, Apoica thoracica, Asteloeca traili, Brachygastra albula, Brachygastra augusti, Brachygastra lecheguana, Brachygastra propodealis, Brachygastra scutellaris, Chartergellus amazonicus, Chartergellus punctatior, Chartergus chartarius, Chartergus globiventris, Chartergus metanotalis, Clypearia sulcata, Clypearia weyrauchi, Epipona tatua, Leipomeles dorsata, Metapolybia acincta, Metapolybia docilis, Metapolybia nigra, Metapolybia suffusa, Mischocyttarus adolphi, Mischocyttarus alfkeni, Mischocyttarus alfkenii excrucians, Mischocyttarus alfkenii trinitatis, Mischocyttarus carbonarius carbonarius, Mischocyttarus flavicans, Mischocyttarus foveatus, Mischocyttarus injucundus tingomariae, Mischocyttarus insolitus, Mischocyttarus labiatus, Mischocyttarus latissimus, Mischocyttarus metoecus, Mischocyttarus petiolatus, Mischocyttarus pseudomimeticus, Mischocyttarus punctatus, Mischocyttarus tomentosus, Mischocyttarus vaqueroi, Parachartergus amazonensis, Parachartergus colobopterus, Parachartergus fasciipennis, Parachartergus fraternus, Parachartergus fulgidipennis, Parachartergus griseus, Parachartergus richardsi,Parachartergus weyrauchi,Polybia bistriata,Polybia catillifex,Polybia eberhardae,Polybia emaciata,Polybia fastidiosuscula, Polybia jurinei, Polybia liliacea, Polybia micans, Polybia occidentalis, Polybia platycephala sylvestris, Polybia quadricincta, Polybia raui raui, Polybia rejecta, Polybia scrobalis pronotalis, Polybia scrobalis scrobalis, Polybia sericea, Polybia striata, Polybia velutina, Protopolybia acutiscutis, Protopolybia amarella, Protopolybia chartergoides chartergoides, Protopolybia exigua binominata, Protopolybia exigua exigua, Protopolybia fuscatus, Protopolybia rugulosa, Protopolybia sedula, Pseudopolybia compressa, Pseudopolybia vespiceps, Synoeca septentrionalis, Synoeca surinama, Synoeca virginea

#### editors

institution: address: publisher: accessed: websites: chapter: series: pages: 585 issue: year: 1978

authors

authors: Richards, O. W.

title: The social wasps of the Americas excluding the Vespinae

source: type: book

tags: Agelaia angulata angulata, Agelaia angulicollis, Agelaia brevistigma, Agelaia cajennensis, Agelaia fulvofasciata, Agelaia hamiltoni, Agelaia testacea, Angiopolybia obidensis, Angiopolybia pallens, Angiopolybia paraensis, Angiopolybia zischkai, Apoica thoracica, Asteloeca traili, Brachygastra albula, Brachygastra augusti.Brachygastra lecheguana.Brachygastra propodealis.Brachygastra scutellaris.Chartergellus amazonicus, Chartergellus punctatior, Chartergus chartarius, Chartergus globiventris, Chartergus metanotalis, Clypearia sulcata, Clypearia weyrauchi, Epipona tatua, Leipomeles dorsata, Metapolybia acincta, Metapolybia docilis, Metapolybia nigra, Metapolybia suffusa, Mischocyttarus adolphi, Mischocyttarus alfkeni, Mischocyttarus alfkenii excrucians, Mischocyttarus alfkenii trinitatis, Mischocyttarus carbonarius carbonarius, Mischocyttarus flavicans, Mischocyttarus foveatus, Mischocyttarus injucundus tingomariae, Mischocyttarus insolitus, Mischocyttarus labiatus, Mischocyttarus latissimus, Mischocyttarus metoecus, Mischocyttarus petiolatus, Mischocyttarus pseudomimeticus, Mischocyttarus punctatus, Mischocyttarus tomentosus.Mischocyttarus vaqueroi,Parachartergus amazonensis,Parachartergus colobopterus,Parachartergus fasciipennis, Parachartergus fraternus, Parachartergus fulgidipennis, Parachartergus griseus, Parachartergus richardsi, Parachartergus weyrauchi, Polybia bistriata, Polybia catillifex, Polybia eberhardae, Polybia emaciata, Polybia fastidiosuscula, Polybia jurinei, Polybia liliacea, Polybia micans, Polybia occidentalis, Polybia platycephala sylvestris, Polybia quadricincta, Polybia raui raui, Polybia rejecta, Polybia scrobalis pronotalis, Polybia scrobalis scrobalis, Polybia sericea, Polybia striata, Polybia velutina, Protopolybia acutiscutis, Protopolybia amarella, Protopolybia chartergoides chartergoides, Protopolybia exigua binominata, Protopolybia exigua exigua, Protopolybia fuscatus, Protopolybia rugulosa, Protopolybia sedula, Pseudopolybia compressa, Pseudopolybia vespiceps, Synoeca septentrionalis, Synoeca surinama, Synoeca virginea abstract:

#### identifiers

last\_modified: created: group\_id: profile\_id: id:

taxonRecordName

#### ancillaryData

providerSpecificData

anyTwo: providerLink:

publicationStatus

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

replacementNameFor

microReference:

source:

datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

#### sanctioned

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

#### laterHomonymOf

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

#### conservedAgainst

#### basedOn

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

#### basionym

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

spellingCorrentionOf

# typeNameEntity source: datatype: identifier: source: datatype: identifier: source: datatype: identifier: typificacion typeOfType: **lectotypeMicroReferenceVoucher lectotypePublicationVoucher** voucherReference simple:

microReference:

year:

publishedIn

simple: source: datatype: identifier:

specialAuthorship

#### authors

#### year

simple:

canonicalAuthorship

#### authors

#### year

simple:

simple: (Gribodo, 1891)

canonicalName

infraspecificEpithet: specificEpithet: infragenericEpithet:

linkType: ref: uninomial: simple: Parachartergus fraternus rank: SPECIES simple: Parachartergus fraternus (Gribodo, 1891) attributes nomenclaturalCode: isAnamorphic: synonymsAtomized ancillaryData synonymStatus: synonymName anyTwo: anyOne providerLink: microReference: publishedIn source: datatype: identifier: reletedName source: datatype: identifier: note: ruleConsidered: microReference: publishedIn source: datatype: identifier: reletedName source: datatype: identifier: note:

publishedIn

ruleConsidered: microReference:

source: datatype: identifier:

reletedName

source: datatype: identifier: note: ruleConsidered: microReference:

#### publishedIn

source: datatype: identifier:

#### reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

#### publishedIn

source: datatype: identifier:

#### reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

#### publishedIn

source: datatype: identifier:

#### reletedName

source: datatype: identifier: note:

ruleConsidered:

#### typeNameEntity

source: datatype: identifier: source: datatype: identifier: source: datatype:

identifier:
typeVoucherEntity
typeOfType: simple: microReference: year: source: datatype: identifier:
combinationAuthorship
basionymAuthorship
simple:
authorship
simple: simple: Gribodo, 1891
epithet
infraspecificEpithet: specificEpithet: infragenericEpithet:
genus
linkType: ref: uninomial: simple: Chartergus concolor rank: SPECIES simple: Chartergus concolor Gribodo, 1891 nomenclaturalCode: isAnamorphic: id:
hierarchy
ancillaryData
dataObject: additionalInformation:
reference
geoPoint: location: thumbnailURL:
mediaURL
description:
subject
source: The Catalogue of Life, 3rd January 2011

audience bibliographicCitation: rigthsHolder: rights: license: title: modified: 2016-03-11T20:11:52.238Z created: 2016-03-11T20:11:52.238Z agent homepage:

role: email: phone: address: position: organisation: lastName: firstName: mimeType: dataType: identifier:

parentTaxon: Parachartergus

higherClassification: infraspecificEpithet: specificEpithet: taxonRank: SPECIES

subGenus:

genus: Parachartergus family: Vespidae order: Hymenoptera classHierarchy: Insecta phylum: Arthropoda kingdom: Animalia recommended: classification:

invasiveness

invasivenessUnstructured:

reproduction

reproductionUnstructured:

dataObject:

additionalInformation:

#### reference

geoPoint: location:

thumbnailURL:

mediaURL

description:
subject
audience
rightsHolder: rights: license: modified: created:
agent
mimeType: dataType: identifier: relatedTo: measurementRemarks: measurementMethod: measurementDeterminedBy: TraitBank measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: Sexual measurementType: Tipo de Reproducción measurementID:
molecularData
molecularDataUnstructured:
migratory
migratoryUnstructured:
lifeForm
lifeFormUnstructured:
lifeCycle
lifeCycleUnstructured:
interactions
interactionsUnstructured:
feeding
0
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder:

rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: feedingUnstructured:
0
0
strategy: Depredadores type:
environmentalEnvelope
environmentalEnvelopeUnstructured:
ecologicalSignificance
ecologicalSignificanceUnstructured:
dispersal
dispersalUnstructured: distance: structureDispersed: type: purpose:
behavior
0
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: behaviorUnstructured: Esta especie puede destruir y reconstruir las celdas de su nido de acuerdo a la etapa de su ciclo. Durante la defensa de su nido no solamente pican, sino que también pueden lanzar el veneno como un atomizador.
ancillaryData
dataObject: additionalInformation:

geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier:
measurementOrFact
relatedTo: measurementRemarks: measurementMethod: measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID:
endemicAtomized
distribution
ancillaryData
dataObject: additionalInformation:
reference
geoPoint: location: thumbnailURL:
mediaURL
description:
subject
source:
audience
bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created:

# agent mimeType: dataType: identifier: distributionUnstructured: Se ha registrado en zonas con altitudes que alcanzan hasta 1200 msnm. En el país se distribuye en las regiones de la Orinoquía, Andina. distributionAtomized ancillaryData locality: municipality: country: Costa Rica temporalCoverage endDate: startDate: distributionScope type: threatStatus territory

territoryUnstructured: areaOfOccupancy: extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint: location:

thumbnailURL: description:

000011011

source:

bibliographicCitation:

rightsHolder:

rights:

license: modified:

created:

mimeType:

dataType: identifier:
measurementOrFact
relatedTo: measurementRemarks: measurementMethod: measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID: abstract: Parachartergus fraternus es una especie de avispa que se caracteriza por presentar la superficie dorsal de cabeza y tórax casi sin setas; mesoescuto con punteaduras muy dispersas y pequeñas. En los muestreos de campo y en las colecciones biológicas es extremadamente raro encontrar machos de esta especie.
associatedParty
role: personnelldentifier: personnelDirectory: homepage: email: enataliagomezm@gmail.com

city: Bogotá D.C. address:

phone: postalCode: country: Colombia

organisation:

lastName: Gómez Melendro firstName: Edith Natalia

state: Bogotá Distrito Capital

### ancillaryData

dataObject:

additionalInformation:

#### reference

geoPoint: location: thumbnailURL:

mediaURL: https://www.flickr.com/photos/124722992@N03/14477832222/in/photolist-o4mF7W

description:

#### subject

source: https://farm3.staticflickr.com/2895/14477832222\_48435cf7fd.jpg

#### audience

bibliographicCitation:

rightsHolder: NHM WASPS

rights:

license: http://creativecommons.org/licenses/by/2.0/

modified: created:

## agent

mimeType: dataType: identifier:

\_id

\_bsontype: ObjectID id: Vã&-fÄW DãÚ