Reporte de Fichas para el usuario: edith gómez
Ficha ID: 56e0914c83c45700544e3cca Fecha de creación: 2016-03-09T21:10:42.259Z
annualCycles
annualCycleUnstructured:
habitats
0
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: habitatUnstructured: Esta especie al parecer se restringe a selvas muy húmedas y cálidas.
commonNamesAtomized
ancillaryData
dataObject: additionalInformation:
reference
geoPoint: location: thumbnailURL:
mediaURL
description:
subject
source:
audience
bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created:
agent

mime I ype:	
dataType:	
identifier:	
usedBy:	
مالم	
usedIn	

distributionUnstructured:

endDate: startDate:

#### ancillaryData

type:

language: Español name: Avispa

creation\_date: 2016-03-09T21:10:42.259Z

usesManagementAndConservation

## ancillaryData

managementAndConservationUnstructured:

# managementAndConservationAtomized

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

geoPoint: location: thumbnailURL: description: source:

bibliographicCitation:

rightsHolder:

rights: Nancy Carolina Rojas Riaño

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

fullDescriptionUnstructured: Margen frontal del pronoto encima de la fóvea, fuertemente lamelado; clípeo menos punteado; mayor contraste entre las partes oscuras y claras, cada una hacia el negro o blanco respectivamente. Placa dorsal del mesepisterno más amplia de manera que la sutura sale de la parte anterior formando un ángulo de cerca de 90°; escutelo usualmente sin una línea central notoria; mesoescuto con margen lateral interrumpido. briefDescription:

#### references

keywords: Agelaia angulata angulata,Agelaia angulicollis,Agelaia brevistigma,Agelaia cajennensis,Agelaia fulvofasciata,Agelaia hamiltoni,Agelaia testacea,Angiopolybia obidensis,Angiopolybia pallens,Angiopolybia

paraensis, Angiopolybia zischkai, Apoica thoracica, Asteloeca traili, Brachygastra albula, Brachygastra augusti, Brachygastra lecheguana, Brachygastra propodealis, Brachygastra scutellaris, Chartergellus amazonicus, Chartergellus punctatior, Chartergus chartarius, Chartergus globiventris, Chartergus metanotalis, Clypearia sulcata, Clypearia weyrauchi, Epipona tatua, Leipomeles dorsata, Metapolybia acincta, Metapolybia docilis, Metapolybia nigra, Metapolybia suffusa, Mischocyttarus adolphi, Mischocyttarus alfkeni, Mischocyttarus alfkenii excrucians, Mischocyttarus alfkenii trinitatis, Mischocyttarus carbonarius carbonarius. Mischocyttarus flavicans. Mischocyttarus foveatus. Mischocyttarus iniucundus tingomariae, Mischocyttarus insolitus, Mischocyttarus labiatus, Mischocyttarus latissimus, Mischocyttarus metoecus, Mischocyttarus petiolatus, Mischocyttarus pseudomimeticus, Mischocyttarus punctatus, Mischocyttarus tomentosus, Mischocyttarus vaqueroi, Parachartergus amazonensis, Parachartergus colobopterus. Parachartergus fasciipennis, Parachartergus fraternus, Parachartergus fulgidipennis, Parachartergus griseus, Parachartergus richardsi, Parachartergus weyrauchi, Polybia bistriata, Polybia catillifex, Polybia eberhardae, Polybia emaciata, Polybia fastidiosuscula, Polybia jurinei, Polybia liliacea, Polybia micans, Polybia occidentalis, Polybia platycephala sylvestris, Polybia quadricincta, Polybia raui raui, Polybia rejecta, Polybia scrobalis pronotalis, Polybia scrobalis scrobalis.Polybia sericea,Polybia striata,Polybia velutina,Protopolybia acutiscutis,Protopolybia amarella,Protopolybia chartergoides chartergoides, Protopolybia exigua binominata, Protopolybia exigua exigua, Protopolybia fuscatus, Protopolybia rugulosa, Protopolybia sedula, Pseudopolybia compressa, Pseudopolybia vespiceps, Synoeca septentrionalis, Synoeca surinama, Synoeca virginea

#### editors

institution: address: publisher: accessed: websites: chapter: series: pages: 585 issue: year: 1978

### authors

authors: Richards, O. W.

title: The social wasps of the Americas excluding the Vespinae

source: type: book

tags: Agelaia angulata angulata, Agelaia angulicollis, Agelaia brevistigma, Agelaia cajennensis, Agelaia fulvofasciata, Agelaia hamiltoni, Agelaia testacea, Angiopolybia obidensis, Angiopolybia pallens, Angiopolybia paraensis, Angiopolybia zischkai, Apoica thoracica, Asteloeca traili, Brachygastra albula, Brachygastra augusti.Brachygastra lecheguana.Brachygastra propodealis.Brachygastra scutellaris.Chartergellus amazonicus, Chartergellus punctatior, Chartergus chartarius, Chartergus globiventris, Chartergus metanotalis, Clypearia sulcata, Clypearia weyrauchi, Epipona tatua, Leipomeles dorsata, Metapolybia acincta, Metapolybia docilis, Metapolybia nigra, Metapolybia suffusa, Mischocyttarus adolphi, Mischocyttarus alfkeni, Mischocyttarus alfkenii excrucians, Mischocyttarus alfkenii trinitatis, Mischocyttarus carbonarius carbonarius, Mischocyttarus flavicans, Mischocyttarus foveatus, Mischocyttarus injucundus tingomariae, Mischocyttarus insolitus, Mischocyttarus labiatus, Mischocyttarus latissimus, Mischocyttarus metoecus, Mischocyttarus petiolatus, Mischocyttarus pseudomimeticus, Mischocyttarus punctatus, Mischocyttarus tomentosus.Mischocyttarus vaqueroi,Parachartergus amazonensis,Parachartergus colobopterus,Parachartergus fasciipennis, Parachartergus fraternus, Parachartergus fulgidipennis, Parachartergus griseus, Parachartergus richardsi, Parachartergus weyrauchi, Polybia bistriata, Polybia catillifex, Polybia eberhardae, Polybia emaciata, Polybia fastidiosuscula, Polybia jurinei, Polybia liliacea, Polybia micans, Polybia occidentalis, Polybia platycephala sylvestris, Polybia quadricincta, Polybia raui raui, Polybia rejecta, Polybia scrobalis pronotalis, Polybia scrobalis scrobalis, Polybia sericea, Polybia striata, Polybia velutina, Protopolybia acutiscutis, Protopolybia amarella, Protopolybia chartergoides chartergoides, Protopolybia exigua binominata, Protopolybia exigua exigua, Protopolybia fuscatus, Protopolybia rugulosa, Protopolybia sedula, Pseudopolybia compressa, Pseudopolybia vespiceps, Synoeca

septentrionalis, Synoeca surinama, Synoeca virginea abstract: identifiers last\_modified: created: group\_id: profile\_id: id: taxonRecordName ancillaryData

providerSpecificData

anyTwo: providerLink:

publicationStatus

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

replacementNameFor

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

sanctioned

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

laterHomonymOf

microReference:

source:

datatype:	
identifier:	
source:	
datatype:	
identifier:	
note:	

ruleConsidered:

# conservedAgainst

#### basedOn

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

# basionym

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

# spellingCorrentionOf

# typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typificacion

typeOfType:

**lectotypeMicroReferenceVoucher** 

**lectotypePublicationVoucher** 

voucherReference

simple: microReference: year:
publishedIn
simple: source: datatype: identifier:
specialAuthorship
authors
year
simple:
canonicalAuthorship
authors
year
simple: simple: (Ducke, 1904)
canonicalName
infraspecificEpithet: specificEpithet: infragenericEpithet: linkType: ref: uninomial: simple: Angiopolybia obidensis rank: SPECIES simple: Angiopolybia obidensis (Ducke, 1904)
attributes
nomenclaturalCode: isAnamorphic: id:
synonymsAtomized
ancillaryData
synonymStatus:
synonymName
anyTwo:
anyOne
providerLink: microReference:

# publishedIn

source: datatype: identifier:

## reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

# publishedIn

source: datatype: identifier:

## reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

# publishedIn

source: datatype: identifier:

#### reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

# publishedIn

source: datatype: identifier:

#### reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

# publishedIn

source: datatype: identifier:
reletedName
source: datatype: identifier: note: ruleConsidered: microReference:
publishedIn

### lln

source: datatype: identifier:

#### reletedName

source: datatype: identifier: note:

ruleConsidered:

# typeNameEntity

source: datatype: identifier: source: datatype: identifier: source: datatype: identifier:

# typeVoucherEntity

typeOfType: simple:

microReference:

year: source: datatype: identifier:

# combinationAuthorship

basionymAuthorship

simple:

authorship

simple:

simple: Schulz, 1905

epithet

infraspecificEpithet: specificEpithet: infragenericEpithet:

genus

linkType: ref: uninomial:

simple: Polybia luctuosa

rank: SPECIES

simple: Polybia luctuosa Schulz, 1905

nomenclaturalCode: isAnamorphic:

id:

# hierarchy

# ancillaryData

dataObject:

additionalInformation:

#### reference

geoPoint: location: thumbnailURL:

## mediaURL

description:

# subject

source: The Catalogue of Life, 3rd January 2011

## audience

bibliographicCitation:

rigthsHolder:

rights: license: title:

modified: 2016-03-09T21:10:22.247Z created: 2016-03-09T21:10:22.247Z

# agent

homepage:

role: email: phone: address: position: organisation: lastName: firstName: mimeType:

dataType:

identifier: parentTaxon: Angiopolybia higherClassification: infraspecificEpithet: specificEpithet: taxonRank: SPECIES subGenus: genus: Angiopolybia family: Vespidae order: Hymenoptera classHierarchy: Insecta phylum: Arthropoda kingdom: Animalia recommended: classification:
invasiveness
invasivenessUnstructured:
reproduction
0
dataObject: additionalInformation:
0
keywords: Agelaia angulicollis,Agelaia brevistigma,Agelaia cajennensis,Agelaia fulvofasciata,Agelaia hamiltoni,Agelaia testacea,Angiopolybia obidensis institution: Universidad de Costa Rica address: publisher: accessed: websites: chapter: series: issue: year: 2010 0: Valverde, J.P. title: Clave taxonómica ilustrada para los géneros y las especies de avispas eusociales de Costa Rica (Hymenoptera: Vespidae, Polistinae) source: type: thesis tags: Agelaia angulicollis,Agelaia brevistigma,Agelaia cajennensis,Agelaia fulvofasciata,Agelaia hamiltoni,Agelaia testacea,Angiopolybia obidensis abstract: last_modified:
created: group_id:
profile_id:
id:
geoPoint: location:
thumbnailURL:
description:
source:

bibliographicCitation: rightsHolder: rights: Equipo Coordinador del SiB Colombia license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: reproductionUnstructured: Sus nidos presentan múltiples panales, uno debajo del otro, rodeados por una envoltura independiente (Valverde, 2010).
0
dataObject: additionalInformation:
reference
geoPoint: location: thumbnailURL:
mediaURL
description:
subject
audience
rightsHolder: rights: license: modified: created:
agent
mimeType: dataType: identifier: relatedTo: measurementRemarks: measurementMethod: measurementDeterminedBy: TraitBank measurementUnit: measurementUnit: measurementAccuracy: measurementValue: Sexual measurementType: Tipo de Reproducción measurementID:
molecularData
molecularDataUnstructured:
migratory
migratoryUnstructured:

lifeForm
lifeFormUnstructured:
lifeCycle
lifeCycleUnstructured:
interactions
interactionsUnstructured:
feeding
0
dataObject: additionalInformation:
0
keywords: Agelaia angulicollis,Agelaia brevistigma,Agelaia cajennensis,Agelaia fulvofasciata,Agelaia hamiltoni,Agelaia testacea,Angiopolybia obidensis institution: Universidad de Costa Rica address: publisher: accessed:
websites: chapter: series: issue: year: 2010
0: Valverde, J.P. title: Clave taxonómica ilustrada para los géneros y las especies de avispas eusociales de Costa Rica (Hymenoptera: Vespidae, Polistinae) source:
type: thesis tags: Agelaia angulicollis, Agelaia brevistigma, Agelaia cajennensis, Agelaia fulvofasciata, Agelaia hamiltoni, Agelaia testacea, Angiopolybia obidensis abstract:
last_modified: created:
group_id: profile_id: id:
geoPoint:
location: thumbnailURL: description:
source: bibliographicCitation: rightsHolder:
rights: Equipo Coordinador del SiB Colombia license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified:
created: mimeType:
dataType: identifier:

# feedingUnstructured: 0 strategy: Depredadores type: Heterótrofos - Omnívoros environmentalEnvelope environmentalEnvelopeUnstructured: ecologicalSignificance ecologicalSignificanceUnstructured: dispersal dispersalUnstructured: distance: structureDispersed: type: purpose: behavior 0 dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: behaviorUnstructured: Esta especie de avispa presenta hábitos eusociales y carroñeros. ancillaryData dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license:

#### measurementOrFact

relatedTo:

measurementRemarks: measurementMethod:

measurementDeterminedDate:

measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID:

#### endemicAtomized

#### distribution

# ancillaryData

dataObject:

additionalInformation:

#### reference

geoPoint: location: thumbnailURL:

## mediaURL

description:

# subject

source:

#### audience

bibliographicCitation:

rightsHolder:

rights: Nancy Carolina Rojas Riaño

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

## agent

mimeType: dataType: identifier:

distributionUnstructured: Esta especie de avispa se distribuye en altitudes que no superan los 500 msnm, en paises de Centroamérica y Sudamérica (Guyana, Guyana Francesa, Surinam, Brasil, Panamá y Colombia). En Colombia se ha registrado en la región de la Amazonia.

# distributionAtomized

temporalCoverage endDate: startDate: distributionScope type: threatStatus
territory territoryUnstructured: areaOfOccupancy: extentOfOccurrence: populationBiology
populationBiologyUnstructured: legislation legislationUnstructured: directThreats
directThreatsUnstructured: ancillaryData dataObject:
additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier:
measurementOrFact
relatedTo: measurementRemarks: measurementMethod: measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID:

abstract: Esta especie de avispa al parecer se restringe a selvas muy húmedas y cálidas de Sudamérica y Centroamérica. Son especies eusociales y presentan hábitos carroñeros. Presentan un surco dorsal del mesepisterno recto y un escudo con la porción anterior de la lamela posterolateral ausente (Valverde, 2010).

# associatedParty

role:

personnelldentifier: personnelDirectory:

homepage:

email: enataliagomezm@gmail.com

phone: postalCode: country: Colombia

state: Bogotá Distrito Capital

city: Bogotá D.C.

address: organisation: position:

lastName: Gómez Melendro firstName: Edith Natalia

# ancillaryData

#### dataObject:

additionalInformation: Créditos específicos: Al Instituto Amazónico de Investigaciones Científicas Sinchi. Al Sistema de Información Ambiental Territorial de la Amazonia Colombiana SIAT-AC. La elaboración de esta ficha fue posible gracias al apoyo del gobierno de Finlandia a través del convenio entre la Secretaria General de la CAN y el Instituto Sinchi para el proyecto "Sistema Regional Amazónico de Información Ambiental con énfasis en Biodiversidad de los países miembros de la CAN, (programa BIOCAN), componente SIAT-AC".

Registros biológicos: Colección Entomológica, Instituto de Ciencias Naturales, Universidad Nacional de Colombia. Bogotá, Colombia http://www.biovirtual.unal.edu.co/colecciones/datos/animalia/consultasMammalia.jsp?clase=4 Información de tipos: El lectotipo es una hembra y se encuentra depositado en el Musée National d'histoire Naturelle, Paris, Francia (MNHN). Se desconoce el macho.

#### reference

geoPoint: location: thumbnailURL:

#### mediaURL

description:

## subject

source:

#### audience

bibliographicCitation:

rightsHolder:

rights:

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

#### agent

mimeType: dataType: identifier:

\_id

\_bsontype: ObjectID id: Và'LfÄW DãÌ