

Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e724c183c45700544e3f0f

Fecha de creación: 2016-03-14T20:53:28.728Z

creation_date: 2016-03-14T20:53:28.728Z

usesManagementAndConservation

[ancillaryData](#)

managementAndConservationUnstructured:

[managementAndConservationAtomized](#)

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

0

keywords: Agamopus lampros,Ateuchus aeneomicans,Canthidium aurifex,Canthidium centrale,Canthidium elegantulum,Canthidium perceptibile,Canthon deyrollei,Canthon lituratus,Copris incertus,Dichotomius agenor,Onthophagus landolti landolti,Onthophagus transisthmus,Pseudocanthon perplexus,Uroxys bidentis,Uroxys depressifrons,Uroxys gatunensis,Uroxys gorgon,Uroxys micros

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 1--204

issue:

volume: 18

year: 1981

0: Howden, H.

1: Young, O.P.

title: Panamanian Scarabaeinae: taxonomy, distribution, and habits (Coleoptera, Scarabaeidae)[New taxa]

source: Contributions of the American Entomological Institute (USA)

type: article

tags: Agamopus lampros,Ateuchus aeneomicans,Canthidium aurifex,Canthidium centrale,Canthidium elegantulum,Canthidium perceptibile,Canthon deyrollei,Canthon lituratus,Copris incertus,Dichotomius agenor,Onthophagus landolti landolti,Onthophagus transisthmus,Pseudocanthon perplexus,Uroxys bidentis,Uroxys depressifrons,Uroxys gatunensis,Uroxys gorgon,Uroxys micros

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:
bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
fullDescriptionUnstructured: Con dos tubérculos frontales débilmente desarrolladas, apenas elevados, cabeza y pronoto marrón o marrón oscuro, cobrizos, élitros similar o de color más claro; estrías elitrales moderadamente impresionadas (Howden & Young, 1981).
briefDescription:

references

keywords: Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerae, Canthidium euchalceum, Canthidium funebre, Canthidium gerstaeckeri, Canthidium lebasi, Canthidium onitoides, Canthidium perceptibile, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili

editors

institution:
address:
publisher:
accessed:
websites:
chapter:
series:
pages: 19--40
issue:
year: 1986

authors

authors: Martínez, A.
authors: Halffter, G.
title: Situación del género Canthidium Erichson (Coleoptera: Scarabaeidae: Scarabaeinae)
source: Acta Zoológica Mexicana
type: article
tags: Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerae, Canthidium euchalceum, Canthidium funebre, Canthidium gerstaeckeri, Canthidium lebasi, Canthidium onitoides, Canthidium perceptibile, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo:

providerLink:

publicationStatus

microReference:

source:

datatype:

identifier:

source:

datatype:

identifier:

note:

ruleConsidered:

replacementNameFor

microReference:

source:

datatype:

identifier:

source:

datatype:

identifier:

note:

ruleConsidered:

sanctioned

microReference:

source:

datatype:

identifier:

source:

datatype:

identifier:

note:

ruleConsidered:

laterHomonymOf

microReference:

source:

datatype:

identifier:

source:

datatype:

identifier:

note:

ruleConsidered:

conservedAgainst

basedOn

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

basionym

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

spellingCorrentionOf

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typificacion

typeOfType:

lectotypeMicroReferenceVoucher

lectotypePublicationVoucher

voucherReference

simple:
microReference:
year:

publishedIn

simple:
source:
datatype:
identifier:

specialAuthorship

authors

year

simple:
canonicalAuthorship

authors

year

simple:
simple: Balthasar, 1939

canonicalName

infraspecificEpithet:
specificEpithet:
infragenericEpithet:
linkType:
ref:
uninomial:
simple: Canthidium elegantulum
rank: SPECIES
simple: Canthidium elegantulum Balthasar, 1939

attributes

nomenclaturalCode:
isAnamorphic:
id:

synonymsAtomized

hierarchy

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source: The Catalogue of Life, 3rd January 2011

audience

bibliographicCitation:

rightsHolder:
rights:
license:
title:
modified: 2016-03-14T20:53:08.718Z
created: 2016-03-14T20:53:08.718Z

agent

homepage:
role:
email:
phone:
address:
position:
organisation:
lastName:
firstName:
mimeType:
dataType:
identifier:
parentTaxon: Canthidium
higherClassification:
infraspecificEpithet:
specificEpithet:
taxonRank: SPECIES
subGenus:
genus: Canthidium
family: Scarabaeidae
order: Coleoptera
classHierarchy: Insecta
phylum: Arthropoda
kingdom: Animalia
recommended:
classification:

commonNameAtomized

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:
usedBy:

usedIn

distributionUnstructured:
endDate:
startDate:

ancillaryData

type:
language: Español
name: Escarabajo coprófago

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
contentType:
dataType:
identifier:
reproductionUnstructured:

0

dataObject:
additionalInformation:

reference

geoPoint:

location:
thumbnailURL:

mediaURL

description:

subject

audience

rightsHolder:
rights:
license:
modified:
created:

agent

contentType:
dataType:
identifier:
relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedBy: TraitBank
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue: Sexual
measurementType: Tipo de Reproducción
measurementID:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

interactionsUnstructured:

feeding

feedingUnstructured:

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

behaviorUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:

license:

modified:

created:

contentType:

dataType:

identifier:

measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

annualCycle

annualCycleUnstructured:

habitat

habitatUnstructured:

endemicAtomized

distribution

ancillaryData

dataObject:

additionalInformation:

reference

keywords: Canthidium angusticeps,Canthidium aurifex,Canthidium basipunctatum,Canthidium bicolor,Canthidium centrale,Canthidium convexifrons,Canthidium cupreum,Canthidium deplanatum,Canthidium elegantulum,Canthidium escalerae,Canthidium euchalceum,Canthidium funebre,Canthidium gerstaeckeri,Canthidium lebasi,Canthidium onitoides,Canthidium perceptibile,Canthidium rufinum,Canthidium splendidum,Canthidium steinheili

editors

institution:
address:
publisher:
accessed:
websites:
chapter:
series:
pages: 19--40
issue:
year: 1986

authors

authors: Mart\ínez, A.
authors: Halffter, G.
title: Situación del género Canthidium Erichson (Coleoptera: Scarabaeidae: Scarabaeinae)
source: Acta Zoológica Mexicana
type: article
tags: Canthidium angusticeps,Canthidium aurifex,Canthidium basipunctatum,Canthidium bicolor,Canthidium centrale,Canthidium convexifrons,Canthidium cupreum,Canthidium deplanatum,Canthidium elegantulum,Canthidium escalerae,Canthidium euchalceum,Canthidium funebre,Canthidium gerstaeckeri,Canthidium lebasi,Canthidium onitoides,Canthidium perceptibile,Canthidium rufinum,Canthidium splendidum,Canthidium steinheili
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:
created:

agent

contentType:
dataType:
identifier:

distributionUnstructured: Esta especie ha sido registrada en Colombia y Panamá (Martínez & Halffter, 1986; Medina et al., 2001). En Colombia se distribuye en el departamento de Chocó (Medina et al., 2001).

distributionAtomized

stateProvince: Chocó

ancillaryData

locality:
municipality:
country: Colombia

temporalCoverage

endDate:
startDate:

distributionScope

type:

threatStatus

territory

territoryUnstructured:
areaOfOccupancy:
extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights:
license:

modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

abstract: Esta especie de escarabajo se distribuye en Sudamérica (Colombia y Panamá) (Martínez y Halffter, 1986; Medina et al., 2001). Se caracteriza por exhibir una coloración marrón o marrón oscuro en la cabeza y pronoto (Howden & Young, 1981).

associatedParty

role:
personnelIdentifier:
personnelDirectory:
homepage:
email: enataliagomezm@gmail.com
phone:
postalCode:
country: Colombia
state: Bogotá Distrito Capital
city: Bogotá D.C.
address:
organisation:
position:
lastName: Gómez Melendro
firstName: Edith Natalia

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:
mediaURL: <http://www.discoverlife.org/mp/20q?search=Canthidium+elegantulum>
description:

subject

source: <http://www.discoverlife.org>

audience

bibliographicCitation:

rightsHolder:
rights:
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

mimeType:
dataType:
identifier:

_id
_bsontype: ObjectID
id: Vç\$AfÁW Dãy