

Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e72b2083c45700544e3f22

Fecha de creación: 2016-03-14T21:20:39.605Z

creation_date: 2016-03-14T21:20:39.605Z

usesManagementAndConservation

[ancillaryData](#)

managementAndConservationUnstructured:

[managementAndConservationAtomized](#)

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataFormat:

identifier:

fullDescriptionUnstructured: Clípeo sin fovea en la carena frontal. Longitud corporal 8-9 mm.

briefDescription:

[references](#)

keywords: Canthidium angusticeps,Canthidium aurifex,Canthidium basipunctatum,Canthidium bicolor,Canthidium centrale,Canthidium convexifrons,Canthidium cupreum,Canthidium deplanatum,Canthidium elegantulum,Canthidium escalerae,Canthidium euchalceum,Canthidium funebre,Canthidium gerstaeckeri,Canthidium lebasi,Canthidium onitoides,Canthidium perceptibile,Canthidium rufinum,Canthidium splendidum,Canthidium steinheili

[editors](#)

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 19--40

issue:

year: 1986

[authors](#)

authors: Mart\\'inez, A.
authors: Halffter, G.
title: Situación del género Canthidium Erichson (Coleoptera: Scarabaeidae: Scarabaeinae)
source: Acta Zoológica Mexicana
type: article
tags: Canthidium angusticeps,Canthidium aurifex,Canthidium basipunctatum,Canthidium bicolor,Canthidium centrale,Canthidium convexifrons,Canthidium cupreum,Canthidium deplanatum,Canthidium elegantulum,Canthidium escalerae,Canthidium euchalceum,Canthidium funebre,Canthidium gerstaeckeri,Canthidium lebasii,Canthidium onitoides,Canthidium perceptibile,Canthidium rufinum,Canthidium splendidum,Canthidium steinheili
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo:
providerLink:

publicationStatus

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

replacementNameFor

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

sanctioned

microReference:
source:
datatype:
identifier:
source:

datatype:
identifier:
note:
ruleConsidered:

laterHomonymOf

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

conservedAgainst

basedOn

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

basionym

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

spellingCorrentionOf

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typificacion

typeOfType:

[lectotypeMicroReferenceVoucher](#)

[lectotypePublicationVoucher](#)

[voucherReference](#)

simple:
microReference:
year:

publishedIn

simple:
source:
datatype:
identifier:

specialAuthorship

[authors](#)

[year](#)

simple:

canonicalAuthorship

[authors](#)

[year](#)

simple:
simple: Harold, 1880

canonicalName

infraspecificEpithet:
specificEpithet:
infragenericEpithet:
linkType:
ref:
uninomial:
simple: Canthidium steinheili
rank: SPECIES
simple: Canthidium steinheili Harold, 1880

attributes

nomenclaturalCode:
isAnamorphic:
id:

[synonymsAtomized](#)

[hierarchy](#)

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source: The Catalogue of Life, 3rd January 2011

audience

bibliographicCitation:
rightsHolder:
rights:
license:
title:
modified: 2016-03-14T21:20:19.602Z
created: 2016-03-14T21:20:19.602Z

agent

homepage:
role:
email:
phone:
address:
position:
organisation:
lastName:
firstName:
mimeType:
dataType:
identifier:
parentTaxon: Canthidium
higherClassification:
infraspecificEpithet:
specificEpithet:
taxonRank: SPECIES
subGenus:
genus: Canthidium
family: Scarabaeidae
order: Coleoptera
classHierarchy: Insecta
phylum: Arthropoda
kingdom: Animalia
recommended:
classification:

commonNameAtomized

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:
usedBy:

usedIn

distributionUnstructured:
endDate:
startDate:

ancillaryData

type:
language: Español
name: Escarabajo coprófago

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:

bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
reproductionUnstructured:

0

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

audience

rightsHolder:
rights:
license:
modified:
created:

agent

mimeType:
dataType:
identifier:
relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedBy: TraitBank
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue: Sexual
measurementType: Tipo de Reproducción
measurementID:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

interactionsUnstructured:

feeding

feedingUnstructured:

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

behaviorUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:

license:

modified:

created:

mimeType:

dataType:

identifier:

measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:
measurementType:
measurementID:

annualCycle

annualCycleUnstructured:

habitat

habitatUnstructured:

endemicAtomized

distribution

ancillaryData

dataObject:
additionalInformation:

reference

keywords: Canthidium angusticeps,Canthidium aurifex,Canthidium basipunctatum,Canthidium bicolor,Canthidium centrale,Canthidium convexifrons,Canthidium cupreum,Canthidium deplanatum,Canthidium elegantulum,Canthidium escaleraei,Canthidium euchalceum,Canthidium funebre,Canthidium gerstaeckeri,Canthidium lebasi,Canthidium onitoides,Canthidium perceptibile,Canthidium rufinum,Canthidium splendidum,Canthidium steinheili

editors

institution:
address:
publisher:
accessed:
websites:
chapter:
series:
pages: 19--40
issue:
year: 1986

authors

authors: Mart\ínez, A.
authors: Halffter, G.
title: Situación del género Canthidium Erichson (Coleoptera: Scarabaeidae: Scarabaeinae)
source: Acta Zoológica Mexicana
type: article
tags: Canthidium angusticeps,Canthidium aurifex,Canthidium basipunctatum,Canthidium bicolor,Canthidium centrale,Canthidium convexifrons,Canthidium cupreum,Canthidium deplanatum,Canthidium elegantulum,Canthidium escaleraei,Canthidium euchalceum,Canthidium funebre,Canthidium gerstaeckeri,Canthidium lebasi,Canthidium onitoides,Canthidium perceptibile,Canthidium rufinum,Canthidium splendidum,Canthidium steinheili
abstract:

identifiers

last_modified:
created:
group_id:

profile_id:
id:
geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:
distributionUnstructured: Esta especie ha sido registrada en Colombia y Venezuela (Martínez & Halffter, 1986). En el país se distribuye en los departamentos de Chocó y Valle del Cauca (Medina et al., 2001).

distributionAtomized

stateProvince: Chocó

ancillaryData

locality:
municipality:
country: Colombia

temporalCoverage

endDate:
startDate:

distributionScope

type:

threatStatus

territory

territoryUnstructured:
areaOfOccupancy:
extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:

license:

modified:

created:

contentType:

dataType:

identifier:

measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

abstract: Esta especie de escarabajo se distribuye en Colombia y Venezuela (Martínez & Halffter, 1986) y se caracteriza por presentar el clipeo sin fovea.

[associatedParty](#)

role:

personnelIdentifier:

personnelDirectory:

homepage:

email: enataliagomez@gmail.com

phone:

postalCode:

country: Colombia

state: Bogotá Distrito Capital

city: Bogotá D.C.

address:

organisation:

position:

lastName: Gómez Melendro

firstName: Edith Natalia

ancillaryData

dataObject:
additionalInformation: Créditos específicos: La elaboración de estas fichas recibió el apoyo de la Organización de los Estados Americanos (OEA) y la Red Interamericana de Información sobre Biodiversidad (IABIN). Se agradece a la Colección Entomológica del Instituto Humboldt IAVH por facilitar información que contribuyó a la elaboración de las fichas y al Sistema de Información en Biodiversidad de Colombia (SIB) por el apoyo técnico.

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights:
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:

_id
_bsontype: ObjectID
id: Vç+ fÄW Dão