Reporte de Fichas para el usuario: edith gómez Ficha ID: 56e1d1f483c45700544e3d3f Fecha de creación: 2016-03-10T19:58:51.324Z annualCycles annualCycleUnstructured: habitats 0 dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: habitatUnstructured: Habita bosques húmedos de Sudamérica. commonNamesAtomized creation_date: 2016-03-10T19:58:51.324Z usesManagementAndConservation ancillaryData managementAndConservationUnstructured: managementAndConservationAtomized identificationKeys fullDescription dataObject: additionalInformation: geoPoint: location: thumbnailURL: description:

source:

bibliographicCitation:

rightsHolder:

rights: Nancy Carolina Rojas Riaño

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

fullDescriptionUnstructured: Especies lisas y brillantes, no esculturada; fóvea pronotal atrofiada o ausente; segmento abdominal I estrecho, en forma de copa; escasa presencia de manchas. briefDescription:

references

keywords: Agelaia angulata angulata, Agelaia angulicollis, Agelaia brevistigma, Agelaia cajennensis, Agelaia fulvofasciata, Agelaia hamiltoni, Agelaia testacea, Angiopolybia obidensis, Angiopolybia pallens, Angiopolybia paraensis, Angiopolybia zischkai, Apoica thoracica, Asteloeca traili, Brachygastra albula, Brachygastra augusti,Brachygastra lecheguana,Brachygastra propodealis,Brachygastra scutellaris,Brachymenes wagnerianus, Chartergellus amazonicus, Chartergellus punctatior, Chartergus chartarius, Chartergus globiventris, Chartergus metanotalis, Clypearia sulcata, Clypearia weyrauchi, Epipona guerini, Epipona tatua, Eumenes versicolor filiformis, Leipomeles dorsata, Metapolybia acincta, Metapolybia docilis, Metapolybia nigra, Metapolybia suffusa.Mischocyttarus adolphi.Mischocyttarus alfkenii.Mischocyttarus alfkenii excrucians.Mischocyttarus alfkenii trinitatis, Mischocyttarus carbonarius carbonarius, Mischocyttarus flavicans, Mischocyttarus foveatus, Mischocyttarus injucundus tingomariae, Mischocyttarus insolitus, Mischocyttarus labiatus, Mischocyttarus latissimus, Mischocyttarus metoecus, Mischocyttarus petiolatus, Mischocyttarus pseudomimeticus, Mischocyttarus punctatus, Mischocyttarus tomentosus, Mischocyttarus vaqueroi, Omicron aequale nigritum, Omicron conclamatum, Omicron criticum pulchripictum, Omicron foxi, Omicron globicolle, Omicron graculum atripes, Omicron lustratum, Omicron nanum incarum, Omicron paranymphus, Omicron ypsilon, Pachymenes ghilianii olivaceus, Pachymenes orellanae orellanae, Pachymenes orellanae vardyi, Parachartergus amazonensis, Parachartergus colobopterus, Parachartergus fasciipennis, Parachartergus fraternus, Parachartergus fulgidipennis, Parachartergus griseus, Parachartergus richardsi,Parachartergus smithii,Parachartergus weyrauchi,Pararhaphidoglossa clypeolaris,Pararhaphidoglossa confluenta confluenta, Pararhaphidoglossa cressoniana, Pararhaphidoglossa proxima, Polybia bistriata, Polybia catillifex,Polybia eberhardae,Polybia emaciata,Polybia fastidiosuscula,Polybia jurinei,Polybia liliacea,Polybia micans, Polybia occidentalis, Polybia platycephala sylvestris, Polybia quadricincta, Polybia raui raui, Polybia rejecta, Polybia scrobalis pronotalis, Polybia scrobalis scrobalis, Polybia sericea, Polybia striata, Polybia velutina, Protopolybia acutiscutis, Protopolybia amarella, Protopolybia chartergoides chartergoides, Protopolybia exigua binominata, Protopolybia exigua exigua, Protopolybia fuscatus, Protopolybia rugulosa, Protopolybia sedula, Pseudopolybia compressa, Pseudopolybia vespiceps, Santamenes peregrinus, Synoeca septentrionalis, Synoeca surinama, Synoeca virginea, Synoecoides depressus, Zethus brasiliensis fuscatus, Zethus mexicanus lugubris, Zethus mexicanus mexicanus

editors

institution: Universidad Nacional de Colombia

address: publisher: accessed: websites: chapter: series: issue: year: 1997

authors

authors: Sarmiento, C. E.

title: Véspidos de Colombia (Hymenoptera: Vespidae)

source: type: thesis

tags: Agelaia angulata angulata, Agelaia angulicollis, Agelaia brevistigma, Agelaia cajennensis, Agelaia

fulvofasciata, Agelaia hamiltoni, Agelaia testacea, Angiopolybia obidensis, Angiopolybia pallens, Angiopolybia paraensis, Angiopolybia zischkai, Apoica thoracica, Asteloeca traili, Brachygastra albula, Brachygastra augusti,Brachygastra lecheguana,Brachygastra propodealis,Brachygastra scutellaris,Brachymenes wagnerianus, Chartergellus amazonicus, Chartergellus punctatior, Chartergus chartarius, Chartergus globiventris, Chartergus metanotalis, Clypearia sulcata, Clypearia weyrauchi, Epipona guerini, Epipona tatua, Eumenes versicolor filiformis, Leipomeles dorsata, Metapolybia acincta, Metapolybia docilis, Metapolybia nigra, Metapolybia suffusa.Mischocyttarus adolphi.Mischocyttarus alfkenii.Mischocyttarus alfkenii excrucians.Mischocyttarus alfkenii trinitatis, Mischocyttarus carbonarius carbonarius, Mischocyttarus flavicans, Mischocyttarus foveatus, Mischocyttarus injucundus tingomariae, Mischocyttarus insolitus, Mischocyttarus labiatus, Mischocyttarus latissimus, Mischocyttarus metoecus, Mischocyttarus petiolatus, Mischocyttarus pseudomimeticus, Mischocyttarus punctatus, Mischocyttarus tomentosus, Mischocyttarus vaqueroi, Omicron aequale nigritum, Omicron conclamatum, Omicron criticum pulchripictum, Omicron foxi, Omicron globicolle, Omicron graculum atripes, Omicron lustratum, Omicron nanum incarum, Omicron paranymphus, Omicron ypsilon, Pachymenes ghilianii olivaceus, Pachymenes orellanae orellanae, Pachymenes orellanae vardyi, Parachartergus amazonensis, Parachartergus colobopterus, Parachartergus fasciipennis, Parachartergus fraternus, Parachartergus fulgidipennis, Parachartergus griseus, Parachartergus richardsi, Parachartergus smithii, Parachartergus weyrauchi, Pararhaphidoglossa clypeolaris, Pararhaphidoglossa confluenta confluenta, Pararhaphidoglossa cressoniana, Pararhaphidoglossa proxima, Polybia bistriata, Polybia catillifex, Polybia eberhardae, Polybia emaciata, Polybia fastidiosuscula, Polybia jurinei, Polybia liliacea, Polybia micans, Polybia occidentalis, Polybia platycephala sylvestris, Polybia quadricincta, Polybia raui raui, Polybia rejecta, Polybia scrobalis pronotalis, Polybia scrobalis scrobalis, Polybia sericea, Polybia striata, Polybia velutina, Protopolybia acutiscutis, Protopolybia amarella, Protopolybia chartergoides chartergoides, Protopolybia exigua binominata, Protopolybia exigua exigua, Protopolybia fuscatus, Protopolybia rugulosa, Protopolybia sedula, Pseudopolybia compressa, Pseudopolybia vespiceps, Santamenes peregrinus, Synoeca septentrionalis, Synoeca surinama, Synoeca virginea, Synoecoides depressus, Zethus brasiliensis fuscatus, Zethus mexicanus lugubris. Zethus mexicanus mexicanus abstract:

identifiers

last_modified: created: group_id: profile_id: id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo: providerLink:

publicationStatus

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

replacementNameFor

microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: sanctioned microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: laterHomonymOf microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: conservedAgainst basedOn microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: basionym microReference: source: datatype: identifier: source: datatype: identifier:

note:

ruleConsidered: spellingCorrentionOf typeNameEntity source: datatype: identifier: source: datatype: identifier: source: datatype: identifier: typificacion typeOfType: **lectotypeMicroReferenceVoucher** ${\bf lectotype Publication Voucher}$ voucherReference simple: microReference: year: publishedIn simple: source: datatype: identifier: specialAuthorship authors year simple:

canonicalAuthorship

simple: (Fabricius, 1804)

canonicalName infraspecificEpithet: specificEpithet:

authors

year simple:

infragenericEpithet: linkType: ref: uninomial: simple: Leipomeles dorsata rank: SPECIES simple: Leipomeles dorsata (Fabricius, 1804) attributes nomenclaturalCode: isAnamorphic: synonymsAtomized hierarchy ancillaryData dataObject: additionalInformation: reference geoPoint: location: thumbnailURL: mediaURL description: subject source: The Catalogue of Life, 3rd January 2011 audience bibliographicCitation: rigthsHolder: rights: license: title: modified: 2016-03-10T19:58:31.324Z created: 2016-03-10T19:58:31.324Z agent homepage: role: email: phone: address: position: organisation: lastName:

firstName: mimeType:

dataType: identifier: parentTaxon: Leipomeles higherClassification: infraspecificEpithet: specificEpithet: taxonRank: SPECIES subGenus: genus: Leipomeles family: Vespidae order: Hymenoptera classHierarchy: Insecta phylum: Arthropoda kingdom: Animalia recommended: classification: invasiveness invasivenessUnstructured: reproduction 0 dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: reproductionUnstructured: dataObject: additionalInformation: reference geoPoint: location: thumbnailURL: mediaURL description:

subject

audience
rightsHolder: rights: license: modified: created:
agent
mimeType: dataType: identifier: relatedTo: measurementRemarks: measurementMethod: measurementDeterminedBy: TraitBank measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: Sexual measurementType: Tipo de Reproducción measurementID:
molecularData
molecularDataUnstructured:
migratory
migratoryUnstructured:
lifeForm
lifeFormUnstructured:
lifeCycle
lifeCycleUnstructured:
interactions
interactionsUnstructured:
feeding
0
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created:

mimeType: dataType: identifier: feedingUnstructured:
0
0
strategy: Depredadores type:
environmentalEnvelope
environmentalEnvelopeUnstructured:
ecologicalSignificance
ecologicalSignificanceUnstructured:
dispersal
dispersalUnstructured: distance: structureDispersed: type: purpose:
behavior
0
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: behaviorUnstructured: Es una especie depredadora con hábitos eusociales.
ancillaryData
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation:

rightsHolder: rights: license: modified: created: mimeType: dataType: identifier:
measurementOrFact
relatedTo: measurementRemarks: measurementMethod: measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID:
endemicAtomized
distribution
ancillaryData
dataObject: additionalInformation:
reference
geoPoint: location: thumbnailURL:
mediaURL
description:
subject
source:
audience
bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created:
agent
mimeType: dataType: identifier: distributionUnstructured: Se distribuye en Sudamérica (Colombia, Venezuela, Guyana, Guyana Francesa, Surinam

Ecuador, Perú, Paraguay, Uruguay, Brasil y Bolivia) en zonas con rangos altitudinales de hasta 400 msnm. En Colombia se ha registrado en las regiones de la Orinoquía, Amazonia y Pacífica.

distributionAtomized

stateProvince: Amazonas

ancillaryData

locality: municipality: country: Colombia

temporalCoverage

endDate: startDate:

distributionScope

type:

threatStatus

territory

territoryUnstructured: areaOfOccupancy: extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint: location: thumbnailURL: description: source:

bibliographicCitation:

rightsHolder:

rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

abstract: Esta especie pertenece al grupo de las avispas mas pequeñas de la familia Vespidae. Presenta colores marrón o amarillo-marrón con amarillo o blanco-amarillo, raramente negruzcas pero pueden encontrarse varios patrones de coloración en el mismo nido; cabeza usualmente amarilla y en ocasiones con marcas negras; clípeo un poco más largo que ancho; carena pronotal suave y proyectada más hacia atrás en los costados.

associatedParty

role:

personnelldentifier: personnelDirectory:

homepage:

email: enataliagomezm@gmail.com

phone: postalCode: country: Colombia

state: Bogotá Distrito Capital

city: Bogotá D.C.

address: organisation: position:

lastName: Gómez Melendro firstName: Edith Natalia

ancillaryData

dataObject:

additionalInformation:

reference

geoPoint:

location:

thumbnailURL:

 $media URL: https://www.flickr.com/photos/plants_of_russian_in_brazil/8406880131/in/photolist-dNTswB-dQU9qR-mediaURL: https://www.flickr.com/photos/plants_of_russian_in_brazil/8406880131/in/photolist-dNTswB-dQU9qR-mediaURL: https://www.flickr.com/photos/plants_of_russian_in_brazil/8406880131/in/photolist-dNTswB-dQU9qR-mediaURL: https://www.flickr.com/photos/plants_of_russian_in_brazil/8406880131/in/photolist-dNTswB-dQU9qR-mediaURL: https://www.flickr.com/photos/plants_of_russian_in_brazil/8406880131/in/photolist-dNTswB-dQU9qR-mediaURL: https://www.flickr.com/photos/plants_of_russian_in_brazil/8406880131/in/photolist-dNTswB-dQU9qR-mediaURL: https://www.flickr.com/photos/plants_of_russian_in_brazil/8406880131/in/photolist-dNTswB-dQU9qR-mediaURL: https://www.flickr.com/photos/plants_of_russian_in_brazil/8406880131/in/photolist-dNTswB-dQU9qR-mediaURL: https://www.flickr.com/photos/plants_of_russian_in_brazil/8406880131/in/photolist-dNTswB-dQU9qR-mediaURL: https://www.flickr.com/photos/plants_of_russian_in_brazil/8406880131/in/photolist-dNTswB-dQU9qR-mediaURL: https://www.flickr.com/photos/plants_of_russian_in_brazil/8406880131/in/photolist-dNTswB-dQU9qR-mediaURL: https://www.flickr.com/photos/plants_of_russian_in_brazil/8406880131/in/photolist-dNTswB-dQU9qR-mediaURL: https://www.flickr.com/photos/pho$

dNZ4RU-dQU9oe-dNTsza-dQZHuE

description:

subject

source: https://farm9.staticflickr.com/8080/8406880131_f43bec7e8a.jpg

audience

bibliographicCitation:

rightsHolder: Alex Popovkin, Bahia, Brazil

rights

license: http://creativecommons.org/licenses/by/2.0/

modified: created:

agent

mimeType: dataType: identifier:

_id

_bsontype: ObjectID id: VáÑôfÄW DãÓð