

## Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e722db83c45700544e3f06

Fecha de creación: 2016-03-14T20:45:22.836Z

creation\_date: 2016-03-14T20:45:22.836Z

usesManagementAndConservation

[ancillaryData](#)

managementAndConservationUnstructured:

[managementAndConservationAtomized](#)

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

0

keywords: Ateuchus columbianum,Ateuchus hoplopygum,Ateuchus persplendens,Canthidium angusticeps,Canthidium basipunctatum,Canthidium cupreum,Canthidium deplanatum,Canthidium euchalceum,Canthidium funebre,Canthidium gemmingeri,Canthidium gerstaeckeri,Canthidium haroldi,Canthidium onitoides,Canthidium persplendens,Canthidium picipes,Canthidium steinheili,Canthon acutoides,Canthon brunneus,Canthon fulgidus,Canthon luteicollis,Canthon obscuriellus,Canthon pallidus,Canthon plagiatus,Canthon politus,Canthon semiopacus,Canthon subhyalinus,Canthon triangularis,Dichotomius belus,Dichotomius fallax,Dichotomius nisus,Dichotomius sericeus,Onthophagus rubescens,Onthophagus steinheili,Oruscatus opalescens,Pseudocanthon perplexus,Pseudocanthon xanthurus,Scybalocanthon imitans,Scybalocanthon kelleri,Scybalocanthon pygidialis,Scybalocanthon sexspilotus,Scybalocanthon trimaculatus,Uroxys brachialis,Uroxys caucanus,Uroxys coarctatus,Uroxys cuprescens,Uroxys metallescens

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 533--603

issue:

volume: 5

year: 1967

0: Vulcano, M. A.

1: Pereira, F. S.

title: Sinópsese dos Passalidae e Scarabaeidae s. str. da região Amazônica (Insecta, Coleoptera)

source: Atas do Simpósio sobre a Biota Amazônica

type: book\_section

tags: Ateuchus columbianum,Ateuchus hoplopygum,Ateuchus persplendens,Canthidium angusticeps,Canthidium basipunctatum,Canthidium cupreum,Canthidium deplanatum,Canthidium euchalceum,Canthidium funebre,Canthidium gemmingeri,Canthidium gerstaeckeri,Canthidium haroldi,Canthidium onitoides,Canthidium persplendens,Canthidium picipes,Canthidium steinheili,Canthon acutoides,Canthon brunneus,Canthon fulgidus,Canthon luteicollis,Canthon obscuriellus,Canthon pallidus,Canthon plagiatus,Canthon politus,Canthon semiopacus,Canthon subhyalinus,Canthon triangularis,Dichotomius belus,Dichotomius fallax,Dichotomius nisus,Dichotomius sericeus,Onthophagus rubescens,Onthophagus steinheili,Oruscatus opalescens,Pseudocanthon perplexus,Pseudocanthon xanthurus,Scybalocanthon imitans,Scybalocanthon kelleri,Scybalocanthon

pygidialis,Scybalocanthon sexspilotus,Scybalocanthon trimaculatus,Uroxys brachialis,Uroxys caucanus,Uroxys coarctatus,Uroxys cuprescens,Uroxys metallescens

abstract:

last\_modified:

created:

group\_id:

profile\_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

fullDescriptionUnstructured: Clípeo con carena transversa. Base del pronoto con dos hileras de puntos. 5 - 5.5 mm. de longitud (Vulcano & Pereira, 1967).

briefDescription:

## references

keywords: Canthidium angusticeps,Canthidium aurifex,Canthidium basipunctatum,Canthidium bicolor,Canthidium centrale,Canthidium convexifrons,Canthidium cupreum,Canthidium deplanatum,Canthidium elegantulum,Canthidium escaleraei,Canthidium euchalceum,Canthidium funebre,Canthidium gerstaeckeri,Canthidium lebasi,Canthidium onitoides,Canthidium perceptibile,Canthidium rufinum,Canthidium splendidum,Canthidium steinheili

## editors

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 19--40

issue:

year: 1986

## authors

authors: Martínez, A.

authors: Halffter, G.

title: Situación del género Canthidium Erichson (Coleoptera: Scarabaeidae: Scarabaeinae)

source: Acta Zoológica Mexicana

type: article

tags: Canthidium angusticeps,Canthidium aurifex,Canthidium basipunctatum,Canthidium bicolor,Canthidium centrale,Canthidium convexifrons,Canthidium cupreum,Canthidium deplanatum,Canthidium elegantulum,Canthidium escaleraei,Canthidium euchalceum,Canthidium funebre,Canthidium gerstaeckeri,Canthidium lebasi,Canthidium onitoides,Canthidium perceptibile,Canthidium rufinum,Canthidium splendidum,Canthidium steinheili

abstract:

identifiers

last\_modified:  
created:  
group\_id:  
profile\_id:  
id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo:  
providerLink:

publicationStatus

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

replacementNameFor

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

sanctioned

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

laterHomonymOf

microReference:  
source:  
datatype:

identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

conservedAgainst

basedOn

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

basionym

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

spellingCorrentionOf

typeNameEntity

source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:

typificacion

typeOfType:

lectotypeMicroReferenceVoucher

lectotypePublicationVoucher

voucherReference

simple:

microReference:  
year:

publishedIn

simple:  
source:  
datatype:  
identifier:

specialAuthorship

authors

year

simple:  
canonicalAuthorship

authors

year

simple:  
simple: Balthasar, 1939

canonicalName

infraspecificEpithet:  
specificEpithet:  
infragenericEpithet:  
linkType:  
ref:  
uninomial:  
simple: Canthidium basipunctatum  
rank: SPECIES  
simple: Canthidium basipunctatum Balthasar, 1939

attributes

nomenclaturalCode:  
isAnamorphic:  
id:

synonymsAtomized

hierarchy

ancillaryData

dataObject:  
additionalInformation:

reference

geoPoint:  
location:

thumbnailURL:

[mediaURL](#)

description:

[subject](#)

source: The Catalogue of Life, 3rd January 2011

[audience](#)

bibliographicCitation:

rightsHolder:

rights:

license:

title:

modified: 2016-03-14T20:45:02.836Z

created: 2016-03-14T20:45:02.836Z

[agent](#)

homepage:

role:

email:

phone:

address:

position:

organisation:

lastName:

firstName:

contentType:

dataFormat:

identifier:

parentTaxon: Canthidium

higherClassification:

infraspecificEpithet:

specificEpithet:

taxonRank: SPECIES

subGenus:

genus: Canthidium

family: Scarabaeidae

order: Coleoptera

classHierarchy: Insecta

phylum: Arthropoda

kingdom: Animalia

recommended:

classification:

[commonNameAtomized](#)

[ancillaryData](#)

dataObject:

additionalInformation:

[reference](#)

geoPoint:

location:  
thumbnailURL:

[mediaURL](#)

description:

[subject](#)

source:

[audience](#)

bibliographicCitation:  
rightsHolder:  
rights: Claudia Alejandra Medina  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:

[agent](#)

contentType:  
dataType:  
identifier:  
usedBy:

usedIn

distributionUnstructured:  
endDate:  
startDate:

[ancillaryData](#)

type:  
language: Español  
name: Escarabajo coprófago

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:  
additionalInformation:  
geoPoint:  
location:  
thumbnailURL:  
description:  
source:  
bibliographicCitation:  
rightsHolder:  
rights: Claudia Alejandra Medina  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:  
contentType:

dataType:  
identifier:  
reproductionUnstructured:  
  
0

dataObject:  
additionalInformation:

reference

geoPoint:  
location:  
thumbnailURL:

mediaURL

description:

subject

audience

rightsHolder:  
rights:  
license:  
modified:  
created:

agent

contentType:  
dataType:  
identifier:  
relatedTo:  
measurementRemarks:  
measurementMethod:  
measurementDeterminedBy: TraitBank  
measurementDeterminedDate:  
measurementUnit:  
measurementAccuracy:  
measurementValue: Sexual  
measurementType: Tipo de Reproducción  
measurementID:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions



interactionsUnstructured:

feeding

feedingUnstructured:

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

behaviorUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:

license:

modified:

created:

contentType:

dataType:

identifier:

measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

annualCycle

annualCycleUnstructured:

habitat

habitatUnstructured:

endemicAtomized

distribution

ancillaryData

dataObject:

additionalInformation:

reference

keywords: Agamopus lampros, Anisocanthon sericinus, Anisocanthon villosus, Ateuchus aeneomicans, Ateuchus columbianum, Ateuchus hoplopygum, Ateuchus persplendens, Bdelyrus seminudus, Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerae, Canthidium euchalceum, Canthidium funebre, Canthidium gemmingeri, Canthidium gerstaeckeri, Canthidium haroldi, Canthidium lebasi, Canthidium macroculare, Canthidium onitoides, Canthidium perceptibile, Canthidium persplendens, Canthidium picipes, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili, Canthion aberrans, Canthion acutoides, Canthion acutus, Canthion aequinoctialis, Canthion angularis, Canthion angustatus, Canthion brunneus, Canthion columbianus, Canthion cyanellus sallei, Canthion dentiger, Canthion deyrrollei, Canthion femoralis bimaculatus, Canthion femoralis femoralis, Canthion fulgidus, Canthion juvencus, Canthion lituratus, Canthion luteicollis, Canthion modestus, Canthion morsei, Canthion mutabilis Lucas 1857, Canthion muticus, Canthion obscuriellus, Canthion pallidus, Canthion plagiatum, Canthion politus, Canthion quinquemaculatus, Canthion semiopacus, Canthion septemmaculatus histrio, Canthion septemmaculatus septemmaculatus, Canthion smaragdulus, Canthion steinheili, Canthion subcyaneus, Canthion subhyalinus, Canthion tetraodon, Canthion triangularis, Canthonella gomezi, Copris incertus, Coprophanaeus ohausi, Coprophanaeus parvulus, Coprophanaeus suretai, Deltotichilum (Deltotichiloma) valgum, Deltotichilum spinipes, Diabroctis mimas, Dichotomius agenor, Dichotomius belus, Dichotomius compressicollis, Dichotomius diabolicus, Dichotomius fallax, Dichotomius longiceps, Dichotomius mamillatus, Dichotomius nisus, Dichotomius ohausi, Dichotomius podalirius, Dichotomius protectus, Dichotomius quinquelobatus, Dichotomius reclinator, Dichotomius rugatus, Dichotomius satanas, Dichotomius sericeus, Dichotomius worontzowi, Hansreia affinis, Malagoneiella astyanax columbica, Ontherus aphodioides, Ontherus compressicornis, Ontherus diabolicus, Ontherus pilatus, Ontherus pubens, Ontherus sulcator, Ontherus trituberculatus, Onthophagus acuminatus, Onthophagus atriglabrus, Onthophagus batesi, Onthophagus belorhinus, Onthophagus bidentatus, Onthophagus buculus, Onthophagus clypeatus, Onthophagus coscineus, Onthophagus curvicornis, Onthophagus dicranus, Onthophagus embrikianus, Onthophagus haematopus, Onthophagus hirculus, Onthophagus landolti landolti, Onthophagus lebasi, Onthophagus marginicollis, Onthophagus mirabilis, Onthophagus nabeleki, Onthophagus nasutus, Onthophagus nyctopus, Onthophagus osculatii, Onthophagus praecellens, Onthophagus rhinophyllus, Onthophagus rubescens, Onthophagus steinheili, Onthophagus transisthmus, Onthophagus xanthomerus, Oruscatus opalescens, Oxysternon ebeninum, Oxysternon spiniferum, Phanaeus bispinus, Phanaeus cambeforti, Phanaeus chalconelas, Phanaeus haroldi, Phanaeus hermes, Phanaeus meleagris, Phanaeus prasinus, Phanaeus pyrois, Pseudocanthion perplexus, Pseudocanthion xanthurus, Scybalocanthion darlingtoni, Scybalocanthion imitans, Scybalocanthion kelleri, Scybalocanthion maculatus, Scybalocanthion pygidialis, Scybalocanthion sexspilotus, Scybalocanthion trimaculatus, Sylvicanthion bridarollii Mart'inez 1949, Sylvicanthion candezei, Uroxys bidentis, Uroxys brachialis, Uroxys caucanus, Uroxys coarctatus, Uroxys cuprescens, Uroxys depressifrons, Uroxys gatunensis, Uroxys gorgon, Uroxys metallescens, Uroxys micros, Uroxys nebulinus

editors

institution:

edition: 2

address:

publisher:

accessed:

websites:

chapter:  
series:  
pages: 131--144  
issue:  
volume: 2  
year: 2001

## authors

authors: Medina, C.  
authors: Lopera, A.  
authors: V'itolo, A.  
authors: Gill, B.  
title: Escarabajos coprófagos (Coleoptera: Scarabaeidae: Scarabaeinae) de Colombia  
source: Biota Colombiana

type: article

tags: Agamopus lampros, Anisocanthon sericinus, Anisocanthon villosus, Ateuchus aeneomicans, Ateuchus columbianum, Ateuchus hoplopygum, Ateuchus persplendens, Bdelyrus seminudus, Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerae, Canthidium euchalceum, Canthidium funebre, Canthidium gemmingeri, Canthidium gerstaeckeri, Canthidium haroldi, Canthidium lebasi, Canthidium macroculare, Canthidium onitoides, Canthidium perceptibile, Canthidium persplendens, Canthidium picipes, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili, Canthon aberrans, Canthon acutoides, Canthon acutus, Canthon aequinoctialis, Canthon angularis, Canthon angustatus, Canthon brunneus, Canthon columbianus, Canthon cyanellus sallei, Canthon dentiger, Canthon deyrollei, Canthon femoralis bimaculatus, Canthon femoralis femoralis, Canthon fulgidus, Canthon juvenus, Canthon lituratus, Canthon luteicollis, Canthon modestus, Canthon morsei, Canthon mutabilis Lucas 1857, Canthon muticus, Canthon obscuriellus, Canthon pallidus, Canthon plagiatus, Canthon politus, Canthon quinquemaculatus, Canthon semiopacus, Canthon septemmaculatus histrio, Canthon septemmaculatus septemmaculatus, Canthon smaragdulus, Canthon steinheili, Canthon subcyaneus, Canthon subhyalinus, Canthon tetraodon, Canthon triangularis, Canthonella gomezi, Copris incertus, Coprophanaeus ohausi, Coprophanaeus parvulus, Coprophanaeus surenai, Deltochilum (Deltohyboma) valgum, Deltochilum spinipes, Diabroctis mimas, Dichotomius agenor, Dichotomius belus, Dichotomius compressicollis, Dichotomius diabolicus, Dichotomius fallax, Dichotomius longiceps, Dichotomius mamillatus, Dichotomius nisus, Dichotomius ohausi, Dichotomius podalirius, Dichotomius protectus, Dichotomius quinquelobatus, Dichotomius reclinatus, Dichotomius rugatus, Dichotomius satanas, Dichotomius sericeus, Dichotomius worontzowi, Hansreia affinis, Malagoniella astyanax columbica, Ontherus aphodioides, Ontherus compressicornis, Ontherus diabolicus, Ontherus pilatus, Ontherus pubens, Ontherus sulcator, Ontherus trituberculatus, Onthophagus acuminatus, Onthophagus atriglabrus, Onthophagus batesi, Onthophagus belorhinus, Onthophagus bidentatus, Onthophagus buculus, Onthophagus clypeatus, Onthophagus coscineus, Onthophagus curvicornis, Onthophagus dicranus, Onthophagus embrikianus, Onthophagus haematopus, Onthophagus hirculus, Onthophagus landolti landolti, Onthophagus lebasi, Onthophagus marginicollis, Onthophagus mirabilis, Onthophagus nabeleki, Onthophagus nasutus, Onthophagus nyctopus, Onthophagus osculatii, Onthophagus praecellens, Onthophagus rhinophyllus, Onthophagus rubescens, Onthophagus steinheili, Onthophagus transisthmus, Onthophagus xanthomerus, Oruscatus opalescens, Oxysternon ebeninum, Oxysternon spiniferum, Phanaeus bispinus, Phanaeus cambeforti, Phanaeus chalcomelas, Phanaeus haroldi, Phanaeus hermes, Phanaeus meleagris, Phanaeus prasinus, Phanaeus pyrois, Pseudocanthon perplexus, Pseudocanthon xanthurus, Scybalocanthon darlingtoni, Scybalocanthon imitans, Scybalocanthon kelleri, Scybalocanthon maculatus, Scybalocanthon pygidialis, Scybalocanthon sexspilotus, Scybalocanthon trimaculatus, Sylvicanthon bridarollii Mart'inez 1949, Sylvicanthon candezei, Uroxys bidentis, Uroxys brachialis, Uroxys caucanus, Uroxys coarctatus, Uroxys cuprescens, Uroxys depressifrons, Uroxys gatanensis, Uroxys gorgon, Uroxys metallescens, Uroxys micros, Uroxys nebulinus

abstract:

## identifiers

last\_modified:  
created:

group\_id:  
profile\_id:  
id:  
geoPoint:  
location:  
thumbnailURL:

[mediaURL](#)

description:

[subject](#)

source:

[audience](#)

bibliographicCitation:  
rightsHolder:  
rights: Claudia Alejandra Medina  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:

[agent](#)

contentType:  
dataType:  
identifier:  
distributionUnstructured: Esta especie ha sido registrada en Bolivia, Colombia y Perú (Martínez & Halffter, 1986). En el país se desconoce su distribución real (Medina et al., 2001).

[distributionAtomized](#)

temporalCoverage

endDate:  
startDate:

distributionScope

type:

[threatStatus](#)

territory

territoryUnstructured:  
areaOfOccupancy:  
extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

## ancillaryData

dataObject:  
additionalInformation:  
geoPoint:  
location:  
thumbnailURL:  
description:  
source:  
bibliographicCitation:  
rightsHolder:  
rights:  
license:  
modified:  
created:  
mimeType:  
dataType:  
identifier:

## measurementOrFact

relatedTo:  
measurementRemarks:  
measurementMethod:  
measurementDeterminedDate:  
measurementUnit:  
measurementAccuracy:  
measurementValue:  
measurementType:  
measurementID:

abstract: *Canthidium basipunctatum* es una especie de escarabajo que se distribuye en Sudamérica (Martínez & Halffter, 1986). Este insecto se caracteriza por presentar la base del pronoto con dos hileras de puntos (Vulcano & Pereira, 1967).

## associatedParty

role:  
personnelIdentifier:  
personnelDirectory:  
homepage:  
email: enataliagomezm@gmail.com  
phone:  
postalCode:  
country: Colombia  
state: Bogotá Distrito Capital  
city: Bogotá D.C.  
address:  
organisation:  
position:  
lastName: Gómez Melendro  
firstName: Edith Natalia

## ancillaryData

dataObject:  
additionalInformation: Créditos específicos: La elaboración de estas fichas recibió el apoyo de la Organización de los Estados Americanos (OEA) y la Red Interamericana de Información sobre Biodiversidad (IABIN). Se agradece a la Colección Entomológica del Instituto Humboldt IAVH por facilitar información que contribuyó a la elaboración de

las fichas y al Sistema de Información en Biodiversidad de Colombia (SIB) por el apoyo técnico.

reference

geoPoint:  
location:  
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:  
rightsHolder:  
rights:  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:

agent

mimeType:  
dataType:  
identifier:

\_id  
\_bsontype: ObjectID  
id: Vç"ŪfÄW Dãö