Reporte de Fichas para el usuario: edith gómez Ficha ID: 56d4dd783c16479905cba8d4 Fecha de creación: 2016-03-01T00:08:25.988Z annualCycles annualCycleUnstructured: habitats 0 dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Clara Maria Pérez Gallego license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: habitatUnstructured: Terrestre y arbórea. Claros con arbustos y bordes. commonNamesAtomized ancillaryData usedBy: usedIn distributionUnstructured: endDate: startDate: ancillaryData type: language: Inglés name: Red-eyed Vireo creation_date: 2016-03-01T00:08:25.988Z usesManagementAndConservation ancillaryData managementAndConservationUnstructured:

managementAndConservationAtomized

identificationKeys

fullDescription

	٠

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Clara Maria Pérez Gallego

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

fullDescriptionUnstructured: Ojos rojos, encima verde oliva opaco; coronilla y nuca gris, superciliar blanca bordeada por encima por línea negra y debajo por lista ocular negruzca; partes inferiores blancas, usualmente con débil tinte amarillo en los lados (especialmente en plumaje de otoño e inmaduros).

briefDescription:

references

taxonRecordName

ancillaryData

providerSpecificData

anyTwo: providerLink:

publicationStatus

microReference:

source:
datatype:
identifier:
source:

datatype: identifier: note:

ruleConsidered:

replacementNameFor

microReference:

source: datatype: identifier: source: datatype: identifier:

note:

ruleConsidered:

sanctioned

microReference:

source:

datatype: identifier:

source:

datatype: identifier:

note: ruleConsidered:

laterHomonymOf

•

microReference: source: datatype: identifier: source:

datatype: identifier:

note:

ruleConsidered:

conservedAgainst

basedOn

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

basionym

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

spellingCorrentionOf

typeNameEntity

source: datatype: identifier: source:

datatype: identifier: source: datatype: identifier:
typificacion
typeOfType:
lectotypeMicroReferenceVoucher
lectotypePublicationVoucher
voucherReference
simple: microReference: year:
publishedIn
simple: source: datatype: identifier:
specialAuthorship
authors
year
year simple:
simple:
simple: canonicalAuthorship
simple: canonicalAuthorship authors
simple: canonicalAuthorship authors year simple:
simple: canonicalAuthorship authors year simple: simple: (Linnaeus, 1766) canonicalName infraspecificEpithet: specificEpithet: infragenericEpithet: linkType: ref: uninomial: simple: Vireo olivaceus rank: SPECIES
simple: canonicalAuthorship authors year simple: simple: (Linnaeus, 1766) canonicalName infraspecificEpithet: specificEpithet: infragenericEpithet: linkType: ref: uninomial: simple: Vireo olivaceus

nomenclaturalCode:

isAnamorphic: id:
synonymsAtomized
ancillaryData
synonymStatus:
synonymName
anyTwo:
anyOne
providerLink: microReference:
publishedIn
source: datatype: identifier:
reletedName
source: datatype: identifier: note: ruleConsidered: microReference:
publishedIn
source: datatype: identifier:
reletedName
source: datatype: identifier: note: ruleConsidered: microReference:
publishedIn
source: datatype: identifier:
reletedName
source: datatype: identifier: note: ruleConsidered:
microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier: note:

ruleConsidered:

typeNameEntity

source: datatype: identifier: source: datatype: identifier: source: datatype:

typeVoucherEntity

typeOfType: simple:

identifier:

microReference:

year:

source: datatype: identifier:
combinationAuthorship
basionymAuthorship
simple:
authorship
simple: simple: Linnaeus, 1766
epithet
infraspecificEpithet: specificEpithet: infragenericEpithet:
genus
linkType: ref: uninomial: simple: Muscicapa olivaceus rank: SPECIES
simple: Muscicapa olivaceus Linnaeus, 1766 nomenclaturalCode: isAnamorphic: id:
hierarchy
ancillaryData
dataObject: additionalInformation:
reference
geoPoint: location: thumbnailURL:
mediaURL
description:
subject
source: The Catalogue of Life, 3rd January 2011
audience
bibliographicCitation: rigthsHolder: rights: license:

title:

modified: 2016-03-01T00:08:05.985Z created: 2016-03-01T00:08:05.985Z

agent

homepage:

role:
email:
phone:
address:
position:
organisation:
lastName:
firstName:
mimeType:
dataType:
identifier:

parentTaxon: Vireo higherClassification: infraspecificEpithet: specificEpithet:

taxonRank: SPECIES

subGenus: genus: Vireo family: Vireonidae order: Passeriformes classHierarchy: Aves phylum: Chordata kingdom: Animalia recommended: classification:

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:

additionalInformation:

geoPoint: location: thumbnailURL: description:

source: bibliographicCitation:

rightsHolder:

rights: Clara Maria Pérez Gallego

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

reproductionUnstructured: El nido es en forma de taza de fibras suspendida; por lo general 2 huevos blancos punteados de negruzco principalmente en extremo mayor.

molecularData
molecularDataUnstructured:
migratory
migratoryUnstructured:
lifeForm
lifeFormUnstructured:
lifeCycle
lifeCycleUnstructured:
interactions
interactionsUnstructured:
feeding
0
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Clara Maria Pérez Gallego license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: feedingUnstructured: Se alimenta principalmente de frutas.
environmentalEnvelope
environmentalEnvelopeUnstructured:
ecologicalSignificance
ecologicalSignificanceUnstructured:
dispersal
dispersalUnstructured: distance: structureDispersed: type: purpose:
behavior
0
dataObject:

additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Clara Maria Pérez Gallego license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: behaviorUnstructured: Diurno y grupos. Alturas variables en claros con arbustos y bordes y a menudo con bandas mixtas. Especies migratorias de N América aparentemente silenciosos en área de invernada.
ancillaryData
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier:
measurementOrFact
relatedTo: measurementRemarks: measurementMethod: measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID:
endemicAtomized
distribution
ancillaryData
dataObject: additionalInformation:

reference geoPoint: location: thumbnailURL: mediaURL description: subject source: audience bibliographicCitation: rightsHolder: rights: Clara Maria Pérez Gallego license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: agent mimeType: dataType: identifier: distributionUnstructured: S Texas hasta la mayor parte de Sur América. Inverna en la cuenca amazónica. En el pais se distribuye al W y E de los Andes, pero se puede observar en todo el país y sus regiones naturales hasta los 3600 msnm. distributionAtomized ancillaryData locality: municipality: county: stateProvince: Amazonas country: Colombia temporalCoverage endDate: startDate: distributionScope type: threatStatus

ancillaryData

threatStatusUnstructured:

threatStatusAtomized

apendiceCITES:

locality:

municipality: county: stateProvince: country: Global 0: IUCN measurementValue: Preocupación menor (LC) relatedTo: measurementRemarks: measurementMethod: measurementDeterminedBy measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementType: IUCN measurementID: territory territoryUnstructured: areaOfOccupancy: extentOfOccurrence: populationBiology populationBiologyUnstructured: legislation legislationUnstructured: directThreats directThreatsUnstructured: ancillaryData dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier: measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID: abstract:

associatedParty

role:

personnelldentifier: personnelDirectory:

homepage:

email: enataliagomezm@gmail.com

phone: postalCode: country: Colombia

state: Bogotá Distrito Capital

city: Bogotá D.C.

address: organisation: position:

lastName: Gómez Melendro firstName: Edith Natalia

ancillaryData

dataObject:

additionalInformation: Registros biológicos: En la Central Hidroeléctrica Miel I se registró en el bosque El Tigre, en

los rastrojos de El Encanto, Mirador y Reten Norcasia y en el área intervenida de la Cantera.

Imagen: Vireo_olivaceus.jpg

reference

geoPoint: location:

thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:

rightsHolder: Clara Maria Pérez Gallego

riahts:

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

agent

mimeType: dataType: identifier:

_id

_bsontype: ObjectID id: VÔÝx< G™\0•@