Reporte de Fichas para el usuario: edith gómez
Ficha ID: 56e0ae0083c45700544e3cdf Fecha de creación: 2016-03-09T23:13:10.008Z
annualCycles
annualCycleUnstructured:
habitats
habitatUnstructured:
commonNamesAtomized
ancillaryData
dataObject: additionalInformation:
reference
geoPoint: location: thumbnailURL:
mediaURL
description:
subject
source:
audience
bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created:
agent
mimeType: dataType: identifier: usedBy:
usedIn
distributionUnstructured: endDate: startDate:
ancillaryData
type: language: Español name: Avispa creation, date: 2016-03-09T23:13:10 0087

uses Management And Conservation

#### ancillaryData

managementAndConservationUnstructured:

### managementAndConservationAtomized

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

geoPoint: location: thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Nancy Yohana Carrillo Carrillo

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

fullDescriptionUnstructured: Ojos distintivamente peludos; longitud del ala anterior menos de 10,5mm; sin margen genal o pronotal; Margen frontal del pronoto frente a la fóvea poco prominente. Placa dorsal del mesepisterno más amplia de manera que la sutura sale de la parte anterior formando un ángulo de cerca de 90°; escutelo usualmente sin una línea central notoria; mesoescuto con margen lateral interrumpido. briefDescription:

#### references

keywords: Agelaia angulata angulata, Agelaia angulicollis, Agelaia brevistigma, Agelaia cajennensis, Agelaia fulvofasciata, Agelaia hamiltoni, Agelaia testacea, Angiopolybia obidensis, Angiopolybia pallens, Angiopolybia paraensis, Angiopolybia zischkai, Apoica thoracica, Asteloeca traili, Brachygastra albula, Brachygastra augusti, Brachygastra lecheguana, Brachygastra propodealis, Brachygastra scutellaris, Chartergellus amazonicus, Chartergellus punctatior, Chartergus chartarius, Chartergus globiventris, Chartergus metanotalis, Clypearia sulcata, Clypearia weyrauchi, Epipona tatua, Leipomeles dorsata, Metapolybia acincta, Metapolybia docilis, Metapolybia nigra, Metapolybia suffusa, Mischocyttarus adolphi, Mischocyttarus alfkeni, Mischocyttarus alfkenii excrucians, Mischocyttarus alfkenii trinitatis, Mischocyttarus carbonarius carbonarius, Mischocyttarus flavicans, Mischocyttarus foveatus, Mischocyttarus injucundus tingomariae, Mischocyttarus insolitus, Mischocyttarus labiatus, Mischocyttarus latissimus, Mischocyttarus metoecus, Mischocyttarus petiolatus, Mischocyttarus pseudomimeticus, Mischocyttarus punctatus, Mischocyttarus tomentosus, Mischocyttarus vaqueroi, Parachartergus amazonensis, Parachartergus colobopterus, Parachartergus fasciipennis, Parachartergus fraternus, Parachartergus fulgidipennis, Parachartergus griseus, Parachartergus richardsi, Parachartergus weyrauchi, Polybia bistriata, Polybia catillifex, Polybia eberhardae, Polybia emaciata, Polybia fastidiosuscula, Polybia jurinei, Polybia liliacea, Polybia micans, Polybia occidentalis, Polybia platycephala sylvestris, Polybia quadricincta, Polybia raui raui, Polybia rejecta, Polybia scrobalis pronotalis, Polybia scrobalis scrobalis. Polybia sericea. Polybia striata. Polybia velutina, Protopolybia acutiscutis. Protopolybia amarella, Protopolybia chartergoides chartergoides, Protopolybia exigua binominata, Protopolybia exigua exigua, Protopolybia fuscatus, Protopolybia rugulosa, Protopolybia sedula, Pseudopolybia compressa, Pseudopolybia vespiceps, Synoeca septentrionalis, Synoeca surinama, Synoeca virginea

## editors

institution: address: publisher: accessed: websites: chapter: series: pages: 585 issue: year: 1978

#### authors

authors: Richards, O. W.

title: The social wasps of the Americas excluding the Vespinae

source: type: book

tags: Agelaia angulata angulata, Agelaia angulicollis, Agelaia brevistigma, Agelaia cajennensis, Agelaia fulvofasciata, Agelaia hamiltoni, Agelaia testacea, Angiopolybia obidensis, Angiopolybia pallens, Angiopolybia paraensis, Angiopolybia zischkai, Apoica thoracica, Asteloeca traili, Brachygastra albula, Brachygastra augusti, Brachygastra lecheguana, Brachygastra propodealis, Brachygastra scutellaris, Chartergellus amazonicus, Chartergellus punctatior, Chartergus chartarius, Chartergus globiventris, Chartergus metanotalis, Clypearia sulcata, Clypearia weyrauchi, Epipona tatua, Leipomeles dorsata, Metapolybia acincta, Metapolybia docilis, Metapolybia nigra, Metapolybia suffusa, Mischocyttarus adolphi, Mischocyttarus alfkeni, Mischocyttarus alfkenii excrucians, Mischocyttarus alfkenii trinitatis, Mischocyttarus carbonarius carbonarius, Mischocyttarus flavicans, Mischocyttarus foveatus, Mischocyttarus injucundus tingomariae, Mischocyttarus insolitus, Mischocyttarus labiatus, Mischocyttarus latissimus, Mischocyttarus metoecus, Mischocyttarus petiolatus, Mischocyttarus pseudomimeticus, Mischocyttarus punctatus, Mischocyttarus tomentosus, Mischocyttarus vaqueroi, Parachartergus amazonensis, Parachartergus colobopterus, Parachartergus fasciipennis.Parachartergus fraternus.Parachartergus fulgidipennis.Parachartergus griseus.Parachartergus richardsi, Parachartergus weyrauchi, Polybia bistriata, Polybia catillifex, Polybia eberhardae, Polybia emaciata, Polybia fastidiosuscula, Polybia jurinei, Polybia liliacea, Polybia micans, Polybia occidentalis, Polybia platycephala sylvestris, Polybia quadricincta, Polybia raui raui, Polybia rejecta, Polybia scrobalis pronotalis, Polybia scrobalis scrobalis, Polybia sericea, Polybia striata, Polybia velutina, Protopolybia acutiscutis, Protopolybia amarella, Protopolybia chartergoides chartergoides, Protopolybia exigua binominata, Protopolybia exigua exigua, Protopolybia fuscatus, Protopolybia rugulosa, Protopolybia sedula, Pseudopolybia compressa, Pseudopolybia vespiceps, Synoeca septentrionalis, Synoeca surinama, Synoeca virginea abstract:

#### identifiers

last\_modified: created: group\_id: profile\_id: id:

taxonRecordName

# ancillaryData

providerSpecificData

anyTwo: providerLink:

# microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: replacementNameFor microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: sanctioned microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: laterHomonymOf microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: conservedAgainst basedOn microReference: source: datatype: identifier:

source: datatype: identifier:

publicationStatus

note: ruleConsidered:
basionym
microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered:
spellingCorrentionOf
typeNameEntity
source: datatype: identifier: source: datatype: identifier: source: datatype: identifier:
typificacion
typeOfType:
lectotypeMicroReferenceVoucher
lectotypePublicationVoucher
voucherReference
simple: microReference: year:
publishedIn
simple: source: datatype: identifier:
specialAuthorship
authors
year
simple:
canonicalAuthorship

#### authors

### year

simple:

simple: Richards, 1978

canonicalName

infraspecificEpithet: specificEpithet: infragenericEpithet:

linkType: ref:

uninomial: simple: Angiopolybia zischkai

rank: SPECIES

simple: Angiopolybia zischkai Richards, 1978

attributes

nomenclaturalCode: isAnamorphic:

id:

# synonymsAtomized

# hierarchy

# ancillaryData

dataObject: additionalInformation:

### reference

geoPoint: location: thumbnailURL:

# mediaURL

description:

# subject

source: The Catalogue of Life, 3rd January 2011

#### audience

bibliographicCitation:

rigthsHolder:

rights: license: title:

modified: 2016-03-09T23:12:49.902Z created: 2016-03-09T23:12:49.902Z

#### agent

homepage: role: email: phone: address: position: organisation: lastName: firstName: mimeType: dataType: identifier: parentTaxon: Angiopolybia higherClassification: infraspecificEpithet: taxonRank: SPECIES subGenus: genus: Angiopolybia family: Vespidae order: Hymenoptera classHierarchy: Insecta phylum: Arthropoda kingdom: Animalia recommended: classification:
invasiveness
invasivenessUnstructured:
reproduction
0
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: reproductionUnstructured: 0
dataObject: additionalInformation:

# reference geoPoint: location: thumbnailURL: mediaURL description: subject audience rightsHolder: rights: license: modified: created: agent mimeType: dataType: identifier: relatedTo: measurementRemarks: measurementMethod: measurementDeterminedBy: TraitBank measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: Sexual measurementType: Tipo de Reproducción measurementID: molecularData molecularDataUnstructured: migratory migratoryUnstructured: lifeForm lifeFormUnstructured: lifeCycle lifeCycleUnstructured: interactions interactionsUnstructured:

feeding

dataObject:

additionalInformation:

0

ecologicalSignificanceUnstructured:

keywords: Agelaia angulicollis, Agelaia brevistigma, Agelaia cajennensis, Agelaia fulvofasciata, Agelaia hamiltoni, Agelaia testacea, Angiopolybia obidensis, Angiopolybia pallens, Angiopolybia paraensis, Angiopolybia zischkai institution: Universidad de Costa Rica address: publisher: accessed: websites: chapter: series: issue: year: 2010 0: Valverde, J.P. title: Clave taxonómica ilustrada para los géneros y las especies de avispas eusociales de Costa Rica (Hymenoptera: Vespidae, Polistinae) source: type: thesis tags: Agelaia angulicollis, Agelaia brevistigma, Agelaia cajennensis, Agelaia fulvofasciata, Agelaia hamiltoni, Agelaia testacea, Angiopolybia obidensis, Angiopolybia pallens, Angiopolybia paraensis, Angiopolybia zischkai abstract: last\_modified: created: group id: profile\_id: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Equipo Coordinador del SiB Colombia license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: feedingUnstructured: Su dieta alimenticia se compone de dos elementos, el néctar y las presas (Valverde, 2010). 0 strategy: Depredadores type: Heterótrofos - Omnívoros environmentalEnvelope environmentalEnvelopeUnstructured: ecologicalSignificance

dispersal
dispersalUnstructured: distance: structureDispersed: type: purpose:
behavior
0
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: behaviorUnstructured: Son avispas eusociales, viven en colonias y tienen hábitos depredadores.
ancillaryData
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier:
measurementOrFact
relatedTo: measurementRemarks: measurementMethod: measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue:

measurementType: measurementID:

#### endemicAtomized

#### distribution

# ancillaryData

dataObject:

additionalInformation:

#### reference

geoPoint: location: thumbnailURL:

#### mediaURL

description:

#### subject

source:

#### audience

bibliographicCitation:

rightsHolder:

rights: Nancy Carolina Rojas Riaño

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

#### agent

mimeType: dataType: identifier:

distributionUnstructured: Se ha registrado en áreas con altitudes de hasta 1600 msnm en Colombia, Bolivia y Perú. En el país se distribuye en la región de la Amazonia, Caribe y Andina.

#### distributionAtomized

stateProvince: Magdalena

# ancillaryData

locality: municipality: country: Colombia

#### temporalCoverage

endDate: startDate:

distributionScope

type:

threatStatus
territory
territoryUnstructured: areaOfOccupancy: extentOfOccurrence:
populationBiology
populationBiologyUnstructured:
legislation
legislationUnstructured:
directThreats
directThreatsUnstructured:
ancillaryData
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier:
measurementOrFact
relatedTo: measurementRemarks: measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID: abstract: Angiopolybia zischkai es una especie del genero Angiopolybia y se caracteriza por presenta longitudes alares anteriores menores a 10,5mm y ojos peludos. Son avispas con comportamiento eusocial que habitan en áreas con altitudes de hasta 1600 msnm y presentan habitos depredadores. Sus fuentes de alimento principales son algunas plantas (nectar) y presas, como moscas, ortópteros, coleópteros y larvas (Valverde, 2010).
associatedParty

role:

personnelldentifier: personnelDirectory:

homepage:

email: enataliagomezm@gmail.com

phone: postalCode: country: Colombia

state: Bogotá Distrito Capital

city: Bogotá D.C.

address: organisation: position:

lastName: Gómez Melendro firstName: Edith Natalia

#### ancillaryData

#### dataObject:

additionalInformation: Créditos específicos: Al Instituto Amazónico de Investigaciones Científicas Sinchi. Al Sistema de Información Ambiental Territorial de la Amazonia Colombiana SIAT-AC. La elaboración de esta ficha fue posible gracias al apoyo del gobierno de Finlandia a través del convenio entre la Secretaria General de la CAN y el Instituto Sinchi para el proyecto "Sistema Regional Amazónico de Información Ambiental con énfasis en Biodiversidad de los países miembros de la CAN, (programa BIOCAN), componente SIAT-AC".

Registros biológicos: Colección Entomológica, Instituto de Ciencias Naturales, Universidad Nacional de Colombia. Bogotá, Colombia http://www.biovirtual.unal.edu.co/colecciones/datos/animalia/consultasMammalia.jsp?clase=4 Información de tipos: El holotipo está depositado en el United States National Museum, Washington, EEUU (USNM).

#### reference

geoPoint: location:

thumbnailURL:

#### mediaURL

description:

# subject

source:

#### audience

bibliographicCitation:

rightsHolder:

rights:

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

#### agent

mimeType: dataType: identifier:

\_id

\_bsontype: ObjectID id: Và® <EpTN<ß