

Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e1a00f83c45700544e3d1f

Fecha de creación: 2016-03-10T16:25:58.735Z

annualCycles

annualCycleUnstructured:

habitats

0

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Nancy Carolina Rojas Riaño

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

mimeType:

dataType:

identifier:

habitatUnstructured: Esta especie habita bosques húmedos tropicales, y se encuentra cerca de quebradas o pequeños charcos volando cerca del agua.

[commonNamesAtomized](#)

[ancillaryData](#)

dataObject:

additionalInformation:

[reference](#)

geoPoint:

location:

thumbnailURL:

[mediaURL](#)

description:

[subject](#)

source:

[audience](#)

bibliographicCitation:

rightsHolder:

rights: Nancy Carolina Rojas Riaño

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

agent

contentType:
data Type:
identifier:
usedBy:

usedIn

distributionUnstructured:
endDate:
startDate:

ancillaryData

type:
language: Español
name: Caballito del diablo
creation_date: 2016-03-10T16:25:58.735Z

usesManagementAndConservation

ancillaryData

managementAndConservationUnstructured:

managementAndConservationAtomized

identificationKeys

0

dataObject:
additionalInformation:

0

keywords: Drepanoneura flinti
institution:
address:
publisher:
accessed:
websites:
chapter:
series:

pages: 1--34

issue:

volume: 1842

year: 2008

0: Von Ellenrieder, N.

1: Garrison, R.

title: Drepanoneura gen. nov. for Epipleoneura letitia and Protoneura peruviana, with descriptions of eight new Protoneuridae from South America (Odonata: Protoneuridae)

source: Zootaxa

type: article

tags: Drepanoneura flinti

abstract:

last_modified:

created:

group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Nancy Carolina Rojas Riaño
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
keys: Von Ellenrieder, N., & Garrison, R. (2008). Drepanoneura gen. nov. for Epipleoneura letitia and Protoneura peruviansis, with descriptions of eight new Protoneuridae from South America (Odonata: Protoneuridae). Zootaxa, 1842, 1–34.

fullDescription

0

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Nancy Carolina Rojas Riaño
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:

fullDescriptionUnstructured: El macho presenta anteclypeo amarillo pálido. Base de la mandíbula, gena, y parte anterior de la frente azul pálido, el resto de la cabeza es negro. Protórax, mesepisterno, mesepimero negro con verde metálico y reflejos cobrizos. Coxa negra, trocánter amarillo, fémur café y negro en el ápice. Tibia y tarsos amarillos con ápices negros. 3 espinas en el metafémur, 6 en la tibia media. 12 venas postnodales en el ala anterior y 10 en la posterior. Abdomen dorso lateralmente negro con reflejos metálicos, porciones laterales de los tergitos y esternitos café claro a amarillo. Ápice de la lígula genital con una hendidura superficial en forma de v, lóbulos latero distales cortos, y curvos medialmente. Margen dorso posterior del segmento abdominal 10 proyectado posteriormente. Rama ventral de los cercos más larga que su base.

briefDescription:

[references](#)

keywords: Drepanoneura flinti

[editors](#)

institution:
address:
publisher:
accessed:
websites:
chapter:
series:
pages: 1--34
issue:
volume: 1842
year: 2008

authors

authors: Von Ellenrieder, N.
authors: Garrison, R.
title: Drepanoneura gen. nov. for Epipleoneura letitia and Protoneura peruviansis, with descriptions of eight new Protoneuridae from South America (Odonata: Protoneuridae)
source: Zootaxa
type: article
tags: Drepanoneura flinti
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo:
providerLink:

publicationStatus

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

replacementNameFor

microReference:
source:
datatype:
identifier:
source:

datatype:
identifier:
note:
ruleConsidered:

sanctioned

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

laterHomonymOf

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

conservedAgainst

basedOn

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

basionym

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

spellingCorrentionOf

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typificacion

typeOfType:

lectotypeMicroReferenceVoucher

lectotypePublicationVoucher

voucherReference

simple:
microReference:
year:

publishedIn

simple:
source:
datatype:
identifier:

specialAuthorship

authors

year

simple:
canonicalAuthorship

authors

year

simple:
simple: von Ellenrieder & Garrison, 2008

canonicalName

infraspecificEpithet:
specificEpithet:
infragenericEpithet:
linkType:

ref:
uninomial:
simple: Drepanoneura flinti
rank: SPECIES

simple: Drepanoneura flinti von Ellenrieder & Garrison, 2008

attributes

nomenclaturalCode:

isAnamorphic:

id:

synonymsAtomized

hierarchy

ancillaryData

dataObject:

additionalInformation:

reference

geoPoint:

location:

thumbnailURL:

mediaURL

description:

subject

source: The Catalogue of Life, 3rd January 2011

audience

bibliographicCitation:

rightsHolder:

rights:

license:

title:

modified: 2016-03-10T16:25:38.733Z

created: 2016-03-10T16:25:38.733Z

agent

homepage:

role:

email:

phone:

address:

position:

organisation:

lastName:

firstName:

imeType:

dataType:

identifier:

parentTaxon: Drepanoneura

higherClassification:

infraspecificEpithet:

specificEpithet:

taxonRank: SPECIES
subGenus:
genus: Drepanoneura
family: Protoneuridae
order: Odonata
classHierarchy: Insecta
phylum: Arthropoda
kingdom: Animalia
recommended:
classification:

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Nancy Carolina Rojas Riaño
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
reproductionUnstructured:

0

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

audience

rightsHolder:
rights:
license:

modified:
created:

agent

contentType:
dataType:
identifier:
relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedBy: TraitBank
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue: Sexual
measurementType: Tipo de Reproducción
measurementID:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

interactionsUnstructured:

feeding

0

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Nancy Carolina Rojas Riaño
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
contentType:
dataType:
identifier:
feedingUnstructured:

0

0

strategy: Depredadores
type: Heterótrofos - Carnívoros

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

behaviorUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:

license:

modified:

created:

contentType:

dataType:

identifier:

measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

[endemicAtomized](#)

distribution

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Nancy Carolina Rojas Riaño
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:
distributionUnstructured: Esta especie a sido registrado para el país en el departamento del Caquetá en la región Amazónica.

distributionAtomized

stateProvince: Caquetá

ancillaryData

locality:
municipality:
country: Colombia

temporalCoverage

endDate:
startDate:

distributionScope

type:

threatStatus

territory

territoryUnstructured:

areaOfOccupancy:
extentOfOccurrence:
populationBiology
populationBiologyUnstructured:
legislation
legislationUnstructured:
directThreats
directThreatsUnstructured:
ancillaryData

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

abstract: Caballito del diablo depredador y de tamaño pequeño. Alas con solo dos venas antenodales, en general venación muy reducida.

associatedParty

role:
personnelIdentifier:
personnelDirectory:
homepage:
email: enataliagomezm@gmail.com
phone:
postalCode:
country: Colombia
state: Bogotá Distrito Capital
city: Bogotá D.C.

address:
organisation:
position:
lastName: Gómez Melendro
firstName: Edith Natalia

ancillaryData

dataObject:
additionalInformation: Información de tipos: El holotipo está depositado en el National Museum of Natural History, [formalmetne, United States National Museum USNM], Washington D.C., Estados Unidos
Créditos específicos: " Â -ç7F—GWFò Ö ˆ6æ-6ò FR -çfW7F-v 6-öæW2 6-VçNÖf-6 2 6-æ6†'â Â 6—7FVÖ FR -æf-:&Ö 6Ÿ6â Ambiental Territorial de la Amazonia Colombiana SIAT-AC. La elaboración de esta ficha fue posible gracias al apoyo del gobierno de Finlandia a través del convenio entre la Secretaría General de la CAN y el Instituto Sinchi para el proyecto "Sistema Regional Amazónico de Información Ambiental con énfasis en Biodiversidad de los países miembros de la CAN, (programa BIOCAN), componente SIAT-AC".

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights:
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:

_id
_bsonType: ObjectID
id: Vá ø<EpTN=