

## Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e7348183c45700544e3f41

Fecha de creación: 2016-03-14T22:00:40.973Z

creation\_date: 2016-03-14T22:00:40.973Z

usesManagementAndConservation

[ancillaryData](#)

managementAndConservationUnstructured:

[managementAndConservationAtomized](#)

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

fullDescriptionUnstructured: De tamaño mediano 8.5 - 10 mm. Coloración oscura con visos azul metálico, clípeo claramente bidentado. Fémures y tibias generalmente oscuros o de coloración rojiza.

briefDescription:

[references](#)

keywords: Agamopus lampros, Anisocanthon sericinus, Anisocanthon villosus, Ateuchus aeneomicans, Ateuchus columbianum, Ateuchus hoplopygum, Ateuchus persplendens, Bdelyrus seminudus, Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerae, Canthidium euchalceum, Canthidium funebre, Canthidium gemmingeri, Canthidium gerstaeckeri, Canthidium haroldi, Canthidium lebasi, Canthidium macroculare, Canthidium onitoides, Canthidium perceptibile, Canthidium persplendens, Canthidium picipes, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili, Canthon aberrans, Canthon acutoideus, Canthon acutus, Canthon aequinoctialis, Canthon angularis, Canthon angustatus, Canthon brunneus, Canthon columbianus, Canthon cyanellus sallei, Canthon dentiger, Canthon deyrrollei, Canthon femoralis bimaculatus, Canthon femoralis femoralis, Canthon fulgidus, Canthon juvenicus, Canthon lituratus, Canthon luteicollis, Canthon modestus, Canthon morsei, Canthon mutabilis Lucas 1857, Canthon muticus, Canthon obscuriellus, Canthon pallidus, Canthon plagiatus, Canthon politus, Canthon quinquemaculatus, Canthon semiopacus, Canthon septemmaculatus histrio, Canthon septemmaculatus septemmaculatus, Canthon smaragdulus, Canthon steinheili, Canthon subcyaneus, Canthon subhyalinus, Canthon tetradon, Canthon triangularis, Canthonella gomezi, Copris incertus, Coprophanaeus ohausi, Coprophanaeus parvulus, Coprophanaeus suretai, Deltochilum (Deltohyboma) valgum, Deltochilum spinipes, Diabroctis mimas, Dichotomius agenor, Dichotomius belus, Dichotomius compressicollis, Dichotomius diabolicus, Dichotomius

fallax, Dichotomius longiceps, Dichotomius mamillatus, Dichotomius nisus, Dichotomius ohausi, Dichotomius podalirius, Dichotomius protectus, Dichotomius quinquelobatus, Dichotomius reclinator, Dichotomius rugatus, Dichotomius satanas, Dichotomius sericeus, Dichotomius worontzowi, Hansreia affinis, Malagoniella astyanax columbica, Ontherus aphodioides, Ontherus compressicornis, Ontherus diabolicus, Ontherus pilatus, Ontherus pubens, Ontherus sulcator, Ontherus trituberculatus, Onthophagus acuminatus, Onthophagus atrigladius, Onthophagus batesi, Onthophagus belorhinus, Onthophagus bidentatus, Onthophagus buculus, Onthophagus clypeatus, Onthophagus coscineus, Onthophagus curvicornis, Onthophagus dicranus, Onthophagus embrikianus, Onthophagus haematopus, Onthophagus hirculus, Onthophagus landolti landolti, Onthophagus lebasii, Onthophagus marginicollis, Onthophagus mirabilis, Onthophagus nabeleki, Onthophagus nasutus, Onthophagus nyctopus, Onthophagus osculatii, Onthophagus praecellens, Onthophagus rhinophyllus, Onthophagus rubescens, Onthophagus steinheili, Onthophagus transisthmus, Onthophagus xanthomerus, Oruscatus opalescens, Oxysternon ebeninum, Oxysternon spiniferum, Phanaeus bispinus, Phanaeus cambeforti, Phanaeus chalcomelas, Phanaeus haroldi, Phanaeus hermes, Phanaeus meleagris, Phanaeus prasinus, Phanaeus pyrois, Pseudocanthion perplexus, Pseudocanthion xanthurus, Scybalocanthion darlingtoni, Scybalocanthion imitans, Scybalocanthion kelleri, Scybalocanthion maculatus, Scybalocanthion pygidialis, Scybalocanthion sexspilotus, Scybalocanthion trimaculatus, Sylvicanthion bridarollii Mart\inez 1949, Sylvicanthion candezei, Uroxys bidentis, Uroxys brachialis, Uroxys caucanus, Uroxys coarctatus, Uroxys cuprescens, Uroxys depressifrons, Uroxys gatunensis, Uroxys gorgon, Uroxys metallescens, Uroxys micros, Uroxys nebulinus

## editors

institution:  
edition: 2  
address:  
publisher:  
accessed:  
websites:  
chapter:  
series:  
pages: 131--144  
issue:  
volume: 2  
year: 2001

## authors

authors: Medina, C.  
authors: Lopera, A.  
authors: V\itolo, A.  
authors: Gill, B.  
title: Escarabajos coprófagos (Coleoptera: Scarabaeidae: Scarabaeinae) de Colombia  
source: Biota Colombiana  
type: article  
tags: Agamopus lampros, Anisocanthion sericinus, Anisocanthion villosus, Ateuchus aeneomicans, Ateuchus columbianum, Ateuchus hoplopygum, Ateuchus persplendens, Bdelyrus seminudus, Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerae, Canthidium euchalceum, Canthidium funebre, Canthidium gemmingeri, Canthidium gerstaeckeri, Canthidium haroldi, Canthidium lebasii, Canthidium macroculare, Canthidium onitoides, Canthidium perceptibile, Canthidium persplendens, Canthidium picipes, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili, Canthion aberrans, Canthion acutoides, Canthion acutus, Canthion aequinoctialis, Canthion angularis, Canthion angustatus, Canthion brunneus, Canthion columbianus, Canthion cyanellus sallei, Canthion dentiger, Canthion deyrollei, Canthion femoralis bimaculatus, Canthion femoralis femoralis, Canthion fulgidus, Canthion juvencus, Canthion lituratus, Canthion luteicollis, Canthion modestus, Canthion morsei, Canthion mutabilis Lucas 1857, Canthion muticus, Canthion obscuriellus, Canthion pallidus, Canthion plagiatum, Canthion politus, Canthion quinquemaculatus, Canthion semiopacus, Canthion septemmaculatus histrio, Canthion septemmaculatus septemmaculatus, Canthion smaragdulus, Canthion steinheili, Canthion subcyaneus, Canthion subhyalinus, Canthion

tetraodon,Canthon triangularis,Canthonella gomezi,Copris incertus,Coprophanaeus ohausi,Coprophanaeus parvulus,Coprophanaeus suredai,Deltochilum (Deltohyboma) valgum,Deltochilum spinipes,Diabroctis mimas,Dichotomius agenor,Dichotomius belus,Dichotomius compressicollis,Dichotomius diabolicus,Dichotomius fallax,Dichotomius longiceps,Dichotomius mamillatus,Dichotomius nisus,Dichotomius ohausi,Dichotomius podalirius,Dichotomius protectus,Dichotomius quinquelobatus,Dichotomius reclinator,Dichotomius rugatus,Dichotomius satanas,Dichotomius sericeus,Dichotomius worontzowi,Hansreia affinis,Malagoniella astyanax columbica,Ontherus aphodioides,Ontherus compressicornis,Ontherus diabolicus,Ontherus pilatus,Ontherus pubens,Ontherus sulcator,Ontherus trituberculatus,Onthophagus acuminatus,Onthophagus atriglabrus,Onthophagus batesi,Onthophagus belorhinus,Onthophagus bidentatus,Onthophagus buculus,Onthophagus clypeatus,Onthophagus coscineus,Onthophagus curvicornis,Onthophagus dicranus,Onthophagus embrikianus,Onthophagus haematopus,Onthophagus hirculus,Onthophagus landolti landolti,Onthophagus lebasii,Onthophagus marginicollis,Onthophagus mirabilis,Onthophagus nabeleki,Onthophagus nasutus,Onthophagus nyctopus,Onthophagus osculatii,Onthophagus praecellens,Onthophagus rhinophyllus,Onthophagus rubescens,Onthophagus steinheili,Onthophagus transisthmus,Onthophagus xanthomerus,Oruscatus opalescens,Oxysternon ebeninum,Oxysternon spiniferum,Phanaeus bispinus,Phanaeus cambeforti,Phanaeus chalconelas,Phanaeus haroldi,Phanaeus hermes,Phanaeus meleagris,Phanaeus prasinus,Phanaeus pyrois,Pseudocanthon perplexus,Pseudocanthon xanthurus,Scybalocanthon darlingtoni,Scybalocanthon imitans,Scybalocanthon kelleri,Scybalocanthon maculatus,Scybalocanthon pygidialis,Scybalocanthon sexspilotus,Scybalocanthon trimaculatus,Sylvicanthon bridarollii Mart\inez 1949,Sylvicanthon candezei,Uroxys bidentis,Uroxys brachialis,Uroxys caucanus,Uroxys coarctatus,Uroxys cuprescens,Uroxys depressifrons,Uroxys gatunensis,Uroxys gorgon,Uroxys metallescens,Uroxys micros,Uroxys nebulinus

identifiers

last\_modified:  
created:  
group\_id:  
profile\_id:  
id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo:  
providerLink:

publicationStatus

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

replacementNameFor

microReference:  
source:  
datatype:  
identifier:

source:  
datatype:  
identifier:  
note:  
ruleConsidered:

sanctioned

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

laterHomonymOf

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

[conservedAgainst](#)

basedOn

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

basionym

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

[spellingCorrentionOf](#)

typeNameEntity

source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:

typificacion

typeOfType:

lectotypeMicroReferenceVoucher

lectotypePublicationVoucher

voucherReference

simple:  
microReference:  
year:

publishedIn

simple:  
source:  
datatype:  
identifier:

specialAuthorship

authors

year

simple:  
canonicalAuthorship

authors

year

simple:  
simple: Harold, 1868

canonicalName

infraspecificEpithet:  
specificEpithet:  
infragenericEpithet:  
linkType:  
ref:  
uninomial:

simple: Canthon politus  
rank: SPECIES  
simple: Canthon politus Harold, 1868

attributes

nomenclaturalCode:  
isAnamorphic:  
id:

[synonymsAtomized](#)

[ancillaryData](#)

synonymStatus:  
synonymName  
anyTwo:

[anyOne](#)

providerLink:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:

typeNameEntity

source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
source:  
datatype:

identifier:

typeVoucherEntity

typeOfType:

simple:

microReference:

year:

source:

datatype:

identifier:

[combinationAuthorship](#)

basionymAuthorship

simple:

authorship

simple:

simple: Lansberge, 1874

epithet

infraspecificEpithet:

specificEpithet:

infragenericEpithet:

genus

linkType:

ref:

uninomial:

simple: Canthon granadensis

rank: SPECIES

simple: Canthon granadensis Lansberge, 1874

nomenclaturalCode:

isAnamorphic:

id:

[hierarchy](#)

[ancillaryData](#)

dataObject:

additionalInformation:

[reference](#)

geoPoint:

location:

thumbnailURL:

[mediaURL](#)

description:

[subject](#)

source: The Catalogue of Life, 3rd January 2011



## audience

bibliographicCitation:  
rightsHolder:  
rights:  
license:  
title:  
modified: 2016-03-14T21:59:40.969Z  
created: 2016-03-14T21:59:40.969Z

## agent

homepage:  
role:  
email:  
phone:  
address:  
position:  
organisation:  
lastName:  
firstName:  
mimeType:  
dataType:  
identifier:  
parentTaxon: Canthon  
higherClassification:  
infraspecificEpithet:  
specificEpithet:  
taxonRank: SPECIES  
subGenus:  
genus: Canthon  
family: Scarabaeidae  
order: Coleoptera  
classHierarchy: Insecta  
phylum: Arthropoda  
kingdom: Animalia  
recommended:  
classification:

## commonNameAtomized

## ancillaryData

dataObject:  
additionalInformation:

## reference

geoPoint:  
location:  
thumbnailURL:

## mediaURL

description:

## subject

source:

audience

bibliographicCitation:  
rightsHolder:  
rights: Claudia Alejandra Medina  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:

agent

contentType:  
dataType:  
identifier:  
usedBy:  
  
usedIn  
  
distributionUnstructured:  
endDate:  
startDate:

ancillaryData

type:  
language: Español  
name: Escarabajo coprófago

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:  
additionalInformation:  
geoPoint:  
location:  
thumbnailURL:  
description:  
source:  
bibliographicCitation:  
rightsHolder:  
rights: Claudia Alejandra Medina  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:  
contentType:  
dataType:  
identifier:  
reproductionUnstructured:

0

dataObject:  
additionalInformation:

reference

geoPoint:  
location:  
thumbnailURL:

mediaURL

description:

subject

audience

rightsHolder:  
rights:  
license:  
modified:  
created:

agent

mimeType:  
dataType:  
identifier:  
relatedTo:  
measurementRemarks:  
measurementMethod:  
measurementDeterminedBy: TraitBank  
measurementDeterminedDate:  
measurementUnit:  
measurementAccuracy:  
measurementValue: Sexual  
measurementType: Tipo de Reproducción  
measurementID:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

0

dataObject:  
additionalInformation:  
geoPoint:  
location:  
thumbnailURL:

description:  
source:  
bibliographicCitation:  
rightsHolder:  
rights: Claudia Alejandra Medina  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:  
mimeType:  
dataType:  
identifier:  
interactionsUnstructured: Esta especie se ha observado en la Reserva Natural Bosque de Yotoco (Valle del Cauca) haciendo bolas con excremento de mono aullador *Alouatta seniculus* sobre las hojas de los árboles, luego se deja caer aferrado a la bola.

## feeding

feedingUnstructured:

## environmentalEnvelope

environmentalEnvelopeUnstructured:

## ecologicalSignificance

ecologicalSignificanceUnstructured:

## dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

## behavior

0

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

mimeType:

dataType:

identifier:

behaviorUnstructured: Hacen nidos superficiales, los machos en proceso de maduración construyen el nido y se entierran con la bola de estiércol, esta es usada para alimentación.

## ancillaryData

dataObject:  
additionalInformation:  
geoPoint:  
location:  
thumbnailURL:  
description:  
source:  
bibliographicCitation:  
rightsHolder:  
rights:  
license:  
modified:  
created:  
mimeType:  
dataType:  
identifier:

## measurementOrFact

relatedTo:  
measurementRemarks:  
measurementMethod:  
measurementDeterminedDate:  
measurementUnit:  
measurementAccuracy:  
measurementValue:  
measurementType:  
measurementID:

## annualCycle

annualCycleUnstructured:

## habitat

habitatUnstructured:

## endemicAtomized

## distribution

## ancillaryData

dataObject:  
additionalInformation:

## reference

keywords: Anisocanthon sericinus, Canthon aberrans, Canthon acutus, Canthon angularis, Canthon angustatus, Canthon brunneus, Canthon columbianus, Canthon cyanellus sallei, Canthon dentiger, Canthon femoralis bimaculatus, Canthon fulgidus, Canthon juvencus, Canthon luteicollis, Canthon modestus, Canthon mutabilis, Canthon muticus, Canthon pallidus, Canthon plagiatus, Canthon politus, Canthon quinquemaculatus, Canthon semiopacus, Canthon septemmaculatus histrio, Canthon septemmaculatus septemmaculatus, Canthon smaragdulus, Canthon steinheili, Canthon subcyaneus, Canthon subhyalinus, Canthon tetraodon, Canthon triangularis, Pseudocanthon xanthurus, Scybalocanthon darlingtoni, Scybalocanthon maculatus

## editors

institution:

address:  
publisher:  
accessed:  
websites:  
chapter:  
series:  
pages: 570--658  
issue:  
volume: 15  
year: 1964

## authors

authors: Vulcano, M. A.  
authors: Pereira, F. S.  
title: Catalogue of Canthonini (Col. Scarab.) inhabiting the western hemisphere  
source: Munich Mus G Frey Entomol Arb  
type: article  
tags: Anisocanthon sericinus,Canthon aberrans,Canthon acutus,Canthon angularis,Canthon angustatus,Canthon brunneus,Canthon columbianus,Canthon cyanellus sallei,Canthon dentiger,Canthon femoralis bimaculatus,Canthon fulgidus,Canthon juvencus,Canthon luteicollis,Canthon modestus,Canthon mutabilis,Canthon muticus,Canthon pallidus,Canthon plagiatus,Canthon politus,Canthon quinquemaculatus,Canthon semiopacus,Canthon septemmaculatus histrio,Canthon septemmaculatus septemmaculatus,Canthon smaragdulus,Canthon steinheili,Canthon subcyaneus,Canthon subhyalinus,Canthon tetraodon,Canthon triangularis,Pseudocanthon xanthurus,Scybalocanthon darlingtoni,Scybalocanthon maculatus  
abstract:

## identifiers

last\_modified:  
created:  
group\_id:  
profile\_id:  
id:  
geoPoint:  
location:  
thumbnailURL:

## mediaURL

description:

## subject

source:

## audience

bibliographicCitation:  
rightsHolder:  
rights: Claudia Alejandra Medina  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:

## agent

contentType:  
dataType:

identifier:  
distributionUnstructured: Esta especie ha sido registrada en América Central, Colombia, Ecuador, Guyanas y Venezuela (Vulcano & Pereira, 1964). En el país se distribuye en los departamentos de Antioquia, Cundinamarca, Nariño, Risaralda y Valle del Cauca (Medina et al., 2001).

distributionAtomized

stateProvince: Antioquia

ancillaryData

locality:  
municipality:  
country: Colombia

temporalCoverage

endDate:  
startDate:

distributionScope

type:

threatStatus

territory

territoryUnstructured:  
areaOfOccupancy:  
extentOfOccurrence:

populationBiology  
populationBiologyUnstructured:

legislation  
legislationUnstructured:

directThreats  
directThreatsUnstructured:

ancillaryData

dataObject:  
additionalInformation:  
geoPoint:  
location:  
thumbnailURL:  
description:  
source:  
bibliographicCitation:  
rightsHolder:  
rights:  
license:  
modified:  
created:  
mimeType:  
dataType:  
identifier:

## measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

abstract: Esta especie de escarabajo coprófago es de tamaño mediano (8.5 - 10 mm) y coloración oscura con visos azul metálico. Se distribuye en América Central y del Sur (Colombia, Ecuador, Guyanas y Venezuela) (Vulcano & Pereira, 1964).

## associatedParty

role:

personnelIdentifier:

personnelDirectory:

homepage:

email: enataliagomezm@gmail.com

phone:

postalCode:

country: Colombia

state: Bogotá Distrito Capital

city: Bogotá D.C.

address:

organisation:

position:

lastName: Gómez Melendro

firstName: Edith Natalia

## ancillaryData

dataObject:

additionalInformation: Créditos específicos: La elaboración de estas fichas recibió el apoyo de la Organización de los Estados Americanos (OEA) y la Red Interamericana de Información sobre Biodiversidad (IABIN). Se agradece a la Colección Entomológica del Instituto Humboldt IAVH por facilitar información que contribuyó a la elaboración de las fichas y al Sistema de Información en Biodiversidad de Colombia (SIB) por el apoyo técnico.

Imagen: Canthon politus.jpg

## reference

geoPoint:

location:

thumbnailURL:

## mediaURL

description:

## subject

source:

## audience

bibliographicCitation:

rightsHolder:



rights:  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:

agent

mimeType:  
dataType:  
identifier:

\_id  
\_bsontype: ObjectID  
id: Vç4•fÄW Dãô