

Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56c277def0106c67230e732e

Fecha de creación: undefined

annualCycles

annualCycleUnstructured:

habitats

0

dataObject:

additionalInformation:

0

link: <http://aoucospubs.org/doi/abs/10.1525/auk.2008.07115>

keywords: Cardellina canadensis

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

issue:

year: 2008

0: Hallworth, M

1: Ueland, A

2: Anderson, E

title: Habitat selection and site fidelity of Canada Warblers (*Wilsonia canadensis*) in central New Hampshire

source: The Auk

type: article

tags: Cardellina canadensis

abstract:

last\_modified:

created:

group\_id:

profile\_id:

id:

1

keywords: Actitis macularius, Ampelion rubrocristatus, Anas discors, Anisognathus igniventris, Ardea alba, Arremon assimilis, Asio flammeus, Asio stygius, Astragalinus psaltria, Atlapetes pallidinucha, Atlapetes schistaceus, Bartramia longicauda, Bubulcus ibis, Buteo platypterus, Buteo swainsoni, Butorides striata, Calidris melanotos, Cardellina canadensis

0: Stiles, F G

1: Bohórquez, C I

2: Cadena, C D

3: De la Zerda, S

4: Hernández, M

5: Roselli, L

6: Kelsey, M

7: Valencia, I D

8: Knapp, D

institution:

edition: Primera Ed

address:

publisher: Asociación Bogotana de Ornitología; Corporación Autónoma Regional de Cundinamarca  
accessed:  
websites:  
chapter:  
series:  
pages: 276  
issue:  
year: 2000  
0: Asociación Bogotana de Ornitología  
title: Aves de la Sabana de Bogotá: guía de campo  
source:  
type: book  
tags: Actitis macularius,Ampelion rubrocristatus,Anas discors,Anisognathus igniventris,Ardea alba,Arremon assimilis,Asio flammeus,Asio stygius,Astragalinus psaltria,Atlapetes pallidinucha,Atlapetes schistaceus,Bartramia longicauda,Bubulcus ibis,Buteo platypterus,Buteo swainsoni,Butorides striata,Calidris melanotos,Cardellina canadensis  
abstract:  
last\_modified:  
created:  
group\_id:  
profile\_id:  
id:  
geoPoint:  
location:  
thumbnailURL:  
description:  
source:  
bibliographicCitation:  
rightsHolder:  
rights: Asociación Bogotana de Ornitología  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:  
mimeType:  
dataType:  
identifier:  
habitatUnstructured: Frecuenta bosques secundarios, áreas semi-abiertas y bordes de bosque (Asociación Bogotana de Ornitología, 2000; Hallworth et al., 2008).

[commonNamesAtomized](#)

[ancillaryData](#)

usedBy:  
usedIn  
distributionUnstructured:  
endDate:  
startDate:

[ancillaryData](#)

type:  
language: Inglés  
name: Canada Warbler

usesManagementAndConservation

## ancillaryData

dataObject:  
additionalInformation:

## reference

link: [http://awsassets.panda.org/downloads/migratorias{\\\_}aves{\\\_}42{\\\_}final.pdf](http://awsassets.panda.org/downloads/migratorias{\_}aves{\_}42{\_}final.pdf)  
keywords: Cardellina canadensis

## editors

editors: Naranjo, L G  
editors: Amaya, J D  
editors: Eusse-González, D  
editors: Cifuentes-Sarmiento, Y  
institution:  
address:  
publisher: Ministerio de Ambiente y Desarrollo Sostenible / WWF Colombia  
accessed:  
websites:  
chapter:  
series:  
pages: 708  
issue:  
volume: 1  
year: 2012

## authors

authors: Cifuentes-Sarmiento, Yanira  
title: Cardellina canadensis  
source: Guía de las Especies Migratorias de la Biodiversidad en Colombia Aves  
type: book\_section  
tags: Cardellina canadensis  
abstract:

## identifiers

last\_modified:  
created:  
group\_id:  
profile\_id:  
id:  
geoPoint:  
location:  
thumbnailURL:

## mediaURL

description:

## subject

source:

## audience

bibliographicCitation:  
rightsHolder:

rights: Asociación Bogotana de Ornitología  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:

## agent

mimeType:  
dataType:  
identifier:  
managementAndConservationUnstructured: En Colombia no se han desarrollado planes puntuales para la especie, pero las áreas declaradas como reservas a nivel nacional, regional y local, incluyendo parques nacionales, reservas de la sociedad civil, AICAS, entre otras, contribuyen a su conservación (Cifuentes-Sarmiento, 2014).

## managementAndConservationAtomized

### identificationKeys

### fullDescription

0

dataObject:  
additionalInformation:

0

keywords: Actitis macularius, Ampelion rubrocristatus, Anas discors, Anisognathus igniventris, Ardea alba, Arremon assimilis, Asio flammeus, Asio stygius, Astragalinus psaltria, Atlapetes pallidinucha, Atlapetes schistaceus, Bartramia longicauda, Bubulcus ibis, Buteo platypterus, Buteo swainsoni, Butorides striata, Calidris melanotos, Cardellina canadensis

0: Stiles, F G  
1: Bohórquez, C I  
2: Cadena, C D  
3: De la Zerda, S  
4: Hernández, M  
5: Roselli, L  
6: Kelsey, M  
7: Valencia, I D  
8: Knapp, D

institution:  
edition: Primera Ed  
address:  
publisher: Asociación Bogotana de Ornitología; Corporación Autónoma Regional de Cundinamarca  
accessed:

websites:  
chapter:  
series:  
pages: 276  
issue:

year: 2000  
0: Asociación Bogotana de Ornitología  
title: Aves de la Sabana de Bogotá: guía de campo  
source:

type: book  
tags: Actitis macularius, Ampelion rubrocristatus, Anas discors, Anisognathus igniventris, Ardea alba, Arremon assimilis, Asio flammeus, Asio stygius, Astragalinus psaltria, Atlapetes pallidinucha, Atlapetes schistaceus, Bartramia

longicauda,Bubulcus ibis,Buteo platypterus,Buteo swainsoni,Butorides striata,Calidris melanotos,Cardellina canadensis

abstract:  
last\_modified:  
created:  
group\_id:  
profile\_id:  
id:

1

link: <http://maps.iucnredlist.org/map.html?id=22721882>

keywords: Cardellina canadensis

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

issue:

year: 2014

0: BirdLife International

1: NatureServe

title: Bird Species Distribution Maps of the World. 2012. Wilsonia canadensis. The IUCN Red List of Threatened Species. Version 2014.3

source:

type: miscellany

tags: Cardellina canadensis

abstract:

last\_modified:

created:

group\_id:

profile\_id:

id:

2

link: [http://awsassets.panda.org/downloads/migratorias{\\\_}aves{\\\_}42{\\\_}final.pdf](http://awsassets.panda.org/downloads/migratorias{\_}aves{\_}42{\_}final.pdf)

keywords: Cardellina canadensis

0: Naranjo, L G

1: Amaya, J D

2: Eusse-González, D

3: Cifuentes-Sarmiento, Y

institution:

address:

publisher: Ministerio de Ambiente y Desarrollo Sostenible / WWF Colombia

accessed:

websites:

chapter:

series:

pages: 708

issue:

volume: 1

year: 2012

0: Cifuentes-Sarmiento, Yanira

title: Cardellina canadensis

source: Guía de las Especies Migratorias de la Biodiversidad en Colombia Aves

type: book\_section

tags: *Cardellina canadensis*

abstract:

last\_modified:

created:

group\_id:

profile\_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Asociación Bogotana de Ornitología

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

fullDescriptionUnstructured: Pesa entre 9.5 y 12.5 g y mide entre 12 y 15 cm. Los machos, por encima gris azulado, sin barras alares, cabeza y cara negra, anillo ocular blanco o amarillo muy marcado y distintivo mancha amarilla en la lorea a manera de "gafas", líneas negras a manera de collar en el pecho, coberteras infracaudales blancas.

Hembras, sin negro en la cara, por encima un poco más café y el collar del pecho bastante tenue. Ambos sexos con maxila de color cuerno y la mandíbula mucho más pálida. Patas entre rosado y anaranjado (Asociación Bogotana de Ornitología, 2000; BirdLife International and NatureServe, 2014; Cifuentes-Sarmiento, 2014).

briefDescription:

## references

isbn: 0963699636

keywords: *Anas clypeata*, *Anas platyrhynchos*, *Ardea herodias*, *Astragalinus psaltria*, *Bartramia longicauda*, *Buteo swainsoni*, *Cairina moschata*, *Calidris melanotos*, *Cardellina canadensis*, *Cathartes aura*, *Catharus minimus*, *Coccyzus americanus*, *Columbina talpacoti*, *Contopus cooperi*, *Contopus virens*, *Coragyps atratus*, *Crotophaga ani*, *Dendrocygna autumnalis*, *Egretta caerulea*, *Egretta thula*, *Empidonax alnorum*, *Empidonax traillii*, *Falco columbarius*, *Fulica americana*, *Geothlypis philadelphia*, *Hirundo rustica*, *Ixobrychus exilis*, *Jacana jacana*, *Mniotilta varia*, *Nycticorax nycticorax*, *Oxyura jamaicensis*, *Pandion haliaetus*, *Pardirallus maculatus*, *Parkesia noveboracensis*, *Phalacrocorax brasilianus*, *Piranga olivacea*, *Pitangus sulphuratus*, *Podilymbus podiceps*, *Porzana carolina*, *Pyrocephalus rubinus*, *Rupornis magnirostris*, *Setophaga fusca*, *Sturnella magna*, *Tringa flavipes*, *Tringa melanoleuca*, *Tringa solitaria*, *Troglodytes aedon*

## editors

editors: Alderfer, Jonathan

institution:

address:

publisher: Washington D.C. National Geographic Society

accessed:

websites:

chapter:

series:

pages: 664

issue:

year: 2006

authors

authors: Alderfer, J  
authors: Zickefoose, J  
authors: Littlehales, B  
title: National Geographic Complete Birds of North America  
source:  
type: book  
tags: Anas clypeata,Anas platyrhynchos,Ardea herodias,Astragalinus psaltria,Bartramia longicauda,Buteo swainsoni,Cairina moschata,Calidris melanotos,Cardellina canadensis,Cathartes aura,Catharus minimus,Coccyzus americanus,Columbina talpacoti,Contopus cooperi,Contopus virens,Coragyps atratus,Crotophaga ani,Dendrocygna autumnalis,Egretta caerulea,Egretta thula,Empidonax alnorum,Empidonax traillii,Falco columbarius,Fulica americana,Geothlypis philadelphia,Hirundo rustica,Ixobrychus exilis,Jacana jacana,Mniotilta varia,Nycticorax nycticorax,Oxyura jamaicensis,Pandion haliaetus,Pardirallus maculatus,Parkesia noveboracensis,Phalacrocorax brasilianus,Piranga olivacea,Pitangus sulphuratus,Podilymbus podiceps,Porzana carolina,Pyrocephalus rubinus,Rupornis magnirostris,Setophaga fusca,Sturnella magna,Tringa flavipes,Tringa melanoleuca,Tringa solitaria,Troglodytes aedon  
abstract:

identifiers

last\_modified:  
created:  
group\_id:  
profile\_id:  
id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo:  
providerLink:

publicationStatus

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

replacementNameFor

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:

ruleConsidered:

sanctioned

microReference:

source:

datatype:

identifier:

source:

datatype:

identifier:

note:

ruleConsidered:

laterHomonymOf

microReference:

source:

datatype:

identifier:

source:

datatype:

identifier:

note:

ruleConsidered:

conservedAgainst

basedOn

microReference:

source:

datatype:

identifier:

source:

datatype:

identifier:

note:

ruleConsidered:

basionym

microReference:

source:

datatype:

identifier:

source:

datatype:

identifier:

note:

ruleConsidered:

spellingCorrentionOf

typeNameEntity

source:

datatype:

identifier:



source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
  
tipificacion  
  
typeOf Type:  
  
lectotypeMicroReferenceVoucher  
  
lectotypePublicationVoucher

voucherReference

simple:  
microReference:  
year:  
  
publishedIn  
  
simple:  
source:  
datatype:  
identifier:  
  
specialAuthorship

authors

year  
  
simple:  
  
canonicalAuthorship

authors

year  
  
simple:  
simple:  
  
canonicalName  
  
infraspecificEpithet:  
specificEpithet:  
infragenericEpithet:  
linkType:  
ref:  
uninomial:  
simple: Cardellina canadensis  
rank: SPECIES  
simple: Cardellina canadensis  
  
attributes

nomenclaturalCode:  
isAnamorphic:  
id:

synonymsAtomized

ancillaryData

synonymStatus:  
synonymName  
anyTwo:

anyOne

providerLink:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:

microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:

typeNameEntity

source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:

typeVoucherEntity

typeOfType:  
simple:

microReference:  
year:  
source:  
datatype:  
identifier: (Linnaeus, 1766)

## [combinationAuthorship](#)

basionymAuthorship

simple:

authorship

simple:

simple:

epithet

infraspecificEpithet:

specificEpithet:

infragenericEpithet:

genus

linkType:

ref:

uninomial:

simple: *Wilsonia canadensis*

rank:

simple:

nomenclaturalCode:

isAnamorphic:

id:

## [hierarchy](#)

## [ancillaryData](#)

dataObject:

additionalInformation:

## [reference](#)

geoPoint:

location:

thumbnailURL:

## [mediaURL](#)

description:

## [subject](#)

source: The Clements Checklist

## [audience](#)

bibliographicCitation:

rightsHolder:

rights:

license:  
title:  
modified: 2016-02-16T01:06:56.828Z  
created: 2016-02-16T01:06:56.828Z

agent

homepage:  
role:  
email:  
phone:  
address:  
position:  
organisation:  
lastName:  
firstName:  
mimeType:  
dataType:  
identifier:  
parentTaxon: Cardellina  
higherClassification:  
infraspecificEpithet:  
specificEpithet:  
taxonRank: SPECIES  
subGenus:  
genus: Cardellina  
family: Parulidae  
order: Passeriformes  
classHierarchy: Aves  
phylum: Chordata  
kingdom: Animalia  
recommended:  
classification:

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:  
additionalInformation:

0

isbn: 0963699636  
keywords: Anas clypeata, Anas platyrhynchos, Ardea herodias, Astragalinus psaltria, Bartramia longicauda, Buteo swainsoni, Cairina moschata, Calidris melanotos, Cardellina canadensis, Cathartes aura, Catharus minimus, Coccyzus americanus, Columbina talpacoti, Contopus cooperi, Contopus virens, Coragyps atratus, Crotophaga ani, Dendrocygna autumnalis, Egretta caerulea, Egretta thula, Empidonax alnorum, Empidonax traillii, Falco columbarius, Fulica americana, Geothlypis philadelphia, Hirundo rustica, Ixobrychus exilis, Jacana jacana, Mniotilta varia, Nycticorax nycticorax, Oxyura jamaicensis, Pandion haliaetus, Pardirallus maculatus, Parkesia noveboracensis, Phalacrocorax brasilianus, Piranga olivacea, Pitangus sulphuratus, Podilymbus podiceps, Porzana carolina, Pyrocephalus rubinus, Rupornis magnirostris, Setophaga fusca, Sturnella magna, Tringa flavipes, Tringa melanoleuca, Tringa solitaria, Troglodytes aedon  
0: Alderfer, Jonathan

institution:  
address:  
publisher: Washington D.C. National Geographic Society  
accessed:  
websites:  
chapter:  
series:  
pages: 664  
issue:  
year: 2006  
0: Alderfer, J  
1: Zickefoose, J  
2: Littlehales, B  
title: National Geographic Complete Birds of North America  
source:

type: book  
tags: *Anas clypeata*, *Anas platyrhynchos*, *Ardea herodias*, *Astragalinus psaltria*, *Bartramia longicauda*, *Buteo swainsoni*, *Cairina moschata*, *Calidris melanotos*, *Cardellina canadensis*, *Cathartes aura*, *Catharus minimus*, *Coccyzus americanus*, *Columbina talpacoti*, *Contopus cooperi*, *Contopus virens*, *Coragyps atratus*, *Crotophaga ani*, *Dendrocygna autumnalis*, *Egretta caerulea*, *Egretta thula*, *Empidonax alnorum*, *Empidonax traillii*, *Falco columbarius*, *Fulica americana*, *Geothlypis philadelphia*, *Hirundo rustica*, *Ixobrychus exilis*, *Jacana jacana*, *Mniotilta varia*, *Nycticorax nycticorax*, *Oxyura jamaicensis*, *Pandion haliaetus*, *Pardirallus maculatus*, *Parkesia noveboracensis*, *Phalacrocorax brasilianus*, *Piranga olivacea*, *Pitangus sulphuratus*, *Podilymbus podiceps*, *Porzana carolina*, *Pyrocephalus rubinus*, *Rupornis magnirostris*, *Setophaga fusca*, *Sturnella magna*, *Tringa flavipes*, *Tringa melanoleuca*, *Tringa solitaria*, *Troglodytes aedon*  
abstract:  
last\_modified:  
created:  
group\_id:  
profile\_id:  
id:

1

link: [http://scholar.google.es/scholar?hl=en&q=Conway,+C.J.+1999.+Canada+warbler&btnG=&as{\\\\_}sdt=1,5{\\\\_}as{\\\\_}sdt={\\#}0](http://scholar.google.es/scholar?hl=en&q=Conway,+C.J.+1999.+Canada+warbler&btnG=&as{\\_}sdt=1,5{\\_}as{\\_}sdt={\\#}0)  
keywords: *Cardellina canadensis*  
institution:  
address:  
publisher: A. Poole  
accessed:  
websites:  
chapter:  
series:  
issue:  
year: 1999  
0: Conway, C J  
title: Canada Warbler (*Wilsonia canadensis*)  
source: The Birds of North America Online  
type: article  
tags: *Cardellina canadensis*  
abstract:  
last\_modified:  
created:  
group\_id:  
profile\_id:

id:

2

link: <http://eol.org/pages/1051398/overview>

keywords: *Cardellina canadensis*

0: FrC æŋ—2Å Ð

1: Schulz, K

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

issue:

year: 2014

0: EOL

title: *Cardellina canadensis*

source: Encyclopedia of life

type: miscellany

tags: *Cardellina canadensis*

abstract:

last\_modified:

created:

group\_id:

profile\_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Asociación Bogotana de Ornitología

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

reproductionUnstructured: Esta especie probablemente sea monógama, hay observaciones de parejas de machos y hembras después de la migración otoñal lo que sugiere que es posible que mantengan el vínculo. Se reproduce y anida en el oeste de Norteamérica, en los meses de mayo y junio. Construye un nido en el suelo o cerca de él y pone entre 2 y 6 huevos. Los huevos son cuidados por ambos padres (Alderfer et al., 2006; Conway, 1999; EOL, 2014)

0

dataObject:

additionalInformation:

[reference](#)

geoPoint:

location:

thumbnailURL:

mediaURL

description:

subject

audience

rightsHolder:

rights:

license:

modified:

created:

agent

contentType:

dataType:

identifier:

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedBy: TraitBank

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue: Sexual

measurementType: Tipo de Reproducción

measurementID:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

interactionsUnstructured:

feeding

0

dataObject:

additionalInformation:

0

link: [http://scholar.google.es/scholar?hl=en&q=Conway,+C.J.+1999.+Canada+warbler&btnG=&as{\\\_}sdt=1,5&as{\\\_}sdt={\#}0](http://scholar.google.es/scholar?hl=en&q=Conway,+C.J.+1999.+Canada+warbler&btnG=&as{\_}sdt=1,5&as{\_}sdt={\#}0)

keywords: Cardellina canadensis



institution:  
address:  
publisher: A. Poole  
accessed:  
websites:  
chapter:  
series:  
issue:  
year: 1999  
0: Conway, C J  
title: Canada Warbler (*Wilsonia canadensis*)  
source: The Birds of North America Online  
type: article  
tags: *Cardellina canadensis*  
abstract:  
last\_modified:  
created:  
group\_id:  
profile\_id:  
id:

1

link: <http://eol.org/pages/1051398/overview>  
keywords: *Cardellina canadensis*  
0: FrC æŋ—2Å Ð

1: Schulz, K  
institution:  
address:  
publisher:  
accessed:  
websites:  
chapter:  
series:  
issue:  
year: 2014  
0: EOL  
title: *Cardellina canadensis*  
source: Encyclopedia of life  
type: miscellany  
tags: *Cardellina canadensis*  
abstract:  
last\_modified:  
created:  
group\_id:  
profile\_id:  
id:  
geoPoint:  
location:  
thumbnailURL:  
description:  
source:  
bibliographicCitation:  
rightsHolder:  
rights: Asociación Bogotana de Ornitología  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

feedingUnstructured: Al igual que la mayoría de las reinitas, se alimenta de pequeños insectos voladores, como moscas, mosquitos, arañas, polillas y pequeños escarabajos. Se ha reportado que en ocasiones se alimenta de orugas desprovistas de pelo (Conway, 1999; EOL, 2014).

0

0

strategy: Depredadores

type: Heterótrofos - Carnívoros

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

0

dataObject:

additionalInformation:

0

isbn: 0963699636

keywords: Anas clypeata, Anas platyrhynchos, Ardea herodias, Astragalinus psaltria, Bartramia longicauda, Buteo swainsoni, Cairina moschata, Calidris melanotos, Cardellina canadensis, Cathartes aura, Catharus minimus, Coccyzus americanus, Columbina talpacoti, Contopus cooperi, Contopus virens, Coragyps atratus, Crotophaga ani, Dendrocygna autumnalis, Egretta caerulea, Egretta thula, Empidonax alnorum, Empidonax traillii, Falco columbarius, Fulica americana, Geothlypis philadelphia, Hirundo rustica, Ixobrychus exilis, Jacana jacana, Mniotilta varia, Nycticorax nycticorax, Oxyura jamaicensis, Pandion haliaetus, Pardirallus maculatus, Parkesia noveboracensis, Phalacrocorax brasilianus, Piranga olivacea, Pitangus sulphuratus, Podilymbus podiceps, Porzana carolina, Pyrocephalus rubinus, Rupornis magnirostris, Setophaga fusca, Sturnella magna, Tringa flavipes, Tringa melanoleuca, Tringa solitaria, Troglodytes aedon

0: Alderfer, Jonathan

institution:

address:

publisher: Washington D.C. National Geographic Society

accessed:

websites:

chapter:

series:

pages: 664

issue:  
year: 2006  
0: Alderfer, J  
1: Zickefoose, J  
2: Littlehales, B  
title: National Geographic Complete Birds of North America  
source:  
type: book  
tags: Anas clypeata, Anas platyrhynchos, Ardea herodias, Astragalinus psaltria, Bartramia longicauda, Buteo swainsoni, Cairina moschata, Calidris melanotos, Cardellina canadensis, Cathartes aura, Catharus minimus, Coccyzus americanus, Columbina talpacoti, Contopus cooperi, Contopus virens, Coragyps atratus, Crotophaga ani, Dendrocygna autumnalis, Egretta caerulea, Egretta thula, Empidonax alnorum, Empidonax traillii, Falco columbarius, Fulica americana, Geothlypis philadelphia, Hirundo rustica, Ixobrychus exilis, Jacana jacana, Mniotilta varia, Nycticorax nycticorax, Oxyura jamaicensis, Pandion haliaetus, Pardirallus maculatus, Parkesia noveboracensis, Phalacrocorax brasilianus, Piranga olivacea, Pitangus sulphuratus, Podilymbus podiceps, Porzana carolina, Pyrocephalus rubinus, Rupornis magnirostris, Setophaga fusca, Sturnella magna, Tringa flavipes, Tringa melanoleuca, Tringa solitaria, Troglodytes aedon  
abstract:  
last\_modified:  
created:  
group\_id:  
profile\_id:  
id:

1

keywords: Actitis macularius, Ampelion rubrocristatus, Anas discors, Anisognathus igniventris, Ardea alba, Arremon assimilis, Asio flammeus, Asio stygius, Astragalinus psaltria, Atlapetes pallidinucha, Atlapetes schistaceus, Bartramia longicauda, Bubulcus ibis, Buteo platypterus, Buteo swainsoni, Butorides striata, Calidris melanotos, Cardellina canadensis  
0: Stiles, F G  
1: Bohórquez, C I  
2: Cadena, C D  
3: De la Zerda, S  
4: Hernández, M  
5: Roselli, L  
6: Kelsey, M  
7: Valencia, I D  
8: Knapp, D  
institution:  
edition: Primera Ed  
address:  
publisher: Asociación Bogotana de Ornitología; Corporación Autónoma Regional de Cundinamarca  
accessed:  
websites:  
chapter:  
series:  
pages: 276  
issue:  
year: 2000  
0: Asociación Bogotana de Ornitología  
title: Aves de la Sabana de Bogotá: guía de campo  
source:  
type: book  
tags: Actitis macularius, Ampelion rubrocristatus, Anas discors, Anisognathus igniventris, Ardea alba, Arremon assimilis, Asio flammeus, Asio stygius, Astragalinus psaltria, Atlapetes pallidinucha, Atlapetes schistaceus, Bartramia

longicauda,Bubulcus ibis,Buteo platypterus,Buteo swainsoni,Butorides striata,Calidris melanotos,Cardellina canadensis

abstract:

last\_modified:

created:

group\_id:

profile\_id:

id:

2

link: <http://www.allaboutbirds.org/Page.aspx?pid=1189>

keywords: Bubulcus ibis,Cardellina canadensis

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

issue:

year: 2014

0: Cornell University

title: The Cornell Lab of Ornithology

source:

type: miscellany

tags: Bubulcus ibis,Cardellina canadensis

abstract:

last\_modified:

created:

group\_id:

profile\_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Asociación Bogotana de Ornitología

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

behaviorUnstructured: Es común observarla en bosques con suficiente capa de hojarasca, parques bien arborizados y zonas en general arbustivas donde forrajea buscando insectos en el envés de las hojas o en ramas. Su comportamiento de forrajeo es típico de las reinitas, que consiste en una búsqueda bastante activa con rápidos movimientos y lo hace la mayor parte del día en las partes altas de los árboles. Puede encontrarse en bandadas mixtas o solitaria (Asociación Bogotana de Ornitología, 2000; Alderfer et al., 2006; Cornell University, 2014). La Reinita Pechirrayada tiene un canto fuerte y claro, que inicia con un chip, seguido de una serie de notas cortas y rápidas, usualmente en zonas reproductivas. En Colombia y lugares de invernada suele ser más silenciosa con un ocasional chut (Asociación Bogotana de Ornitología, 2000).

ancillaryData

dataObject:  
additionalInformation:  
geoPoint:  
location:  
thumbnailURL:  
description:  
source:  
bibliographicCitation:  
rightsHolder:  
rights:  
license:  
modified:  
created:  
mimeType:  
dataType:  
identifier:

measurementOrFact

relatedTo:  
measurementRemarks:  
measurementMethod:  
measurementDeterminedDate:  
measurementUnit:  
measurementAccuracy:  
measurementValue:  
measurementType:  
measurementID:

[endemicAtomized](#)

[distribution](#)

[ancillaryData](#)

dataObject:  
additionalInformation:

[reference](#)

keywords: Actitis macularius, Ampelion rubrocristatus, Anas discors, Anisognathus igniventris, Ardea alba, Arremon assimilis, Asio flammeus, Asio stygius, Astragalinus psaltria, Atlapetes pallidinucha, Atlapetes schistaceus, Bartramia longicauda, Bubulcus ibis, Buteo platypterus, Buteo swainsoni, Butorides striata, Calidris melanotos, Cardellina canadensis

[editors](#)

editors: Stiles, F G  
editors: Bohórquez, C I  
editors: Cadena, C D  
editors: De la Zerda, S  
editors: Hernández, M  
editors: Roselli, L  
editors: Kelsey, M  
editors: Valencia, I D  
editors: Knapp, D  
institution:

edition: Primera Ed  
address:  
publisher: Asociación Bogotana de Ornitología; Corporación Autónoma Regional de Cundinamarca  
accessed:  
websites:  
chapter:  
series:  
pages: 276  
issue:  
year: 2000

## authors

authors: Asociación Bogotana de Ornitología  
title: Aves de la Sabana de Bogotá: guía de campo  
source:  
type: book  
tags: Actitis macularius, Ampelion rubrocristatus, Anas discors, Anisognathus igniventris, Ardea alba, Arremon assimilis, Asio flammeus, Asio stygius, Astragalinus psaltria, Atlapetes pallidinucha, Atlapetes schistaceus, Bartramia longicauda, Bubulcus ibis, Buteo platypterus, Buteo swainsoni, Butorides striata, Calidris melanotos, Cardellina canadensis  
abstract:

## identifiers

last\_modified:  
created:  
group\_id:  
profile\_id:  
id:  
geoPoint:  
location:  
thumbnailURL:

## mediaURL

description:

## subject

source:

## audience

bibliographicCitation:  
rightsHolder:  
rights: Asociación Bogotana de Ornitología  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:

## agent

mimeType:  
dataType:  
identifier:  
distributionUnstructured: La especie se encuentra en toda la costa oeste del Norte de Canadá durante el verano, luego en la migración continúa por el resto de Norte y Centroamérica. En época de invierno se encuentra en el norte de Colombia, Venezuela y parte de Ecuador y Perú. Y se puede encontrar desde el nivel del mar, hasta los 2800

msnm en el norte de los Andes (Asociación Bogotana de Ornitología, 2000; Alderfer et al., 2006). Particularmente en Colombia, se extiende por casi todo el país, excluyendo la región amazónica (Asociación Bogotana de Ornitología, 2000; Alderfer et al., 2006; Cifuentes-Sarmiento, 2014).

distributionAtomized

stateProvince: Córdoba

ancillaryData

locality:  
municipality:  
country: Colombia

temporalCoverage

endDate:  
startDate:

distributionScope

type:

threatStatus

ancillaryData

threatStatusUnstructured:

threatStatusAtomized

apendiceCITES:  
locality:  
municipality:  
county:  
stateProvince:  
country: Global  
0: IUCN  
measurementValue: Preocupación menor (LC)  
relatedTo:  
measurementRemarks:  
measurementMethod:

measurementDeterminedBy

measurementDeterminedDate:  
measurementUnit:  
measurementAccuracy:  
measurementType: IUCN  
measurementID:

territory

territoryUnstructured:  
areaOfOccupancy:  
extentOfOccurrence:

populationBiology

dataObject:  
additionalInformation:

0

isbn: 0963699636

keywords: *Anas clypeata*, *Anas platyrhynchos*, *Ardea herodias*, *Astragalinus psaltria*, *Bartramia longicauda*, *Buteo swainsoni*, *Cairina moschata*, *Calidris melanotos*, *Cardellina canadensis*, *Cathartes aura*, *Catharus minimus*, *Coccyzus americanus*, *Columbina talpacoti*, *Contopus cooperi*, *Contopus virens*, *Coragyps atratus*, *Crotophaga ani*, *Dendrocygna autumnalis*, *Egretta caerulea*, *Egretta thula*, *Empidonax alnorum*, *Empidonax traillii*, *Falco columbarius*, *Fulica americana*, *Geothlypis philadelphia*, *Hirundo rustica*, *Ixobrychus exilis*, *Jacana jacana*, *Mniotilta varia*, *Nycticorax nycticorax*, *Oxyura jamaicensis*, *Pandion haliaetus*, *Pardirallus maculatus*, *Parkesia noveboracensis*, *Phalacrocorax brasilianus*, *Piranga olivacea*, *Pitangus sulphuratus*, *Podilymbus podiceps*, *Porzana carolina*, *Pyrocephalus rubinus*, *Rupornis magnirostris*, *Setophaga fusca*, *Sturnella magna*, *Tringa flavipes*, *Tringa melanoleuca*, *Tringa solitaria*, *Troglodytes aedon*

0: Alderfer, Jonathan

institution:

address:

publisher: Washington D.C. National Geographic Society

accessed:

websites:

chapter:

series:

pages: 664

issue:

year: 2006

0: Alderfer, J

1: Zickefoose, J

2: Littlehales, B

title: National Geographic Complete Birds of North America

source:

type: book

tags: *Anas clypeata*, *Anas platyrhynchos*, *Ardea herodias*, *Astragalinus psaltria*, *Bartramia longicauda*, *Buteo swainsoni*, *Cairina moschata*, *Calidris melanotos*, *Cardellina canadensis*, *Cathartes aura*, *Catharus minimus*, *Coccyzus americanus*, *Columbina talpacoti*, *Contopus cooperi*, *Contopus virens*, *Coragyps atratus*, *Crotophaga ani*, *Dendrocygna autumnalis*, *Egretta caerulea*, *Egretta thula*, *Empidonax alnorum*, *Empidonax traillii*, *Falco columbarius*, *Fulica americana*, *Geothlypis philadelphia*, *Hirundo rustica*, *Ixobrychus exilis*, *Jacana jacana*, *Mniotilta varia*, *Nycticorax nycticorax*, *Oxyura jamaicensis*, *Pandion haliaetus*, *Pardirallus maculatus*, *Parkesia noveboracensis*, *Phalacrocorax brasilianus*, *Piranga olivacea*, *Pitangus sulphuratus*, *Podilymbus podiceps*, *Porzana carolina*, *Pyrocephalus rubinus*, *Rupornis magnirostris*, *Setophaga fusca*, *Sturnella magna*, *Tringa flavipes*, *Tringa melanoleuca*, *Tringa solitaria*, *Troglodytes aedon*

abstract:

last\_modified:

created:

group\_id:

profile\_id:

id:

1

link: <http://maps.iucnredlist.org/map.html?id=22721882>

keywords: *Cardellina canadensis*

institution:

address:

publisher:

accessed:

websites:



chapter:  
series:  
issue:  
year: 2014  
0: BirdLife International  
1: NatureServe  
title: Bird Species Distribution Maps of the World. 2012. *Wilsonia canadensis*. The IUCN Red List of Threatened Species. Version 2014.3  
source:  
type: miscellany  
tags: *Cardellina canadensis*  
abstract:  
last\_modified:  
created:  
group\_id:  
profile\_id:  
id:  
geoPoint:  
location:  
thumbnailURL:  
description:  
source:  
bibliographicCitation:  
rightsHolder:  
rights: Asociación Bogotana de Ornitología  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:  
mimeType:  
dataType:  
identifier:  
populationBiologyUnstructured: Aunque la estimación de la población total de la especie es de 1´400.000 individuos se considera que tiene una tendencia a disminuir, debido probablemente a la pérdida y procesos de sucesión de bosques (Alderfer et al., 2006; BirdLife International and NatureServe, 2014).  
legislation  
legislationUnstructured:  
directThreats  
0  
dataObject:  
additionalInformation:  
0  
isbn: 0963699636  
keywords: *Anas clypeata*, *Anas platyrhynchos*, *Ardea herodias*, *Astragalinus psaltria*, *Bartramia longicauda*, *Buteo swainsoni*, *Cairina moschata*, *Calidris melanotos*, *Cardellina canadensis*, *Cathartes aura*, *Catharus minimus*, *Coccyzus americanus*, *Columbina talpacoti*, *Contopus cooperi*, *Contopus virens*, *Coragyps atratus*, *Crotophaga ani*, *Dendrocygna autumnalis*, *Egretta caerulea*, *Egretta thula*, *Empidonax alnorum*, *Empidonax traillii*, *Falco columbarius*, *Fulica americana*, *Geothlypis philadelphia*, *Hirundo rustica*, *Ixobrychus exilis*, *Jacana jacana*, *Mniotilta varia*, *Nycticorax nycticorax*, *Oxyura jamaicensis*, *Pandion haliaetus*, *Pardirallus maculatus*, *Parkesia noveboracensis*, *Phalacrocorax brasilianus*, *Piranga olivacea*, *Pitangus sulphuratus*, *Podilymbus podiceps*, *Porzana carolina*, *Pyrocephalus rubinus*, *Rupornis magnirostris*, *Setophaga fusca*, *Sturnella magna*, *Tringa flavipes*, *Tringa melanoleuca*, *Tringa solitaria*, *Troglodytes aedon*

0: Alderfer, Jonathan  
institution:  
address:  
publisher: Washington D.C. National Geographic Society

accessed:  
websites:  
chapter:  
series:  
pages: 664  
issue:  
year: 2006

0: Alderfer, J  
1: Zickefoose, J  
2: Littlehales, B

title: National Geographic Complete Birds of North America

source:  
type: book

tags: *Anas clypeata*, *Anas platyrhynchos*, *Ardea herodias*, *Astragalinus psaltria*, *Bartramia longicauda*, *Buteo swainsoni*, *Cairina moschata*, *Calidris melanotos*, *Cardellina canadensis*, *Cathartes aura*, *Catharus minimus*, *Coccyzus americanus*, *Columbina talpacoti*, *Contopus cooperi*, *Contopus virens*, *Coragyps atratus*, *Crotophaga ani*, *Dendrocygna autumnalis*, *Egretta caerulea*, *Egretta thula*, *Empidonax alnorum*, *Empidonax traillii*, *Falco columbarius*, *Fulica americana*, *Geothlypis philadelphia*, *Hirundo rustica*, *Ixobrychus exilis*, *Jacana jacana*, *Mniotilta varia*, *Nycticorax nycticorax*, *Oxyura jamaicensis*, *Pandion haliaetus*, *Pardirallus maculatus*, *Parkesia noveboracensis*, *Phalacrocorax brasilianus*, *Piranga olivacea*, *Pitangus sulphuratus*, *Podilymbus podiceps*, *Porzana carolina*, *Pyrocephalus rubinus*, *Rupornis magnirostris*, *Setophaga fusca*, *Sturnella magna*, *Tringa flavipes*, *Tringa melanoleuca*, *Tringa solitaria*, *Troglodytes aedon*

abstract:  
last\_modified:

created:  
group\_id:  
profile\_id:  
id:

geoPoint:  
location:  
thumbnailURL:

description:

source:  
bibliographicCitation:

rightsHolder:  
rights: Asociación Bogotana de Ornitología  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:  
created:

contentType:  
dataType:

identifier:  
directThreatsUnstructured: Las principales amenazas son la pérdida de hábitat, en general bosques, a causa de deforestación, la expansión de la frontera agrícola y ganadera y las actividades antrópicas (Alderfer et al., 2006).

ancillaryData

dataObject:  
additionalInformation:  
geoPoint:  
location:  
thumbnailURL:

description:  
source:  
bibliographicCitation:  
rightsHolder:  
rights:  
license:  
modified:  
created:  
mimeType:  
dataType:  
identifier:

## measurementOrFact

relatedTo:  
measurementRemarks:  
measurementMethod:  
measurementDeterminedDate:  
measurementUnit:  
measurementAccuracy:  
measurementValue:  
measurementType:  
measurementID:

abstract: La Reinita canadiense es un ave pequeña, que permanece buena parte del día en las partes altas del dosel, mientras realiza rápidos y ágiles movimientos para atrapar insectos, que constituyen parte fundamental de su dieta (Asociación Bogotana de Ornitología, 2000). Esta reinita se diferencia de otras de su familia por su garganta, pecho y vientre amarillos; alrededor del pecho tiene un collar negro rayado, la espalda es gris oscuro, anillo ocular y infracaudales notorios y blancos. En su cara tiene una línea amarilla desde el borde inferior del anillo ocular hasta su pico. Los individuos inmaduros son muy similares a los adultos pero con coloraciones menos llamativas, más opacas y sin los patrones de la cara y del collar tan definido (Asociación Bogotana de Ornitología, 2000; Alderfer et al., 2006; Cifuentes-Sarmiento, 2014; Hilty & Brown, 1986).

## associatedParty

role:  
personnelIdentifier:  
personnelDirectory:  
homepage:  
email: enataliagomezm@gmail.com  
phone:  
postalCode:  
country: Colombia  
state: Bogotá Distrito Capital  
city: Bogotá D.C.  
address:  
organisation:  
position:  
lastName: Gómez Melendro  
firstName: Edith Natalia

## ancillaryData

dataObject:  
additionalInformation:

## reference

geoPoint:

location:

thumbnailURL:

mediaURL: <https://www.flickr.com/photos/40928097@N07/10138465374/in/photolist-grUhx9-zPtkuG-dau1aQ-gQLMoV-gQLHDj-gQLHj1-u4uLS1-9H6oVL-datYAD-cMm8CA-ejLo2e-ejLo7R-x2rhr3-4PusP8-axekSE-sfjX11-os6uVv-cYqFBd-c63q9Q-6Ycrnd-oFAr4L-oPqK9r-uLDpnh-uLDrqC-uLDmNw>

description:

## subject

source: [https://farm8.staticflickr.com/7337/10138465374\\_03cb1451e1.jpg](https://farm8.staticflickr.com/7337/10138465374_03cb1451e1.jpg)

## audience

bibliographicCitation: *Cardellina canadensis*

05 Oct 2013

CA, LA Co., Peck Road Water Conservation Park

Found by Brian Daniels

rightsHolder:

rights:

license: <http://creativecommons.org/licenses/by-nc-nd/2.0/>

modified:

created:

## agent

contentType:

dataType:

identifier:

\_id

\_bsontype: ObjectId

id: VÂwbđ lg#ç2à