

# Limit Continuous Poker: A Variant of Continuous Poker with Limited Bet Sizes

Andrew Spears

June 29, 2025

## 1 Abstract

We introduce and analyze Limit Continuous Poker, a variant of Von Neumann's Continuous Poker with variable but limited bet sizes. This simplified variant of poker captures aspects of information asymmetry, bluffing, balancing, and the impact of bet size limits while still being simple enough to solve analytically. We derive the Nash equilibrium strategy profile for this game, showing how the bettor's and caller's strategies depend on the bet size limits. We demonstrate that as the bet size limits approach extreme values, the strategy profile converges to those of other continuous poker variants. Finally, we connect these results to strategic implications of limited bet sizing in real-world poker.

## 2 Introduction

### 2.1 Poker Concepts

This paper references many general concepts from poker including bluffing, value betting, ranges, and pot odds. This section provides a brief overview of these concepts and how they are related.

There are many variants of poker, but all of them include central concepts which make the games strategically similar. Clearly, every decision a player makes in poker is dependent on their own hand strength and their perception of their opponent's hand strength.

In nearly every poker variant, there are two reasons for a player to bet: when you want the opponent to call, and when you want the opponent to fold. In the first case, you may want the opponent to call because you expect

to win the pot and want it to be larger. In the second case, you may want the opponent to fold because you believe you have a losing hand. This first case is called *value betting*, and the second case is called *bluffing*. The actions may look exactly the same to the opponent, but are distinguished by the intention of the bettor. For this reason, value bets are generally made strong hands and bluffs with weak ones.

The second important concept is *ranges*. A range in poker refers to the possible hands or hand strengths that a player could have, conditioned on the actions they have taken and their strategy. A player's range is initially relevant to the opponent, but can also be used to describe how a player chooses their strategy. Following from this, a *value range* refers to the range of hands that a player value bets with, and a *bluffing range* refers to the range of hands that a player bluffs with. A *weighted range* is a probability distribution over a range describing the probability that a player has any given hand strength, conditioned on their past actions. In real games, this concept can be somewhat nebulous, since real players' strategies change over time (often intentionally to confuse their opponent). However, in the context of Nash Equilibria, we can make this concept precise because the strategies are fixed and well-defined. In Nash Equilibrium, we can assume that each player knows their opponent's weighted range exactly and plays optimally given that knowledge.

The third important concept is *pot odds*. Pot odds are the ratio of the pot size to the amount a player must put in to call. In poker, the pot odds are often used to determine whether a player should call or fold. For example, if the pot is 100 and the player must bet 20 to call, the pot odds are 5:1. This means that the player should call if they believe they have a better than 1/6 chance of winning the pot. Higher pot odds make a call more appealing and lower pot odds make a call less appealing, given the same probability of winning.

## 2.2 Previous Work

### 2.2.1 Fixed-Bet Continuous Poker (FBCP)

Continuous Poker (also called Von Neumann Poker, and referred to in this paper as Fixed-Bet Continuous Poker or FBCP) is a simplified model of poker. It is a two-player zero-sum game designed to study strategic decision-making in competitive environments. The game abstracts away many complexities of real poker, focusing instead on the mathematical and strategic aspects of bluffing, betting, and optimal play.

**Definition 2.1** (FBCP). Two players, referred to as the bettor and the

caller, each put a 0.5 unit ante into a pot<sup>1</sup>. They are each dealt a ‘hand strength’ uniformly and independently from the interval  $[0, 1]$  (referred to as  $x$  for bettor and  $y$  for caller). After seeing  $x$ , the bettor can either check - in which case, the higher hand between  $x$  and  $y$  wins the pot of 1 and the game ends - or they can bet by putting a pre-determined amount  $B > 0$  into the pot. The caller can now either call by matching the bet of  $B$ , after which the higher hand wins the pot of  $1 + 2B$ , or fold, conceding the pot of  $1 + B$  to the bettor and ending the game.

FBCP has many Nash equilibria, but it has a unique one in which the caller plays an admissible strategy<sup>2</sup>. This strategy profile, parametrized by the bet size  $B$ , is as follows: citation

The bettor bets with hands  $x$  such that either

$$x > \frac{1 + 4s + 2B^2}{(1 + 2B)(2 + B)} \text{ or } x < \frac{B}{(1 + 2B)(2 + B)}$$

We call the higher interval the value betting range and the lower interval the bluffing range. The caller calls with hands  $y$  above a calling threshold:

$$y > \frac{B(3 + 2B)}{(1 + 2B)(2 + B)}$$

The non-uniqueness of this Nash Equilibrium is due to the fact that given the bettor’s strategy, the caller can achieve the same expected payoff with any calling threshold between the value betting range and the bluffing range. However, any calling strategy other than this one incentivizes the bettor to deviate from the Nash Equilibrium strategy and leads to a lower payoff for the caller after two deviations.

The value of FBCP for the bettor is

$$V_{FB}(B) = \frac{B}{2(1 + 2B)(2 + B)}$$

Which is positive and maximized at  $B = 1$ , when the bet size is exactly the pot size.

## 2.2.2 No-limit Continuous Poker (NLCP)

Another continuous poker variant allows the bettor to choose a bet size  $s > 0$  after seeing their hand strength, as opposed to a fixed bet size  $B$ . This

---

<sup>1</sup>An ante of 1 is often used, but since the pot size is the more relevant value, we use an ante of 0.5. All bet sizes simply scale proportionally.

<sup>2</sup>An admissible strategy is one which is not strictly dominated by any other strategy.

variant is called No-Limit Continuous Poker (or Newman Poker after Donald J. Newman, or NLCP in this paper). The Nash equilibrium strategy profile for this variant is discussed and solved in *The Mathematics of Poker* by Bill Chen and Jerrod Ankenman (see page 154 ).

In Nash Equilibrium, the bettor should make large bets with their strongest and weakest hands and smaller bets or checks with their intermediate hands. It turns out that the optimal strategy is most elegantly described by a mapping from bet sizes  $s$  to hand strengths  $x$  for bluffing and value betting, respectively. The caller simply has a calling threshold  $c(s)$  for each possible bet size  $s$ . The full strategy profile is as follows:

The bettor bets  $s$  with hands  $x$  such that either

$$x = \frac{3s+1}{7(s+1)^3} \text{ or } x = 1 - \frac{3}{7(s+1)^2}$$

Where the first condition represents bluffing hands and the second value betting hands. After seeing a bet of size  $s$ , the caller should call with hands  $y$  such that

$$y > 1 - \frac{6}{7(s+1)}$$

Note that the bettor uses all possible bet sizes and has exactly two hand strengths for each bet size. On first inspection, this feels like the bettor is giving away too much information, but it turns out to still an optimal strategy. This concept appears again and is explained more thoroughly in section ??.

The value of NLCP is

$$V_{NL} = \frac{1}{14}$$

for the bettor<sup>3</sup>.

### 3 Limit Continuous Poker (LCP)

We now introduce a variant where the bettor may choose a bet size  $s$  after seeing their hand strength, but where  $s$  is bounded by an upper limit  $U$  and a lower limit  $L$ , referred to as the maximum and minimum bet sizes. This variant, called Limit Continuous Poker (or LCP), retains similar rules to NLCP:

---

<sup>3</sup>Would be 1/7 for an ante of 1, but the value is halved with an ante of 0.5

citation

generate  
a  
graph  
of  
the  
strategies

**Definition 3.1** (LCP). Two players, the bettor and the caller, are each dealt uniform, independent hand strengths  $x, y \in [0, 1]$ . After seeing  $x$ , the bettor chooses between checking (giving payoff 1 to the higher hand) or betting an amount  $s \in [L, U]$ . If the bettor bets, the caller must either call (giving payoff  $1 + 2s$  to the higher hand) or fold (giving payoff 1 to the bettor).

## 4 Solving LCP

LCP has an infinite class of Nash equilibria, differentiated only by how the bettor sizes their bluffing hands. In this section, we define a way to distinguish between these equilibria. This involves defining a class of *monotone* calling strategies which are in some sense more reasonable than non-monotone strategies, then restricting the bettor's strategy to be admissible (not weakly dominated) against these calling strategies. This turns out to be enough to uniquely determine the Nash equilibrium.

### 4.1 Monotone Strategies

**Definition 4.1** (Monotone Calling Strategy). A calling strategy is *monotone* if it satisfies two conditions:

1. For bet size  $s$  and any two hand strengths  $y_1 < y_2$ , if the caller calls with  $y_1$ , they must also call with  $y_2$ .
2. For hand strength  $y$  and any two bet sizes  $s_1 > s_2$ , if the caller calls  $s_2$ , they must also call  $s_1$ .

This should sound intuitive. Violating the first condition on a nonzero-measure set of hands would be strictly dominated. The second condition is more subtle, but arguably realistic and motivated by the notion of pot odds - a larger bet is more risky, so the caller should be more selective about when they call.

**Definition 4.2** (Monotone-Admissible Strategy). A betting strategy  $\sigma_B$  is *monotone-admissible* if it is admissible in LCP, restricted to monotone calling strategies. More explicitly, for any betting strategy  $\sigma'_B$  and any monotone calling strategy  $\sigma_C$ , the bettor's expected payoff  $\pi_B(\sigma_B, \sigma_C)$

This is useful in distinguishing bettor strategies which differ only in how they bluff. The hand strength of a bluff is irrelevant if the caller plays optimally, but becomes important if the caller deviates to a suboptimal but still monotone strategy. If the caller becomes too loose, i.e. calling too often,

then the bettor ends up winning some pots accidentally if they make their smallest bluffs with their strongest bluffing hands.

## 4.2 Nash Equilibrium Structure

We will now describe the structure of the Nash equilibrium.

1. The caller has a calling threshold  $c(s)$  that is non-decreasing and continuous in  $s$ , including at endpoints  $L$  and  $U$ . They call with hands  $y \geq c(s)$  and fold with hands  $y < c(s)$ .
2. The bettor partitions  $[0, 1]$  into three regions: bluffing  $x \in [0, x_2]$ , checking  $x \in [x_2, x_3]$ , and value betting  $x \in [x_3, 1]$ .
3. Within the bluffing region, the bettor's partitions into a max-betting region  $x \in [x_0, x_1]$ , an intermediate region  $x \in [x_1, x_2]$ , and a min-betting region  $x \in [x_2, x_3]$ .
4. Within the intermediate bluffing region, the bettor bets according to a continuous, decreasing function  $s = b^{-1}(x)$  with endpoints  $b^{-1}(x_0) = U$  and  $b^{-1}(x_3) = L$ .
5. Within the value betting region, the bettor partitions into a min-betting region  $x \in [x_3, x_4]$ , an intermediate region  $x \in [x_4, x_5]$ , and a max-betting region  $x \in [x_5, 1]$ .
6. Within the intermediate value betting region, the bettor bets according to a continuous, increasing function  $s = v^{-1}(x)$  with endpoints  $v^{-1}(x_3) = L$  and  $v^{-1}(x_5) = U$ .

**Theorem 4.1.** *LCP has a Nash equilibrium with the structure above, and this is the unique Nash equilibrium in which the bettor's strategy is monotone-admissible (up to measure zero sets of hands for each player).*

## 5 Nash Equilibrium Strategy Profile

The full solution process is detailed in Appendix A. Here we present the final solution, which was obtained by solving for  $c(s)$  in terms of  $x_2$ , then using this to solve for  $v(s)$ , and finally solving for  $b(s)$  up to a constant of integration. The resulting system of 7 equations in 7 unknowns was solved symbolically using Mathematica and simplified by finding common subexpressions  $A_0, A_1, A_2, A_3, A_4, A_5$ .

**Theorem 5.1** (Nash Equilibrium Strategy Profile). *The unique admissible Nash equilibrium strategy profile for Limit Continuous Poker with minimum bet size  $L$  and maximum bet size  $U$  is given by:*

$$\begin{aligned}
x_0 &= \frac{3(L+1)^3U}{A_4} \\
x_1 &= \frac{3A_0LU + A_0U - L^3 - 3L^2}{A_4} \\
x_2 &= \frac{A_5}{A_4} \\
x_3 &= \frac{A_2L^3 + 3A_2L^2 + 3L(5U^3 + 15U^2 + 15U + 4) + 4U^3 + 12U^2 + 12U + 3}{A_4} \\
x_4 &= \frac{3A_1L^2 + A_2L^3 + 3A_2L + 4U^3 + 12U^2 + 12U + 3}{A_4} \\
x_5 &= \frac{3A_3L^2 + 3A_3L + A_3 + L^3(6U^3 + 18U^2 + 15U + 2)}{A_4} \\
b_0 &= -\frac{(L+1)^3}{A_4} \\
b(s) &= b_0 - \frac{(1+3s)(x_2-1)}{6(1+s)^3} \\
c(s) &= \frac{x_2+s}{s+1} \\
v(s) &= \frac{x_2+2s^2+4s+1}{2(s+1)^2}
\end{aligned}$$

where the common subexpressions are:

$$\begin{aligned}
A_0 &= U^2 + 3U + 3 \\
A_1 &= 7U^3 + 21U^2 + 21U + 6 \\
A_2 &= 6U^3 + 18U^2 + 18U + 5 \\
A_3 &= 7U^3 + 21U^2 + 18U + 3 \\
A_4 &= 3A_1L^2 + 3A_1L + A_1 + A_2L^3 \\
A_5 &= 3A_0L^2U + 3A_0LU + A_0U - L^3
\end{aligned}$$

Proof given in Appendix A. Refer to section ?? for an explanation of how these values fit together to actually form the strategy profile.

This solution is more interpretable in graphical form. Figure 1 shows the strategy profile for various values of  $L$  and  $U$  ranging from very lenient

( $L = 0, U = 10$ ) to very restricted ( $L = 0.5, U = 1$ ). The more lenient bet size limits model something closer to NLCP, while the more restricted bet size limits model something closer FBCP with a fixed bet size. Indeed, we see that the strategy profile of for  $L = 0, U = 10$  looks qualitatively similar to the strategy profile of NLCP - we will show in section 8.2 that the strategy profile approaches the Nash equilibrium of NLCP as  $L$  and  $U$  approach 0 and  $\infty$ , respectively, and that the strategy profile approaches the Nash equilibrium of FBCP as  $L$  and  $U$  approach some fixed value  $s$  from either side.

## 6 Payoff Analysis

In Nash Equilibrium, a given hand combination  $(x, y)$  uniquely determines the bettor's payoff, since both players play pure strategies. We can better understand the strategy profile by examining payoffs for all hand combinations over the unit square  $[0, 1]^2$  (see Figure 2). For comparison, the first and last plots show the payoffs in Fixed-Bet Continuous Poker with a fixed bet size  $B = 1$  and No-Limit Continuous Poker, respectively. We will explore the relationship between the three games in more detail in section 8.2.

This visualization gives insight into exactly how the bettor is gaining value from the game. In line with experience of real poker, the biggest wins and losses occur when both hands are strong (top right of any plot), with the stronger of the two hands winning a large pot. However, we also see large payoffs when a very weak bettor bluffs big and gets called by a strong caller (top left). As the limits become more lenient, these cases become more extreme but also less likely, since making and calling maximum bets become more risky for both players.

### 6.1 Expected Value of Bettor's Hand Strengths

plots

In addition to considering payoffs for a specific bettor-caller hand combination, we can also consider the expected value of given hand for the bettor, not knowing the hand of the caller. Let  $EV(x)$  denote the expected value of a value-betting hand  $x$  in the unique admissible Nash equilibrium.






Figure 1: Nash equilibrium strategy profiles for different values of  $L$  and  $U$ , from very lenient to very restricted bet sizes. The bet function maps hand strengths to bet sizes, while the call function gives the minimum calling hand strength for a given bet size. The shaded regions represent the hand strengths for which the caller should call a given bet size.

**Theorem 6.1.**

$$EV(x) = \begin{cases} x_2 - \frac{1}{2} & \text{if } x \leq x_2 \\ x - \frac{1}{2} & \text{if } x_2 < x \leq x_3 \\ x(2L + 1) - L(c(L) + 1) - \frac{1}{2} & \text{if } x_3 < x < v(L) \\ x(2v^{-1}(x) + 1) - v^{-1}(x)(c(v^{-1}(x)) + 1) - \frac{1}{2} & \text{if } v(L) \leq x \leq v(U) \\ x(2U + 1) - U(c(U) + 1) - \frac{1}{2} & \text{if } x > v(U) \end{cases} \quad (1)$$




Figure 2: Bettor payoffs in Nash equilibrium as a function of hand strengths  $x, y$  for fixed bet size  $B = 1$  (top left), and No-Limit Continuous Poker (bottom right). Intermediate plots show the payoffs for different values of  $L$  and  $U$  ranging from strict (fixed bet size  $B = 1$ ) to lenient (No limits). Regions are labeled according to the outcome of the game in Nash equilibrium.

**Proof.** For bluffing hands  $x \leq x_2$ , we can use a simple argument to show that the hand strength  $x$  is actually irrelevant. The bettor never gets called by worse hands, so either the caller folds or calls with the best hand. In either case, the bettor's payoff has no dependence on  $x$ , so the payoff must be the same for all  $x \leq x_2$  (otherwise, a the lower-payoff hands would imitate the strategy of the higher-payoff hands). We know that at  $x = x_2$ , the bettor is indifferent between bluffing and checking, so the payoff must be  $x_2 - \frac{1}{2}$  for all  $x \leq x_2$ .

For checking hands  $x_2 \leq x \leq x_3$ , the bettor wins only the ante exactly when they have the best hand, which happens with probability  $x$ . The value of the ante is  $\frac{1}{2}$ , so the bettor's expected value is  $x - \frac{1}{2}$ .

For any value betting hand, the bettor has three case to consider: the caller folds, the callers calls with a worse hand, or the caller calls with the

best hand. We simply sum the expected value of each of these cases.

$$EV(x) = \frac{1}{2}c(s) + (x - c(s)) \left(s + \frac{1}{2}\right) + (1 - x) \left(-s - \frac{1}{2}\right)$$

The last three cases come from substituting  $L, v^{-1}(x), U$  for  $s$  in the expression above and simplifying.  $\square$

We can quickly verify that the bettor's expected value is increasing in  $x$ . This must be the case, since with any given hand strength, the bettor can always choose to imitate the Nash equilibrium strategy of a weaker hand, so the stronger hand must be at least as good in expectation.

**Theorem 6.2.** *For any fixed  $L, U$ , the bettor's expected value  $EV(x)$  is increasing in  $x$ :*

$$\frac{d}{dx}EV(x) > 0$$

**Proof.** It is clear from inspection that any checking EV is higher than that of a bluff and that the checking EV is increasing in  $x$ . We also know that at  $x = x_3$ , the bettor is indifferent between checking and betting, so the EV of checking and betting must be equal at this point. Therefore, we only need to show that within the checking and value betting regions, the EV is increasing in  $x$ . This is obvious for checking hands. For value betting hands, we can take the derivative of the expression for  $EV(x)$  with respect to  $x$  and show that it is always positive. We consider the max and min betting hands first:

$$\begin{aligned} s = U &\implies \frac{d}{dx}EV(x) = 2U + 1 > 0 \\ s = L &\implies \frac{d}{dx}EV(x) = 2L + 1 > 0 \end{aligned}$$

For intermediate value betting hands, we can use the chain rule to show that the EV is increasing in  $x$ :

$$\frac{d}{dx}EV(x) = \frac{\partial EV(x)}{\partial x} + \frac{dEV(x)}{ds} \frac{ds}{dx}$$

From the value optimality condition ??, we know that  $\frac{dEV(x)}{ds} = 0$  (otherwise, the bettor could gain value by varying the bet size). Clearly,  $\frac{\partial EV(x)}{\partial x} > 0$ .

Therefore, the derivative is positive, and the EV is increasing in  $x$  for all value betting hands.  $\square$

It is worth noting that the bettors strongest hands (right edge) actually seem to become less likely to make any profit more than the ante as limits increase. These strongest hands make very large bets, which force all but the strongest hands to fold, but win huge pots when they do get called. In more complicated poker variants, it is common to ‘slowplay’ strong hands by checking or making small bets to induce bluffs from the opponent. In LCP, there is only one betting round and the caller is not allowed to raise, both of which make slowplaying obsolete. With extremely strong hands, the benefit of winning a large pot when betting big outweighs the lower likelihood of getting called.

## 7 Parameter Analysis

### 7.1 Effect of Increasing $U$

#### 7.1.1 Expected Payoff of Value-Betting Hands

It may seem unsurprising that strong hands become less likely to get called as limits increase, but what about the actual expected payoff of these hands? Does the expected value of each hand continue increasing as we increase  $U$ ? The answer is no. In fact, for any fixed hand strength  $x$ , the expected payoff of that hand increases in  $U$  only for large enough  $x$  or small enough  $U$ , after which it decreases. This feels counterintuitive; increasing  $U$  only gives the bettor more options, so how is it possible that the expected payoff of a wide range of their hands decreases? And which hands are gaining expected payoff to offset this? This is a surprising result, and it is worth exploring in more detail.

Recall from section 6.1 that  $EV(x)$  denotes the expected payoff of a value-betting hand  $x$  in the unique admissible Nash equilibrium.

**Theorem 7.1.** *For any value-betting hand strength  $x$  and any  $L, U$ ,  $EV(x)$  is decreasing in  $U$  for all  $x$  which make intermediate-sized bets and weak hands which bet the maximum, and increasing in  $U$  for strong hands which bet the maximum, above a certain threshold. Specifically,  $\frac{d}{dU}EV(x) < 0$  if*

$$x < \max \left( v(U), \frac{1}{2(1+U)} \left( U \frac{\partial x_2}{\partial U} + \frac{U^2 + x_2(1+2U)}{1+U} \right) \right)$$

*and  $\frac{d}{dU}EV(x) > 0$  otherwise.*

Before proving the theorem, we will walk through some lemmas which explore how all the relevant variables change as we increase  $U$ , including the bluffing threshold  $x_2$ , the bet size  $v^{-1}(x)$ , and the calling cutoff  $c(s)$ .

### 7.1.2 Bluffing Threshold

We begin by showing that  $x_2$ , the boundary hand strength between bluffing and checking, is increasing in  $U$ . This means that for fixed  $L$ , increasing the upper limit  $U$  makes the better bluff with more hands.

**Lemma 7.1.** *For any fixed  $L, U$ ,*

$$\frac{\partial x_2}{\partial U} > 0$$

**Proof.** Taking the partial derivative of  $x_2$  with respect to  $U$  and rearranging terms gives:

$$\frac{\partial x_2}{\partial U} = \frac{18(L+1)^6(U+1)^2}{(A_1 + L^3A_2 + 3L^2A_1 + 3LA_1)^2}$$

Which is always positive since  $L \in [0, U]$ ,  $U \in [0, \infty)$ , and  $A_1, A_2$  are both positive-coefficient polynomials in  $L$  and  $U$ .  $\square$

### 7.1.3 Bet Size

We now show that if we fix  $x$  at any intermediate value-betting hand strength (betting neither the minimum nor maximum bet size) and then increase  $U$ , the bet size  $s$  made by  $x$  decreases. The intermediate value-betting hands are exactly  $x \in [x_3, v(U)]$  and their bet sizes are given by  $s = v^{-1}(x)$ , so we get the following lemma:

**Lemma 7.2.** *For any fixed  $x \in [x_3, v(U)]$ ,*

$$\frac{d}{dU}v^{-1}(x) < 0$$

**Proof.** Recall that

$$v^{-1}(x) = -\frac{\sqrt{(4x-4)(2x_2-2)}}{4x-4} - 1$$

Where  $x_2$  is a function of  $L$  and  $U$ . Importantly,  $v^{-1}(x)$  is only dependent on  $U$  through  $x_2$ , so we can use the chain rule to take the derivative with

respect to  $U$ :

$$\frac{d}{dU}v^{-1}(x) = \frac{\partial v^{-1}(x)}{\partial x_2} \frac{\partial x_2}{\partial U}$$

The first term is

$$\begin{aligned} \frac{\partial v^{-1}(x)}{\partial x_2} &= -\frac{1}{\sqrt{(4x-4)(2x_2-2)}} \\ &= -\frac{1}{(v^{-1}(x)+1)(4-4x)} \end{aligned}$$

Which is always negative since  $x \in [0, 1]$  and  $v^{-1}(x) > 0$ . We know that the second term is positive by Lemma 7.1.

Therefore, the product of the two terms is always negative, so the bet size of intermediate bets is decreasing in  $U$ .  $\square$

#### 7.1.4 Calling Cutoff

Recall that  $c(s)$  is defined as the minimum hand strength  $y$  which should call a bet of size  $s$  and is given in Nash equilibrium by:

$$c(s) = \frac{x_2 + s}{s + 1}$$

We are specifically interested in how  $c(v^{-1}(x))$  varies with  $U$  for  $x \in [x_3, v(U)]$ , since this represents how the calling cutoff changes both directly from a strategic change, as well as indirectly due to the lower bet size  $s$ . It turns out that the calling cutoff is increasing in  $U$  for all  $x \in [x_3, v(U)]$ . This is surprising because we just showed that the bet size  $s$  is decreasing in  $U$ , and we expect smaller bets to be called more often. For reasons we will see later, this effect is overpowered by a strategic shift for the caller, who calls less often for all bet sizes as  $U$  increases.

**Lemma 7.3.** *For any fixed  $x \in [x_3, v(U)]$ ,*

$$\frac{d}{dU}c(v^{-1}(x)) > 0$$

**Proof.** As mentioned above,  $c(s)$  is dependent on  $U$  in two distinct ways - directly through  $x_2$ , which can be interpreted as the caller changing strategy as the game changes - but also indirectly in response to how the bet size

$s = v^{-1}(x)$  is dependent on  $U$ . We use the multivariate chain rule to express  $\frac{d}{dU}c(v^{-1}(x))$  in terms of these two dependencies:

$$\frac{d}{dU}c(v^{-1}(x)) = \frac{\partial c(s)}{\partial s} \frac{dv^{-1}(x)}{dU} + \frac{\partial c(s)}{\partial x_2} \frac{\partial x_2}{\partial U}$$

The two partial derivatives of  $c(s)$  are:

$$\frac{\partial c(s)}{\partial s} = \frac{1 - x_2}{(s + 1)^2} \quad \text{and} \quad \frac{\partial c(s)}{\partial x_2} = \frac{1}{s + 1}$$

Substituting  $s = v^{-1}(x)$ , we can further simplify the first term:

$$\begin{aligned} \left. \frac{\partial c(s)}{\partial s} \right|_{s=v^{-1}(x)} &= \frac{1 - x_2}{(v^{-1}(x) + 1)^2} \\ &= 2 - 2x \end{aligned}$$

And as we showed in the proof of Lemma 7.1,  $\frac{dv^{-1}(x)}{dU}$  is given by:

$$\frac{dv^{-1}(x)}{dU} = \frac{-1}{(v^{-1}(x) + 1)(4 - 4x)} \frac{\partial x_2}{\partial U}$$

Substituting all of these with  $s = v^{-1}(x)$ :

$$\begin{aligned} \frac{d}{dU}c(v^{-1}(x)) &= (2 - 2x) \left( \frac{-1}{(v^{-1}(x) + 1)(4 - 4x)} \right) \left( \frac{\partial x_2}{\partial U} \right) + \left( \frac{1}{v^{-1}(x) + 1} \right) \left( \frac{\partial x_2}{\partial U} \right) \\ &= \left( \frac{1}{v^{-1}(x) + 1} \right) \left( \frac{\partial x_2}{\partial U} \right) \left( -\frac{2 - 2x}{4 - 4x} + 1 \right) \\ &= \left( \frac{1}{v^{-1}(x) + 1} \right) \left( \frac{\partial x_2}{\partial U} \right) \left( \frac{1}{2} \right) \end{aligned}$$

The first term is positive since  $v^{-1}(x) > 0$  and the second term is positive by Lemma 7.1. Therefore, the product of the two terms is positive, so the calling cutoff is increasing in  $U$  for all  $x \in [x_3, v(U)]$ .

□

### 7.1.5 Proof of Theorem 7.1

Having these tools, we can now finally return to the proof of Theorem 7.1.

**Proof.** Recall the expected payoff of a value-betting hand  $x$ :

$$EV(x) = \frac{1}{2}c(s) + (x - c(s)) \left( s + \frac{1}{2} \right) + (1 - x) \left( -s - \frac{1}{2} \right)$$

We break the proof into two cases:

**Case 1** ( $x > v(U)$ ): In this case, hand  $x$  bets the maximum amount  $U$ . The expected value is:

$$EV(x) = \frac{1}{2}c(U) + (x - c(U)) \left( U + \frac{1}{2} \right) + (1 - x) \left( -U - \frac{1}{2} \right)$$

and the derivative is:

$$\begin{aligned} \frac{d}{dU}EV(x) &= \left. \frac{\partial EV(x)}{\partial s} \right|_{s=U} + \frac{\partial EV(x)}{\partial c(s)} \left( \left. \frac{\partial c(s)}{\partial s} \right|_{s=U} + \frac{\partial c(s)}{\partial x_2} \frac{\partial x_2}{\partial U} \right) \\ &= \left( \left. \frac{\partial EV(x)}{\partial s} \right|_{s=U} + \frac{\partial EV(x)}{\partial c(s)} \frac{\partial c(s)}{\partial s} \right) \Big|_{s=U} + \left( \frac{\partial EV(x)}{\partial c(s)} \frac{\partial c(s)}{\partial x_2} \frac{\partial x_2}{\partial U} \right) \\ &= \left. \frac{dEV(x)}{ds} \right|_{s=U} + \left( \frac{\partial EV(x)}{\partial c(s)} \frac{\partial c(s)}{\partial x_2} \frac{\partial x_2}{\partial U} \right) \\ &= \left. \frac{dEV(x)}{ds} \right|_{s=U} - \frac{U}{1+U} \cdot \frac{\partial x_2}{\partial U} \end{aligned}$$

We want to know exactly when the above expression is positive.  $\frac{\partial x_2}{\partial U}$  is always positive by Lemma 7.1, and is independent of  $x$ . At  $x = v(U)$ , we know that  $\frac{dEV(x)}{ds} = 0$  from ??, so at  $x = v(U)$ , the entire expression is negative and  $EV(x)$  is decreasing in  $U$ . What about for larger  $x$ ? We can expand the expression further. The partial derivatives of  $EV(x)$  are:

$$\begin{aligned} \frac{\partial EV(x)}{\partial s} &= 2x - 1 - c(s) \\ \frac{\partial EV(x)}{\partial c(s)} &= -s \end{aligned}$$

Plugging these in and rearranging terms, we can say that  $EV(x)$  is increasing in  $U$  if



$$x > \frac{1}{2(1+U)} \left( U \frac{\partial x_2}{\partial U} + \frac{U^2 + x_2(1+2U)}{1+U} \right)$$

Where nothing on the right hand side is dependent on  $x$ . This means that for any fixed  $L, U$ , this gives a threshold value for  $x$  below which  $EV(x)$  is decreasing in  $U$ , and above which it is increasing in  $U$ .

**Case 2** ( $x_3 < x < v(U)$ ): In this case, hand  $x$  makes an intermediate-sized bet  $s = v^{-1}(x)$ . There are two distinct factors influencing the derivative  $\frac{d}{dU}EV(x)$ , namely the change in bet size  $s = v^{-1}(x)$  and the change in calling cutoff  $c(v^{-1}(x))$ . By the multivariate chain rule, we can express the derivative as:

$$\frac{d}{dU}EV(x) = \frac{\partial EV(x)}{\partial s} \frac{dv^{-1}(x)}{dU} + \frac{\partial EV(x)}{\partial c(s)} \frac{dc(v^{-1}(x))}{dU}$$

The partial derivatives of  $EV(x)$  are:

$$\begin{aligned} \frac{\partial EV(x)}{\partial s} &= 2x - 1 - c(s) \\ \frac{\partial EV(x)}{\partial c(s)} &= -s \end{aligned}$$

The second is clearly negative. We can verify that the first must be positive if we go back to the constraints which gave us the Nash equilibrium. For the bet size  $v^{-1}(x)$  to be optimal, we required that

$$-s \frac{\partial c(s)}{\partial s} - c(s) + 2v(s) - 1 = 0$$

Or equivalently, if we substitute  $s = v^{-1}(x)$  and  $v(s) = x$  and rearrange:

$$2x - 1 - c(v^{-1}(x)) = v^{-1}(x) \frac{\partial c(s)}{\partial s} > 0$$

Since  $\frac{\partial c(s)}{\partial s} = \frac{1-x_2}{(s+1)^2} > 0$ , and  $s$  is positive by definition.

We know from Lemma 7.2 that  $\frac{dv^{-1}(x)}{dU} < 0$  and from Lemma 7.3 that  $\frac{dc(v^{-1}(x))}{dU} > 0$ .

Combining everything, we see that both terms in  $\frac{d}{dU}EV(x)$  are products of negative and positive, making both terms negative. Therefore, the expected payoff is decreasing in  $U$  for all  $x \in [x_3, v(U)]$ .

□

## 8 Strategic Comparison to Fixed-Bet and No-Limit Continuous Poker

The most natural way to think of Limit Continuous Poker is as a generalization between Fixed-Bet and No-Limit Continuous Poker, on a spectrum from strict to lenient bet sizing. In this light, we begin by asking whether the Nash equilibrium strategies approach those of NLCP and FCP as the limits  $L$  and  $U$  approach their extreme cases. To make this more explicit, we model the bettor strategies for all three games as ‘bet functions’ from hand strengths to bets (with 0 representing a check), and caller strategies as ‘call functions’ from bet sizes to minimum calling thresholds. We also introduce notation to reference all three strategy profiles more efficiently.

### 8.1 Setup and Notation

To compare the strategy profiles across different variants of Continuous Poker, we introduce the following notation for the strategy functions of the three games:

Symbol	Meaning
$S_{FB}(x, B)$	Bettor’s bet function in FBCP with fixed bet size $B$
$C_{FB}(s, B)$	Caller’s call function in FBCP with fixed bet size $B$
$S_{NL}(x)$	Bettor’s bet function in NLCP
$C_{NL}(s)$	Caller’s call function in NLCP
$S_{LCP}(x, L, U)$	Bettor’s bet function in LCP with limits $L$ and $U$
$C_{LCP}(s, L, U)$	Caller’s call function in LCP with limits $L$ and $U$
$x_i _{L,U}$	Threshold $x_i$ in LCP with limits $L$ and $U$

Table 1: Notation for strategy functions across different variants of Continuous Poker

In FBCP, the bettor can only make a fixed bet size  $B$  or check. The bet function  $S_{FB}(x, B)$  maps hand strengths to either 0 (check) or  $B$  (bet):

$$S_{FB}(x, B) = \begin{cases} B & x < \frac{B}{(1+2B)(2+B)} \text{ (bluffing range)} \\ 0 & \frac{B}{(1+2B)(2+B)} > x > \frac{1+4B+2B^2}{(1+2B)(2+B)} \text{ (checking range)} \\ B & x > \frac{1+4B+2B^2}{(1+2B)(2+B)} \text{ (value betting range)} \end{cases} \quad (2)$$

The caller’s strategy is defined by a single threshold  $C_{FB}(s, B)$ :

$$C_{FB}(s, B) = \frac{B(3 + 2B)}{(1 + 2B)(2 + B)} \quad (3)$$

In NLCP, the bettor can choose any positive bet size. The strategy is most naturally described by functions  $v_{NL}(s)$  and  $b_{NL}(s)$  that map bet sizes to hand strengths:

$$\begin{aligned} v_{NL}(s) &= 1 - \frac{3}{7(s+1)^2} \text{ (value betting function)} \\ b_{NL}(s) &= \frac{3s+1}{7(s+1)^3} \text{ (bluffing function)} \end{aligned}$$

The bet function  $S_{NL}(x)$  is then defined in terms of the inverse functions:

$$S_{NL}(x) = \begin{cases} b_{NL}^{-1}(x) & x < \frac{1}{7} \text{ (bluffing range)} \\ 0 & \frac{1}{7} < x < \frac{4}{7} \text{ (checking range)} \\ v_{NL}^{-1}(x) & x > \frac{4}{7} \text{ (value betting range)} \end{cases}$$

The caller's strategy is defined by a continuous function  $C_{NL}(s)$ :

$$C_{NL}(s) = 1 - \frac{6}{7(s+1)}$$

In LCP, the bettor can choose any bet size between  $L$  and  $U$ . The strategy profile is defined by six thresholds  $x_0$  through  $x_5$  and functions  $v(s)$  and  $b(s)$  that map bet sizes to hand strengths. The bet function  $S_{LCP}(x, L, U)$  and call function  $C_{LCP}(s, L, U)$  are defined in terms of these values, which are given in Theorem 5.1.

## 8.2 Strategic Convergence

### 8.2.1 Bettor Strategy Convergence to Continuous Poker

We expect that as  $L$  and  $U$  approach some fixed value  $s$ , the bet function  $S_{LCP}(x, L, U)$  should converge to the bet function  $S_{FB}(x, s)$  for Fixed-Bet Continuous Poker with a fixed bet size  $s$ .

**Theorem 8.1.** *For any  $B > 0$ , the bet function  $S_{LCP}(x, L, U)$  for Limit Continuous Poker converges to the bet function  $S_{FB}(x, B)$  for Fixed-Bet Continuous Poker with a fixed bet size  $B$  as  $L$  and  $U$  approach  $B$ :*

$$\lim_{L \rightarrow B} \lim_{U \rightarrow B} S_{LCP}(x, L, U) = \lim_{U \rightarrow B} \lim_{L \rightarrow B} S_{LCP}(x, L, U) = S_{FB}(x, B).$$

**Proof.** We analyze the expressions for the  $x_i$ 's, each of which is a rational function<sup>4</sup> of  $L$  and  $U$ . Since these functions are defined and continuous for all positive values of  $L$  and  $U$ , the limit as  $L \rightarrow B$  and  $U \rightarrow B$  can be found by simply substituting  $L = U = B$ :

$$\begin{aligned} x_0|_{B,B} &= x_1|_{B,B} = \frac{B}{2B^3 + 7B^2 + 7B + 2} \\ x_2|_{B,B} &= \frac{B}{(1+2B)(2+B)} \\ x_3|_{B,B} &= \frac{2B^2 + 4B + 1}{(1+2B)(2+B)} \\ x_4|_{B,B} &= x_5|_{B,B} = \frac{2B^2 + 5B + 1}{(1+2B)(2+B)} \end{aligned}$$

$x_0 = x_1$  and  $x_4 = x_5$  are expected, since these intervals are where the bettor uses an intermediate bet size, and  $L = U = B$  does not allow intermediate bet sizes. This reduces the bet function to

$$\begin{aligned} \lim_{L \rightarrow B} \lim_{U \rightarrow B} S_{LCP}(x, L, U) &= \begin{cases} B & x < \frac{B}{(1+2B)(2+B)} \\ 0 & \frac{B}{(1+2B)(2+B)} > x > \frac{2B^2+4B+1}{(1+2B)(2+B)} \\ B & x > \frac{2B^2+4B+1}{(1+2B)(2+B)} \end{cases} \\ &= S_{FB}(x, B) \end{aligned}$$

□

### 8.2.2 Caller Strategy Convergence to Continuous Poker

The calling function is easier to analyze. We want to show that the calling threshold  $C_{LCP}(s, L, U)$  converges to the calling threshold  $C_{FB}(s, B)$  for Fixed-Bet Continuous Poker with a fixed bet size  $B$  as  $L$  and  $U$  approach  $B$ .

**Theorem 8.2.** *For any  $B > 0$ , the call function  $C_{LCP}(s, L, U)$  for Limit Continuous Poker converges to the call function  $C_{FB}(s, B)$  for Fixed-Bet Continuous Poker with a fixed bet size  $B$  as  $L$  and  $U$  approach  $B$ :*

$$\lim_{L \rightarrow B} \lim_{U \rightarrow B} C_{LCP}(s, L, U) = \lim_{U \rightarrow B} \lim_{L \rightarrow B} C_{LCP}(s, L, U) = C_{FB}(s, B).$$

---

<sup>4</sup>A ratio of polynomials in  $L$  and  $U$ .

**Proof.** We already have the value of  $x_2|_{B,B}$ , so we can plug this into the expression for the calling threshold:

$$\begin{aligned}
\lim_{L \rightarrow B} \lim_{U \rightarrow B} C_{LCP}(s, L, U) &= \frac{x_2|_{B,B} + s}{1 + s} \\
&= \frac{\frac{B}{(1+2B)(2+B)} + s}{1 + s} \\
&= \frac{B(3 + 2B)}{(1 + 2B)(2 + B)} \\
&= C_{FB}(s, B)
\end{aligned}$$

□

### 8.2.3 Bettor Strategy Convergence to NLCP

In a similar fashion, we expect that as  $L$  and  $U$  approach 0 and  $\infty$ , the bet function  $S_{LCP}(x, L, U)$  should converge to the bet function  $S_{NL}(x)$  for NLCP.

**Theorem 8.3.** *The bet function  $S_{LCP}(x, L, U)$  for Limit Continuous Poker converges to the bet function  $S_{NL}(x)$  for NLCP as  $L$  and  $U$  approach 0 and  $\infty$ :*

$$\lim_{L \rightarrow 0} \lim_{U \rightarrow \infty} S_{LCP}(x, L, U) = \lim_{U \rightarrow \infty} \lim_{L \rightarrow 0} S_{LCP}(x, L, U) = S_{NL}(x).$$

**Proof.** We can analyze the expressions for the  $x_i$ 's as  $L$  and  $U$  approach 0 and  $\infty$ . The limit is well-defined, and we can substitute  $L = 0$  and  $U = \infty$  into the expressions for the  $x_i$ s.

$$\begin{aligned}
x_0|_{0,\infty} &= 0 \\
x_1|_{0,\infty} &= x_2|_{0,\infty} = \frac{1}{7} \\
x_3|_{0,\infty} &= x_4|_{0,\infty} = \frac{4}{7} \\
x_5|_{0,\infty} &= 1
\end{aligned}$$

$x_0|_{0,\infty} = 0$  and  $x_5|_{0,\infty} = 1$  are expected, since these intervals are where the bettor uses a minimum bet size and a maximum bet size, respectively, both of which are impossible. The bettor now bets intermediate values for  $x < \frac{1}{7}$  and  $x > \frac{4}{7}$ , and checks for  $\frac{1}{7} < x < \frac{4}{7}$ . But how much do they bet? We can take the limits of  $v(s)$  and  $b(s)$  as  $L$  and  $U$  approach 0 and  $\infty$ :

$$\lim_{L \rightarrow 0} \lim_{U \rightarrow \infty} b(s) = \frac{3s + 1}{7(s + 1)^3}$$

$$\lim_{L \rightarrow 0} \lim_{U \rightarrow \infty} v(s) = 1 - \frac{3}{7(s + 1)^2}$$

To summarize, the better bets  $s$  with hands  $x < \frac{1}{7}$  such that  $x = b(s)$  or hands  $x > \frac{4}{7}$  such that  $x = v(s)$ . This is exactly the same as the bet function  $S_{NL}(x)$  for NLCP.

□

#### 8.2.4 Caller Strategy Convergence to NLCP

The calling function is again easier to analyze. We want to show that the calling threshold  $C_{LCP}(s, L, U)$  converges to the calling threshold  $C_{NL}(s)$  for NLCP as  $L$  and  $U$  approach 0 and  $\infty$ .

**Theorem 8.4.** *The call function  $C_{LCP}(s, L, U)$  for Limit Continuous Poker converges to the call function  $C_{NL}(s)$  for NLCP as  $L$  and  $U$  approach 0 and  $\infty$ :*

$$\lim_{L \rightarrow 0} \lim_{U \rightarrow \infty} C_{LCP}(s, L, U) = \lim_{U \rightarrow \infty} \lim_{L \rightarrow 0} C_{LCP}(s, L, U) = C_{NL}(s).$$

**Proof.** Again, we already have the limiting value of  $x_2|_{0,\infty}$ , so we can plug this into the expression for the calling threshold:

$$\begin{aligned} \lim_{L \rightarrow 0} \lim_{U \rightarrow \infty} C_{LCP}(s, L, U) &= \lim_{L \rightarrow 0} \lim_{U \rightarrow \infty} \frac{x_2 + s}{1 + s} \\ &= \frac{\frac{1}{7} + s}{1 + s} \\ &= 1 - \frac{6}{7(1 + s)} \\ &= C_{NL}(s) \end{aligned}$$

□

We have now shown that the better and caller strategies for LCP converge to those of FBCP and NLCP as the limits  $L$  and  $U$  approach their extreme values. In the next section, we explore the value of LCP in more detail, and in particular how it relates to that of FBCP and NLCP.

## 9 Game Value

LCP is a zero-sum game, so the value of the game can be found by the minimax theorem. Specifically, it is the maximum expected payoff that the bettor can gain when the caller plays optimally, and the minimum expected payoff that the caller can lose when the bettor plays optimally.

Since we have already found optimal strategies for both players, we can compute the value of the game as the average of the payoff in Nash equilibrium over all possible hand combinations  $(x, y)$ . This reduces to an integral of the payoff over the unit square, like we saw in Figure 2. Because the bet size is only defined implicitly in terms of the hand strength  $x$ , this is extremely nontrivial and requires breaking the square into regions based on the strategies and bet size. This method is fully specified in Appendix ??, but the resulting expression is given below.

$$V_{LCP}(L, U) = \frac{(1+L)^3(1+U)^3 - ((1+L)^3 + L^3(1+U)^3)}{14(1+L)^3(1+U)^3 - 2((1+L)^3 + L^3(1+U)^3)}$$

This is a rational function of  $L$  and  $U$  with a surprisingly simple form. Importantly, this makes it easy to compute  $V_{LCP}(L, U)$  as  $L, U$  approach their extreme values, which we use to relate the game value to that of NLCP and FBCP in the next section.

Most interestingly, the value of LCP has the following symmetry:

$$V_{LCP}(L, U) = V_{LCP}\left(\frac{1}{U}, \frac{1}{L}\right)$$


This symmetry is easily checked from the definition of  $V_{LCP}(L, U)$ , but is not at all obvious from the game setup.

In the following sections, we investigate the properties and behavior of  $V_{LCP}(L, U)$  in more detail. These include monotonicity, convergence to NLCP and FBCP, and the symmetry property.


### 9.1 Value Monotonicity

Intuitively, more options for the bettor should increase the game's value. To see this visually, we can plot the value of LCP as a function of the limits  $L$  and  $U$  for a range of values, as in Figure 3.


Notice the higher value for more lenient limits (top left of any plot in Figure 3) and lower value for more strict limits (moving down/right). We can easily prove this formally:




(a) Linear scale



(b) Zoomed out linear scale



(c) Log-log scale



(d) Zoomed out log-log scale

Figure 3: Game value of Limit Continuous Poker as a function of the limits  $L$  and  $U$ . (a) Linear scale, (b) Zoomed out linear scale, (c) Log-log scale, (d) Zoomed out log-log scale. The restriction  $L \leq U$  keeps the plots above the diagonal.

**Theorem 9.1.** *The value of Limit Continuous Poker is monotonically increasing in  $U$  and decreasing in  $L$ :*

$$\frac{\partial V_{LCP}(L, U)}{\partial U} \geq 0, \quad \frac{\partial V_{LCP}(L, U)}{\partial L} \leq 0$$

**Proof.**

□

prove  
this



## 9.2 Value Convergence

The main diagonal of the plots in Figure 3 should represent  $L = U$ , which means the bet size is fixed. Thus, this diagonal should represent the value of FBCP for various values of  $B$ . We can prove this formally:

**Theorem 9.2.** *For any  $B > 0$ , the value of Limit Continuous Poker converges to the value of Fixed-Bet Continuous Poker as  $L$  and  $U$  approach  $B$ :*

$$\lim_{L \rightarrow B} \lim_{U \rightarrow B} V_{LCP}(L, U) = \lim_{U \rightarrow B} \lim_{L \rightarrow B} V_{LCP}(L, U) = V_{FB}(B)$$

**Proof.**

□

prove  
this

These plots also align with the known result that a fixed pot-size bet of  $B = 1$  maximizes the expected value for the bettor in FBCP, as seen by the fact that  $(1, 1)$  achieves the maximum value on the diagonal.

We can also show that the value of LCP converges to the value of NLCP as  $L$  and  $U$  approach their extremes, represented by the top left of any plot in Figure 3.

**Theorem 9.3.** *The value of Limit Continuous Poker converges to the value of NLCP as  $L$  and  $U$  approach 0 and  $\infty$ :*

$$\lim_{L \rightarrow 0} \lim_{U \rightarrow \infty} V_{LCP}(L, U) = \lim_{U \rightarrow \infty} \lim_{L \rightarrow 0} V_{LCP}(L, U) = V_{NL}$$

**Proof.**

□

prove  
this

## 9.3 Value Symmetry

Looking again at the log-log plots in Figure 3, we see the symmetry property of  $V_{LCP}(L, U)$  represented by symmetry about the reverse diagonal (the line  $\log(L) = -\log(U)$ ).

This symmetry can be interpreted in terms of how changing the limits affects the game to the bettor. We discussed earlier how the bettor benefits from increasing  $U$  or from decreasing  $L$ , but it was unclear exactly how these benefits related quantitatively. The symmetry property tells us that the benefit from increasing  $U$  is exactly equivalent to that of decreasing  $L$  in a reciprocal manner, centered exactly around the pot size of 1. Similarly, the loss in value from decreasing  $U$  is equivalent to the loss from increasing  $L$  in a reciprocal manner.

For example, suppose you are given the choice between playing LCP as the bettor with limits  $L = 1/2$  and  $U = 5$  or  $L = 1/5$  and  $U = 2$ . You

know you can play optimally, but it is unclear which game favors you. The symmetry property tells us that the value of the game is the same in both cases, so you should be indifferent between the two.

## **A Derivation of Nash Equilibrium Strategy Profile**

## **B Computation of Game Value**