

Limit Continuous Poker: A Variant of Continuous Poker with Limited Bet Sizes

Andrew Spears

May 19, 2025

1 Abstract

We introduce and analyze Limit Continuous Poker, a variant of Von Neumann's Continuous Poker with variable but limited bet sizes. This simplified variant of poker captures aspects of information asymmetry, bluffing, balancing, and the impact of bet size limits while still being simple enough to solve analytically. We derive the Nash equilibrium strategy profile for this game, showing how the bettor's and caller's strategies depend on the bet size limits. We demonstrate that as the bet size limits approach extreme values, the strategy profile converges to those of other continuous poker variants. Finally, we connect these results to strategic implications of limited bet sizing in real-world poker.

2 Introduction

2.1 Previous Work

2.1.1 Fixed-Bet Continuous Poker (FBCP)

Continuous Poker (also called Von Neumann Poker, and referred to in this paper as Fixed-Bet Continuous Poker or FBCP) is a simplified model of poker. It is a two-player zero-sum game designed to study strategic decision-making in competitive environments. The game abstracts away many complexities of real poker, focusing instead on the mathematical and strategic aspects of bluffing, betting, and optimal play.

explain
poker,
gen-
eral
ideas
of
bluff-
ing,
value
bet-
ting,
etc.

Definition 2.1 (FBCP). Two players, referred to as the bettor and the caller, each put a 0.5 unit ante into a pot¹. They are each dealt a ‘hand strength’ uniformly and independently from the interval $[0, 1]$ (referred to as x for bettor and y for caller). After seeing x , the bettor can either check - in which case, the higher hand between x and y wins the pot of 1 and the game ends - or they can bet by putting a pre-determined amount $B > 0$ into the pot. The caller can now either call by matching the bet of B , after which the higher hand wins the pot of $1 + 2B$, or fold, conceding the pot of $1 + B$ to the bettor and ending the game.

FBCP has many Nash equilibria, but it has a unique one in which the caller plays an admissible strategy². This strategy profile, parametrized by the bet size B , is as follows:

The bettor bets with hands x such that either

$$x > \frac{1 + 4s + 2B^2}{(1 + 2B)(2 + B)} \text{ or } x < \frac{B}{(1 + 2B)(2 + B)}$$

We call the higher interval the value betting range and the lower interval the bluffing range. The caller calls with hands y such that

$$y > \frac{B(3 + 2B)}{(1 + 2B)(2 + B)}$$

The non-uniqueness of this Nash Equilibrium is due to the fact that given the bettor’s strategy, the caller can achieve the same expected payoff with any calling threshold between the value betting range and the bluffing range. However, any calling strategy other than this one incentivizes the bettor to deviate from the Nash Equilibrium strategy and leads to a lower payoff for the caller.

The value of FBCP for the bettor is

$$V_{FB}(B) = \frac{B}{2(1 + 2B)(2 + B)}$$

Which is positive and maximized at $B = 1$, when the bet size is exactly the pot size.

¹An ante of 1 is often used, but since the pot size is the more relevant value, we use an ante of 0.5. All bet sizes simply scale proportionally.

²An admissible strategy is one which is not strictly dominated by any other strategy

2.1.2 No-limit Continuous Poker (NLCP)

Another continuous poker variant allows the bettor to choose a bet size $s > 0$ after seeing their hand strength, as opposed to a fixed bet size B . This variant is called No-Limit Continuous Poker (or Newman Poker after Donald J. Newman, or NLCP in this paper). The Nash equilibrium strategy profile for this variant is discussed and solved in *The Mathematics of Poker* by Bill Chen and Jerrod Ankenman (see page 154).

In Nash Equilibrium, the bettor should make large bets with their strongest and weakest hands and smaller bets or checks with their intermediate hands. It turns out that the optimal strategy is most elegantly described by a mapping from bet sizes s to hand strengths x for bluffing and value betting, respectively. The caller simply has a calling threshold $c(s)$ for each possible bet size s . The full strategy profile is as follows:

The bettor bets s with hands x such that either

$$x = \frac{3s + 1}{7(s + 1)^3} \text{ or } x = 1 - \frac{3}{7(s + 1)^2}$$

Where the first condition represents bluffing hands and the second value betting hands. After seeing a bet of size s , the caller should call with hands y such that

$$y > 1 - \frac{6}{7(s + 1)}$$

Note that the bettor uses all possible bet sizes and has exactly two hand strengths for each bet size. On first inspection, this feels like the bettor is giving away too much information, but it turns out to still be an optimal strategy. This concept appears again and is explained more thoroughly in section 4.1.

The value of NLCP is

$$V_{NL} = \frac{1}{14}$$

for the bettor³.

3 Limit Continuous Poker (LCP)

We now introduce a variant where the bettor may choose a bet size s after seeing their hand strength, but where s is bounded by an upper limit U

³Would be 1/7 for an ante of 1, but the value is halved with an ante of 0.5

citation
generate
a
graph
of
the
strategies

and a lower limit L , referred to as the maximum and minimum bet sizes. This variant, called Limit Continuous Poker (or LCP), retains similar rules to NLCP:

Definition 3.1 (LCP). Two players, the bettor and the caller, are each dealt uniform, independent hand strengths $x, y \in [0, 1]$. After seeing x , the bettor chooses between checking (giving payoff 1 to the higher hand) or betting an amount $s \in [L, U]$. If the bettor bets, the caller must either call (giving payoff $1 + 2s$ to the higher hand) or fold (giving payoff 1 to the bettor).

4 Solving LCP

4.1 Nash Equilibrium Structure

Like FBCB and NLCP, LCP has many Nash equilibria, but a unique one with admissible strategies. This strategy profile turns out to have the following structure:

- The caller has a single calling threshold $c(s)$ as a function of the bet size s . They call with hands $y \geq c(s)$ and fold with hands $y < c(s)$. The threshold $c(s)$ is non-decreasing in s and continuous in s even at the endpoints L and U .
- The bettor partitions $[0, 1]$ into seven regions with six threshold values $0 \leq x_0 \leq x_1 \leq x_2 \leq x_3 \leq x_4 \leq x_5 \leq 1$.
- They bet the maximum amount U with the strongest hands ($x \in (x_5, 1)$), some intermediate amount $L < s < U$ according to a function $x = v(s)$ with the next strongest hands ($x \in (x_4, x_5)$), and the minimum amount L with the next strongest hands ($x \in (x_3, x_4)$). These are the value bet regions.
- The bettor checks with mediocre hands ($x \in (x_2, x_3)$).
- The bettor bluffs the minimum amount L with the next strongest hands ($x \in (x_1, x_2)$), some intermediate amount $L < s < U$ according to a function $x = b(s)$ with the next strongest hands ($x \in (x_0, x_1)$), and the maximum amount U with the weakest hands ($x \in (0, x_0)$). These are the bluffing regions.

Why must this be the case? As a starting point, we conjecture a strategy profile similar to that of NLCP, where the bettor partitions the interval $[0, 1]$

address
0
prob-
abil-
ity
events
and
() vs
[]

continuity
of
bet-
tor
strat-
egy

into three regions: a value bet region, a check region, and a bluffing region. Similarly, the caller partitions the interval into two regions: a call region and a fold region. All of these will be parametrized by the limits L and U .

Clearly, the caller should always call with better hands and fold with worse hands. We can model this by defining a threshold $c(s)$, which is the minimum hand strength that the caller will call with when the bettor bets s . We can guess that $c(s)$ should be non-decreasing in s , since a smaller bet gives the caller better pot odds, so they need relatively lower chances of winning to justify a call.

address
strictly
dom-
i-
nated

A value bet is defined as a bet aimed at making weaker hands call (although a value bet expects stronger hands to call as well). A bluff is defined as a bet which never expects a weaker hand to call, but hopes to make at least some stronger hands fold. Knowing the form of the caller's strategy, a value bet of size s must be made with a hand that is stronger than $c(s)$, otherwise no weaker hands will call. A bluff must be made with a hand that is weaker than $c(s)$, otherwise the caller will never fold a stronger hand. We can also guess that in Nash Equilibrium, the bettor's value bets should be larger with stronger hands. This is because $c(s)$ is non-decreasing, so a larger bet restricts the calling range to only very strong hands. A value bet gains value from making weaker hands call, so only the strongest hands should be making large value bets.

Another consideration for the form of the bettor's strategy is how to size bluffs. That is, when the bettor has a hand weak enough to bluff, which hands should bluff big and which should bluff small? We argue that the bettor should bluff big with their weakest hands and small with their relatively stronger bluffing hands. In Nash Equilibrium, a bluff never expects to be called by a weaker hand, so the only consideration is the fact that larger bluffs are more likely to make the opponent fold. When the bettor picks a bluffing size, they want to maximize expected value assuming the opponent only calls with stronger hands. If the opponent calls, they lose the bet s , but if they fold, the bettor wins the pot of 1:

what
are
v
and
b?

argue

$$\mathbb{E}[\text{bluff } s] = \mathbb{P}[\text{fold}] \cdot 1 - \mathbb{P}[\text{call}] \cdot s$$

We can plug in the probability of calling as $1 - c(s)$, since the caller calls with any hand stronger than $c(s)$.

$$\mathbb{E}[\text{bluff } s] = c(s) - (1 - c(s)) \cdot s \quad (1)$$

Notice that this value has no dependence on the strength of the bettor's hand. This means that either one bluff size is optimal for all hands, or that the bettor is indifferent among a set of bluffing sizes.

Taking a step back, why should the caller ever call with hands weaker than what the bettor might be value betting with? The answer is that the bettor bluffs with hands which are indistinguishable from value bets. If the bettor is using a certain size for value betting, they must also use that size for bluffing, otherwise the caller can exploit the bettor's strategy by only calling with hands stronger than the bettor's value betting range. Thus, the bettor must be indifferent among all bluffing sizes which are used for value bets.

If the bettor is indifferent among bluffing sizes, then the hands which bluff different sizes are not actually important in a Nash Equilibrium, as long as the bluffs balance out the value bets correctly to give the caller the correct pot odds. However, we can discriminate between 'optimal' betting strategies by bluffing in a way that best responds to suboptimal calling strategies. For example, suppose the caller's deviates in a way that is consistent with $c(s)$ being non-decreasing, so $c(s)$ is shifted either up or down. If it shifts up, then the caller is folding hands which should be calling, but this has no impact on choosing a bluffing size. However, if $c(s)$ shifts down, then the caller is calling with hands which should be folding. In this case, the better can actually win occasionally by bluffing small with their strongest bluffing hands. If they instead bluffed big with their strongest bluffing hands, they would not be able to take advantage of the caller's mistake. An important distinction here is that the bettor is not actually deviating from the Nash Equilibrium to exploit a mistake by the caller. Instead, they are using one of many security strategies which are all Nash Equilibria, but which are not all equally good against suboptimal calling strategies.

We can use a similar argument to show that the caller's calling threshold $c(s)$ should be a continuous function of s , even at the endpoints L and U . A skeptic might suggest because the bet size is limited by U , a bet of U indicates a much stronger range than a large bet which is less than the maximum. They might then suggest that in Nash Equilibrium, the calling threshold $c(U)$ is not necessarily the limiting value of $c(s)$ as s approaches U . We argue that this must be the case because if it were not, the bettor could exploit the caller's strategy. Look again at equation 1; if $c(s)$ had a discontinuity at U , then so would the expected value of bluffing. The bettor would then not be indifferent among bluffing sizes, and they could exploit the caller's strategy by either bluffing U or $U - \epsilon$, whichever was more profitable.

4.2 Constraints and Indifference Equations

The Nash equilibrium strategy profile must satisfy several constraints and indifference conditions, which we will derive and use to solve for the strategy

profile. The key conditions are:

- The caller must be indifferent between calling and folding at their calling threshold
- The bettor must be indifferent between checking and betting at their value betting and bluffing thresholds
- The bettor's bet size for a value bet must maximize their expected value
- The bettor's strategy must be continuous in bet size (in the regions where they bet)

These conditions give us the following system of equations:

Caller Indifference:

$$\begin{aligned}(x_4 - x_3) \cdot (1 + L) - (x_2 - x_1) \cdot L &= 0 \\ (1 - x_5) \cdot (1 + U) - x_0 \cdot U &= 0 \\ |b'(s)| \cdot (1 + s) + |v'(s)| \cdot s &= 0\end{aligned}$$

Bettor Indifference and Optimality:

$$\begin{aligned}-sc'(s) - c(s) + 2v(s) - 1 &= 0 \\ c(L) - (1 - c(L)) \cdot L &= x_3 \\ c(s) - (1 - c(s)) \cdot s &= x_2\end{aligned}$$

Continuity Constraints:

$$\begin{aligned}b(U) &= x_0 \\ b(L) &= x_1 \\ v(U) &= x_5 \\ v(L) &= x_4\end{aligned}$$

We will now derive each of these equations in turn.

4.2.1 Caller Indifference

By definition, $c(s)$ is the threshold above which the caller calls and below which they fold. This means that in Nash Equilibrium, the caller must be indifferent between calling and folding with a hand strength of $c(s)$:

$$\mathbb{E}[\text{call } c(s)] = \mathbb{E}[\text{fold } c(s)]$$

$$\mathbb{P}[\text{bluff}|s] \cdot (1 + s) - \mathbb{P}[\text{value bet}|s] \cdot s = 0$$

We now split into cases based on the value of s .

Case 1: $s = L$. The hands the bettor value bets L with are $x \in (x_3, x_4)$, and the hands they bluff with are $x \in (x_1, x_2)$.

$$(x_4 - x_3) \cdot (1 + L) - (x_2 - x_1) \cdot L = 0 \quad (2)$$

Case 2: $s = U$. The hands the bettor value bets U with are $x \in (x_5, 1)$, and the hands they bluff with are $x \in (0, x_0)$.

$$(1 - x_5) \cdot (1 + U) - x_0 \cdot U = 0 \quad (3)$$

Case 3: $L \leq s \leq U$. In this case, the bettor has exactly one value hand and one bluffing hand, but somewhat paradoxically, they are not equally likely. The probability of a value bet given the size s is related to the inverse derivative of the value function $v(s)$ at s , and the same goes for a bluff. This gives us the following relation:

$$\frac{\mathbb{P}[\text{value bet}|s]}{\mathbb{P}[\text{bluff}|s]} = \frac{|b'(s)|}{|v'(s)|}$$

An intuitive interpretation of this is that for any small neighborhood around the bet size s , the bettor has more hands which use a bet size in the neighborhood if $v(s)$ does not change rapidly around s , that is, if $|v'(s)|$ is small. The same goes for bluffing hands, and as we limit the neighborhood to a single point, the ratio of the two probabilities approaches the ratio of the derivatives. Plugging this into the indifference equation, we get:

$$|b'(s)| \cdot (1 + s) + |v'(s)| \cdot s = 0 \quad (4)$$

4.2.2 Bettor Indifference and Optimality

When the bettor makes a value bet, they are attempting to maximize the expected value of the bet. We can write the expected value of a value bet as:

$$\begin{aligned} \mathbb{E}[\text{value bet } s|x] &= \mathbb{P}[\text{call with worse}] \cdot (1 + s) - \mathbb{P}[\text{call with better}] \cdot s + \mathbb{P}[\text{fold}] \cdot 1 \\ &= (x - c(s)) \cdot (1 + s) - (1 - x) \cdot (s) + c(s) \end{aligned}$$

To maximize this, we take the derivative with respect to s and set it equal to zero. Crucially, we are treating $c(s)$ as a function of s and using the chain rule, since changing the bet size s will also change the calling threshold $c(s)$.

We want this optimality condition to hold for the bettor's Nash equilibrium strategy, so we set $x = v(s)$. This gives us:

$$-sc'(s) - c(s) + 2v(s) - 1 = 0 \quad (5)$$

Additionally, when the bettor has the most marginal value betting hand at $x = x_3$, they should be indifferent between a minimum value bet and a check:

$$\begin{aligned} \mathbb{E}[\text{value bet } L|x = x_3] &= \mathbb{E}[\text{check}|x = x_3] \\ (x_3 - c(L)) \cdot (1 + L) - (1 - x_3) \cdot (L) + c(L) &= x_3 \end{aligned} \quad (6)$$

Finally, when the bettor has the most marginal bluffing hand at $x = x_2$, they should be indifferent between a minimum bluff and a check. However, as we discussed earlier, the bettor should be indifferent among all bluffing sizes, so the bettor should actually be indifferent between checking and making any bluffing size s at $x = x_2$. This gives us:

$$\begin{aligned} \mathbb{E}[\text{bluff } s|x = x_2] &= \mathbb{E}[\text{check}|x = x_2] \\ c(s) - (1 - c(s)) \cdot s &= x_2 \end{aligned} \quad (7)$$

4.2.3 Continuity Constraints

As discussed above, the bettor's strategy is continuous in s and x (except when checking). This means that the endpoints of the functions $v(s)$ and $b(s)$ are constrained as follows:

$$b(U) = x_0, \quad b(L) = x_1, \quad v(U) = x_5, \quad v(L) = x_4 \quad (8)$$

4.3 Nash Equilibrium Strategy Profile

The full solution process is detailed in Appendix A. Here we present the final solution, which was obtained by solving for $c(s)$ in terms of x_2 , then using this to solve for $v(s)$, and finally solving for $b(s)$ up to a constant of integration. The resulting system of 7 equations in 7 unknowns was solved symbolically using Mathematica and simplified by finding common subexpressions $A_0, A_1, A_2, A_3, A_4, A_5$.

Theorem 4.1 (Nash Equilibrium Strategy Profile). *The unique admissible Nash equilibrium strategy profile for Limit Continuous Poker with minimum bet size L and maximum bet size U is given by:*

$$\begin{aligned}
x_0 &= \frac{3(L+1)^3 U}{A_4} \\
x_1 &= \frac{3A_0 L U + A_0 U - L^3 - 3L^2}{A_4} \\
x_2 &= \frac{A_5}{A_4} \\
x_3 &= \frac{A_2 L^3 + 3A_2 L^2 + 3L(5U^3 + 15U^2 + 15U + 4) + 4U^3 + 12U^2 + 12U + 3}{A_4} \\
x_4 &= \frac{3A_1 L^2 + A_2 L^3 + 3A_2 L + 4U^3 + 12U^2 + 12U + 3}{A_4} \\
x_5 &= \frac{3A_3 L^2 + 3A_3 L + A_3 + L^3(6U^3 + 18U^2 + 15U + 2)}{A_4} \\
b_0 &= -\frac{(L+1)^3}{A_4} \\
b(s) &= b_0 - \frac{(1+3s)(x_2-1)}{6(1+s)^3} \\
c(s) &= \frac{x_2 + s}{s+1} \\
v(s) &= \frac{x_2 + 2s^2 + 4s + 1}{2(s+1)^2}
\end{aligned}$$

where the common subexpressions are:

$$\begin{aligned}
A_0 &= U^2 + 3U + 3 \\
A_1 &= 7U^3 + 21U^2 + 21U + 6 \\
A_2 &= 6U^3 + 18U^2 + 18U + 5 \\
A_3 &= 7U^3 + 21U^2 + 18U + 3 \\
A_4 &= 3A_1 L^2 + 3A_1 L + A_1 + A_2 L^3 \\
A_5 &= 3A_0 L^2 U + 3A_0 L U + A_0 U - L^3
\end{aligned}$$

Proof given in Appendix A. Refer to section 4.1 for an explanation of how these values fit together to actually form the strategy profile.

This solution is more interpretable in graphical form. Figure 1 shows the strategy profile for various values of L and U ranging from very lenient ($L = 0, U = 10$) to very restricted ($L = 0.5, U = 1$). The more lenient bet size limits model something closer to NLCP, while the more restricted bet size limits model something closer FBCP with a fixed bet size. Indeed,

we see that the strategy profile of for $L = 0, U = 10$ looks qualitatively similar to the strategy profile of NLCP - we will show in section 5.2 that the strategy profile approaches the Nash equilibrium of NLCP as L and U approach 0 and ∞ , respectively, and that the strategy profile approaches the Nash equilibrium of FBCP as L and U approach some fixed value s from either side.




Figure 1: Nash equilibrium strategy profiles for different values of L and U , from very lenient to very restricted bet sizes. The bet function maps hand strengths to bet sizes, while the call function gives the minimum calling hand strength for a given bet size. The shaded regions represent the hand strengths for which the caller should call a given bet size.

4.4 Payoff Analysis

In Nash Equilibrium, a given hand combination (x, y) uniquely determines the bettor's payoff, since both players play pure strategies. We can better understand the strategy profile by examining payoffs for all hand combinations over the unit square $[0, 1]^2$ (see Figure 2). For comparison, the first and last plots show the payoffs in Fixed-Bet Continuous Poker with a fixed bet size $B = 1$ and No-Limit Continuous Poker, respectively. We will explore the relationship between the three games in more detail in section 5.2.




Figure 2: Bettor payoffs in Nash equilibrium as a function of hand strengths x, y for fixed bet size $B = 1$ (top left), and No-Limit Continuous Poker (bottom right). Intermediate plots show the payoffs for different values of L and U ranging from strict (fixed bet size $B = 1$) to lenient (No limits). Regions are labeled according to the outcome of the game in Nash equilibrium.

This visualization gives insight into exactly how the bettor is gaining value from the game. In line with experience of real poker, the biggest wins and losses occur when both hands are strong (top right of any plot), with the stronger of the two hands winning a large pot. However, we also see

large payoffs when a very weak bettor bluffs big and gets called by a strong caller (top left). As the limits become more lenient, these cases become more extreme but also less likely, since making and calling maximum bets become more risky for both players.

plots

It is worth noting that the bettors strongest hands (right edge) actually seem to become less likely to make any profit as limits increase. These strongest hands make very large bets, which force all but the strongest hands to fold, but win huge pots when they do get called. In more complicated poker variants, it is common to ‘slowplay’ strong hands by checking or making small bets to induce bluffs from the opponent. In LCP, there is only one betting round and the caller is not allowed to raise, both of which make slowplaying obsolete. With extremely strong hands, the benefit of winning a large pot when betting big outweighs the lower likelihood of getting called.

It may seem unsurprising that strong hands become less likely to get called as limits increase, but what about the actual expected payoff of these hands? Does the expected value of each hand continue increasing as we increase U ? The answer is no. In fact, for any fixed hand strength x , the expected payoff of that hand increases in U only as long as x is a max-betting hand, after which the expected payoff of that hand decreases in U . This is a surprising result, and it is worth exploring in more detail.

Theorem 4.2. *For any given value-betting hand strength $x > 1/2$, in Nash equilibrium, the expected payoff $EV(x)$ is increasing in U if x bets the maximum U and decreasing in U otherwise.*

$$\begin{aligned}\frac{d}{dU}EV(x) &> 0 \text{ if } x > v(U) \\ \frac{d}{dU}EV(x) &< 0 \text{ if } x_3 < x < v(U)\end{aligned}$$

Before proving the theorem, we will first walk through some lemmas to explore how all the relevant variables change as we change U . Recall the expected payoff of a value-betting hand x :

$$EV(x) = \frac{1}{2}c(s) + (x - c(s))\left(s + \frac{1}{2}\right) + (1 - x)\left(-s - \frac{1}{2}\right)$$

Where s is the bet size made by hand strength x in Nash equilibrium. Note that s and c are both dependent on U , even though we have not explicitly written this dependence. We first show that if we fix x at any hand strength which bets neither the minimum nor maximum bet size and then

increase U , the bet size s made by x decreases. The x which make such bets are exactly $x \in [x_3, v(U)]$ and the bet size is given by $s = v^{-1}(x)$, so we get the following lemma:

Lemma 4.1. *For any fixed $x \in [x_3, v(U)]$,*

$$\frac{d}{dU}v^{-1}(x) < 0$$

Proof. Recall that

$$v^{-1}(x) = -\frac{\sqrt{(4x-4)(2x_2-2)}}{4x-4} - 1$$

Where x_2 is a function of L and U . Importantly, $v^{-1}(x)$ is only dependent on U through x_2 , so we can use the chain rule to take the derivative with respect to U :

$$\frac{d}{dU}v^{-1}(x) = \frac{\partial v^{-1}(x)}{\partial x_2} \frac{\partial x_2}{\partial U}$$

The first term is

$$\frac{\partial v^{-1}(x)}{\partial x_2} = -\frac{1}{\sqrt{(4x-4)(2x_2-2)}}$$

Which is always negative since $x \in [0, 1]$ and $x_2 \in [0, 1]$.

The second term is

$$\frac{\partial x_2}{\partial U} = \frac{18(L+1)^6(U+1)^2}{(L^3(6U^3+18U^2+18U+5)+3L^2(7U^3+21U^2+21U+6)+3L(7U^3+21U^2+21U+6))}$$

Which is always positive since $L \in [0, 1]$ and $U \in [0, \infty)$.

Therefore, the bet size of intermediate bets is decreasing in U . \square

Proof. We break the proof into two cases:

Case 1 ($x > v(U)$): In this case, hand x bets the maximum amount U . The expected value is:

Case 2 ($x_3 < x < v(U)$): In this case, hand x makes a bet $s = v^{-1}(x)$. There are two distinct factors influencing the derivative $\frac{d}{dU}EV(x)$, namely the change in bet size that x makes and the change in calling cutoff which results. Our proof uses the following argument:

- Show that bet size for a fixed $x \in [x_3, v(U)]$ is decreasing in U

- Show that the calling cutoff for a fixed $x \in [x_3, v(U)]$ is increasing in U
- Show that if the previous two claims hold, then the expected payoff is decreasing in U for all $x \in [x_3, v(U)]$

□

We also observe that as the limits become more lenient, the checking region (middle vertical strip) shrinks. There are two reasons for this: the first is that with a lower minimum bet size, the bettor can make use of small bets for hands that might have otherwise checked. The second is that with a higher maximum bet size, the bettor has a larger range of hands which

formalize this

WHY?

Having seen and briefly interpreted the strategy profile, we can explore the relationship between LCP and FBCP/NLCP in more detail.

5 Strategic Comparison to Fixed-Bet and No-Limit Continuous Poker

The most natural way to think of Limit Continuous Poker is as a generalization between Fixed-Bet and No-Limit Continuous Poker, on a spectrum from strict to lenient bet sizing. In this light, we begin by asking whether the Nash equilibrium strategies approach those of NLCP and FCP as the limits L and U approach their extreme cases. To make this more explicit, we model the bettor strategies for all three games as ‘bet functions’ from hand strengths to bets (with 0 representing a check), and caller strategies as ‘call functions’ from bet sizes to minimum calling thresholds. We also introduce notation to reference all three strategy profiles more efficiently.

5.1 Setup and Notation

To compare the strategy profiles across different variants of Continuous Poker, we introduce the following notation for the strategy functions of the three games:

In FBCP, the bettor can only make a fixed bet size B or check. The bet function $S_{FB}(x, B)$ maps hand strengths to either 0 (check) or B (bet):

$$S_{FB}(x, B) = \begin{cases} B & x < \frac{B}{(1+2B)(2+B)} \text{ (bluffing range)} \\ 0 & \frac{B}{(1+2B)(2+B)} > x > \frac{1+4B+2B^2}{(1+2B)(2+B)} \text{ (checking range)} \\ B & x > \frac{1+4B+2B^2}{(1+2B)(2+B)} \text{ (value betting range)} \end{cases} \quad (9)$$

Symbol	Meaning
$S_{FB}(x, B)$	Bettor's bet function in FBCP with fixed bet size B
$C_{FB}(s, B)$	Caller's call function in FBCP with fixed bet size B
$S_{NL}(x)$	Bettor's bet function in NLCP
$C_{NL}(s)$	Caller's call function in NLCP
$S_{LCP}(x, L, U)$	Bettor's bet function in LCP with limits L and U
$C_{LCP}(s, L, U)$	Caller's call function in LCP with limits L and U
$x_i _{L,U}$	Threshold x_i in LCP with limits L and U

Table 1: Notation for strategy functions across different variants of Continuous Poker

The caller's strategy is defined by a single threshold $C_{FB}(s, B)$:

$$C_{FB}(s, B) = \frac{B(3 + 2B)}{(1 + 2B)(2 + B)} \quad (10)$$

In NLCP, the bettor can choose any positive bet size. The strategy is most naturally described by functions $v_{NL}(s)$ and $b_{NL}(s)$ that map bet sizes to hand strengths:

$$v_{NL}(s) = 1 - \frac{3}{7(s+1)^2} \text{ (value betting function)}$$

$$b_{NL}(s) = \frac{3s+1}{7(s+1)^3} \text{ (bluffing function)}$$

The bet function $S_{NL}(x)$ is then defined in terms of the inverse functions:

$$S_{NL}(x) = \begin{cases} b_{NL}^{-1}(x) & x < \frac{1}{7} \text{ (bluffing range)} \\ 0 & \frac{1}{7} < x < \frac{4}{7} \text{ (checking range)} \\ v_{NL}^{-1}(x) & x > \frac{4}{7} \text{ (value betting range)} \end{cases}$$

The caller's strategy is defined by a continuous function $C_{NL}(s)$:

$$C_{NL}(s) = 1 - \frac{6}{7(s+1)}$$

In LCP, the bettor can choose any bet size between L and U . The strategy profile is defined by six thresholds x_0 through x_5 and functions $v(s)$ and $b(s)$ that map bet sizes to hand strengths. The bet function $S_{LCP}(x, L, U)$ and call function $C_{LCP}(s, L, U)$ are defined in terms of these values, which are given in Theorem 4.1.

5.2 Strategic Convergence

5.2.1 Bettor Strategy Convergence to Continuous Poker

We expect that as L and U approach some fixed value s , the bet function $S_{LCP}(x, L, U)$ should converge to the bet function $S_{FB}(x, s)$ for Fixed-Bet Continuous Poker with a fixed bet size s .

Theorem 5.1. *For any $B > 0$, the bet function $S_{LCP}(x, L, U)$ for Limit Continuous Poker converges to the bet function $S_{FB}(x, B)$ for Fixed-Bet Continuous Poker with a fixed bet size B as L and U approach B :*

$$\lim_{L \rightarrow B} \lim_{U \rightarrow B} S_{LCP}(x, L, U) = \lim_{U \rightarrow B} \lim_{L \rightarrow B} S_{LCP}(x, L, U) = S_{FB}(x, B).$$

Proof. We analyze the expressions for the x_i 's, each of which is a rational function⁴ of L and U . Since these functions are defined and continuous for all positive values of L and U , the limit as $L \rightarrow B$ and $U \rightarrow B$ can be found by simply substituting $L = U = B$:

$$\begin{aligned} x_0|_{B,B} = x_1|_{B,B} &= \frac{B}{2B^3 + 7B^2 + 7B + 2} \\ x_2|_{B,B} &= \frac{B}{(1+2B)(2+B)} \\ x_3|_{B,B} &= \frac{2B^2 + 4B + 1}{(1+2B)(2+B)} \\ x_4|_{B,B} = x_5|_{B,B} &= \frac{2B^2 + 5B + 1}{(1+2B)(2+B)} \end{aligned}$$

$x_0 = x_1$ and $x_4 = x_5$ are expected, since these intervals are where the bettor uses an intermediate bet size, and $L = U = B$ does not allow intermediate bet sizes. This reduces the bet function to

$$\begin{aligned} \lim_{L \rightarrow B} \lim_{U \rightarrow B} S_{LCP}(x, L, U) &= \begin{cases} B & x < \frac{B}{(1+2B)(2+B)} \\ 0 & \frac{B}{(1+2B)(2+B)} > x > \frac{2B^2+4B+1}{(1+2B)(2+B)} \\ B & x > \frac{2B^2+4B+1}{(1+2B)(2+B)} \end{cases} \\ &= S_{FB}(x, B) \end{aligned}$$

□

⁴A ratio of polynomials in L and U .

5.2.2 Caller Strategy Convergence to Continuous Poker

The calling function is easier to analyze. We want to show that the calling threshold $C_{LCP}(s, L, U)$ converges to the calling threshold $C_{FB}(s, B)$ for Fixed-Bet Continuous Poker with a fixed bet size B as L and U approach B .

Theorem 5.2. *For any $B > 0$, the call function $C_{LCP}(s, L, U)$ for Limit Continuous Poker converges to the call function $C_{FB}(s, B)$ for Fixed-Bet Continuous Poker with a fixed bet size B as L and U approach B :*

$$\lim_{L \rightarrow B} \lim_{U \rightarrow B} C_{LCP}(s, L, U) = \lim_{U \rightarrow B} \lim_{L \rightarrow B} C_{LCP}(s, L, U) = C_{FB}(s, B).$$

Proof. We already have the value of $x_2|_{B,B}$, so we can plug this into the expression for the calling threshold:

$$\begin{aligned} \lim_{L \rightarrow B} \lim_{U \rightarrow B} C_{LCP}(s, L, U) &= \frac{x_2|_{B,B} + s}{1 + s} \\ &= \frac{\frac{B}{(1+2B)(2+B)} + s}{1 + s} \\ &= \frac{B(3 + 2B)}{(1 + 2B)(2 + B)} \\ &= C_{FB}(s, B) \end{aligned}$$

□

5.2.3 Bettor Strategy Convergence to NLCP

In a similar fashion, we expect that as L and U approach 0 and ∞ , the bet function $S_{LCP}(x, L, U)$ should converge to the bet function $S_{NL}(x)$ for NLCP.

Theorem 5.3. *The bet function $S_{LCP}(x, L, U)$ for Limit Continuous Poker converges to the bet function $S_{NL}(x)$ for NLCP as L and U approach 0 and ∞ :*

$$\lim_{L \rightarrow 0} \lim_{U \rightarrow \infty} S_{LCP}(x, L, U) = \lim_{U \rightarrow \infty} \lim_{L \rightarrow 0} S_{LCP}(x, L, U) = S_{NL}(x).$$

Proof. We can analyze the expressions for the x_i 's as L and U approach 0 and ∞ . The limit is well-defined, and we can substitute $L = 0$ and $U = \infty$

into the expressions for the x_i s.

$$\begin{aligned} x_0|_{0,\infty} &= 0 \\ x_1|_{0,\infty} &= x_2|_{0,\infty} = \frac{1}{7} \\ x_3|_{0,\infty} &= x_4|_{0,\infty} = \frac{4}{7} \\ x_5|_{0,\infty} &= 1 \end{aligned}$$

$x_0|_{0,\infty} = 0$ and $x_5|_{0,\infty} = 1$ are expected, since these intervals are where the bettor uses a minimum bet size and a maximum bet size, respectively, both of which are impossible. The bettor now bets intermediate values for $x < \frac{1}{7}$ and $x > \frac{4}{7}$, and checks for $\frac{1}{7} < x < \frac{4}{7}$. But how much do they bet? We can take the limits of $v(s)$ and $b(s)$ as L and U approach 0 and ∞ :

$$\begin{aligned} \lim_{L \rightarrow 0} \lim_{U \rightarrow \infty} b(s) &= \frac{3s+1}{7(s+1)^3} \\ \lim_{L \rightarrow 0} \lim_{U \rightarrow \infty} v(s) &= 1 - \frac{3}{7(s+1)^2} \end{aligned}$$

To summarize, the bettor bets s with hands $x < \frac{1}{7}$ such that $x = b(s)$ or hands $x > \frac{4}{7}$ such that $x = v(s)$. This is exactly the same as the bet function $S_{NL}(x)$ for NLCP.

□

5.2.4 Caller Strategy Convergence to NLCP

The calling function is again easier to analyze. We want to show that the calling threshold $C_{LCP}(s, L, U)$ converges to the calling threshold $C_{NL}(s)$ for NLCP as L and U approach 0 and ∞ .

Theorem 5.4. *The call function $C_{LCP}(s, L, U)$ for Limit Continuous Poker converges to the call function $C_{NL}(s)$ for NLCP as L and U approach 0 and ∞ :*

$$\lim_{L \rightarrow 0} \lim_{U \rightarrow \infty} C_{LCP}(s, L, U) = \lim_{U \rightarrow \infty} \lim_{L \rightarrow 0} C_{LCP}(s, L, U) = C_{NL}(s).$$

Proof. Again, we already have the limiting value of $x_2|_{0,\infty}$, so we can plug

this into the expression for the calling threshold:

$$\begin{aligned}
\lim_{L \rightarrow 0} \lim_{U \rightarrow \infty} C_{LCP}(s, L, U) &= \lim_{L \rightarrow 0} \lim_{U \rightarrow \infty} \frac{x_2 + s}{1 + s} \\
&= \frac{\frac{1}{7} + s}{1 + s} \\
&= 1 - \frac{6}{7(1 + s)} \\
&= C_{NL}(s)
\end{aligned}$$

□

We have now shown that the bettor and caller strategies for LCP converge to those of FBCP and NLCP as the limits L and U approach their extreme values. In the next section, we explore the value of LCP in more detail, and in particular how it relates to that of FBCP and NLCP.

6 Game Value

LCP is a zero-sum game, so the value of the game can be found by the minimax theorem. Specifically, it is the maximum expected payoff that the bettor can gain when the caller plays optimally, and the minimum expected payoff that the caller can lose when the bettor plays optimally.

Since we have already found optimal strategies for both players, we can compute the value of the game as the average of the payoff in Nash equilibrium over all possible hand combinations (x, y) . This reduces to an integral of the payoff over the unit square, like we saw in Figure 2. Because the bet size is only defined implicitly in terms of the hand strength x , this is extremely nontrivial and requires breaking the square into regions based on the strategies and bet size. This method is fully specified in Appendix ??, but the resulting expression is given below.

$$V_{LCP}(L, U) = \frac{(1 + L)^3(1 + U)^3 - ((1 + L)^3 + L^3(1 + U)^3)}{14(1 + L)^3(1 + U)^3 - 2((1 + L)^3 + L^3(1 + U)^3)}$$

This is a rational function of L and U with a surprisingly simple form. Importantly, this makes it easy to compute $V_{LCP}(L, U)$ as L, U approach their extreme values, which we use to relate the game value to that of NLCP and FBCP in the next section.

Most interestingly, the value of LCP has the following symmetry:

$$V_{LCP}(L, U) = V_{LCP}\left(\frac{1}{U}, \frac{1}{L}\right)$$

This symmetry is easily checked from the definition of $V_{LCP}(L, U)$, but is not at all obvious from the game setup.

In the following sections, we investigate the properties and behavior of $V_{LCP}(L, U)$ in more detail. These include monotonicity, convergence to NLCP and FBCP, and the symmetry property.

6.1 Value Monotonicity

Intuitively, more options for the bettor should increase the game's value. To see this visually, we can plot the value of LCP as a function of the limits L and U for a range of values, as in Figure 3.

Notice the higher value for more lenient limits (top left of any plot in Figure 3) and lower value for more strict limits (moving down/right). We can easily prove this formally:

Theorem 6.1. *The value of Limit Continuous Poker is monotonically increasing in U and decreasing in L :*

$$\frac{\partial V_{LCP}(L, U)}{\partial U} \geq 0, \quad \frac{\partial V_{LCP}(L, U)}{\partial L} \leq 0$$

Proof. _____

□

prove
this

6.2 Value Convergence

The main diagonal of the plots in Figure 3 should represent $L = U$, which means the bet size is fixed. Thus, this diagonal should represent the value of FBCP for various values of B . We can prove this formally:

Theorem 6.2. *For any $B > 0$, the value of Limit Continuous Poker converges to the value of Fixed-Bet Continuous Poker as L and U approach B :*


$$\lim_{L \rightarrow B} \lim_{U \rightarrow B} V_{LCP}(L, U) = \lim_{U \rightarrow B} \lim_{L \rightarrow B} V_{LCP}(L, U) = V_{FB}(B)$$

Proof. _____


□

prove
this


These plots also align with the known result that a fixed pot-size bet of $B = 1$ maximizes the expected value for the bettor in FBCP, as seen by the fact that $(1, 1)$ achieves the maximum value on the diagonal.




(a) Linear scale



(b) Zoomed out linear scale



(c) Log-log scale



(d) Zoomed out log-log scale

Figure 3: Game value of Limit Continuous Poker as a function of the limits L and U . (a) Linear scale, (b) Zoomed out linear scale, (c) Log-log scale, (d) Zoomed out log-log scale. The restriction $L \leq U$ keeps the plots above the diagonal.

We can also show that the value of LCP converges to the value of NLCP as L and U approach their extremes, represented by the top left of any plot in Figure 3.

Theorem 6.3. *The value of Limit Continuous Poker converges to the value*

of NLCP as L and U approach 0 and ∞ :

$$\lim_{L \rightarrow 0} \lim_{U \rightarrow \infty} V_{LCP}(L, U) = \lim_{U \rightarrow \infty} \lim_{L \rightarrow 0} V_{LCP}(L, U) = V_{NL}$$

Proof.

□

prove
this

6.3 Value Symmetry

Looking again at the log-log plots in Figure 3, we see the symmetry property of $V_{LCP}(L, U)$ represented by symmetry about the reverse diagonal (the line $\log(L) = -\log(U)$).

This symmetry can be interpreted in terms of how changing the limits affects the game to the bettor. We discussed earlier how the bettor benefits from increasing U or from decreasing L , but it was unclear exactly how these benefits related quantitatively. The symmetry property tells us that the benefit from increasing U is exactly equivalent to that of decreasing L in a reciprocal manner, centered exactly around the pot size of 1. Similarly, the loss in value from decreasing U is equivalent to the loss from increasing L in a reciprocal manner.

For example, suppose you are given the choice between playing LCP as the bettor with limits $L = 1/2$ and $U = 5$ or $L = 1/5$ and $U = 2$. You know you can play optimally, but it is unclear which game favors you. The symmetry property tells us that the value of the game is the same in both cases, so you should be indifferent between the two.

A Derivation of Nash Equilibrium Strategy Profile

B Computation of Game Value