Click here to access the guidelines/NICE algorithm							
N&WICS - TA852 - Trifluridine-tipiracil - Metastatic gastric cancer or gastro-oesophageal junction adenocarcinoma after 2 or more treatments							
Before providing patient identifiable parent/legal guardian/carer) has give CSU for processing this funding requirement is more than one NICE-approapout the advantages and disadvant patient is likely to adhere to treatment and price per dose) unless an order	en appropriate explicit consent uest and validating subsequen oved treatment available, a dis tages of the treatments availal ent. The most appropriate, leas	t for sensitive personal informat invoices. Consent given: coussion between the response. This has taken into const expensive, will be chose	mation on this form noisible clinician and sideration therapeut	to be passed to the the patient has tal ic need and wheth	e CCG and/or ken place ler or not the		
Patient NHS No:	Trust:		Practice Name:				
Patient Hospital No:	Consultant Making Request:		Practice Postcode:				
Patient's Initials and DoB:			Practice Code:				
Notification Email Address:	(@NHS.ne	et account ONLY)	Contact name & number:				
Start date of requested treatment:	Committee	e □NHS care □Hospital	Sub-Type: N/	'A 🔽			
By completing this form, you confirm that you intend to use the requested medicinal product described below as agreed in the local commissioning statement. Any requests which fall outside of this use will require an individual funding request (IFR). For support regarding IFRs, please contact: norfolkicd@nhs.net For support regarding the criteria listed below, please contact: norfolknontariff@nhs.net							
Please indicate whether patie	nt meets the following NICE	criteria:		Please tick			
Trifluridine—tipiracil is recommended, within its marketing authorisation, as an option for treating metastatic gastric cancer or gastro-oesophageal junction adenocarcinoma in adults who have had 2 or more treatment regimens. It is only recommended if the company provides trifluridine—tipiracil according to the commercial arrangement.							
As per NICE guidance, treatment should normally be started with the least expensive drug (considering the dose required, price per dose and any additional administration costs). Please confirm that the choice of drug is considered the most cost-effective treatment for this individual patient, noting that alternative treatment options recommended by NICE may be lower in cost, including the use of biosimilar medications if applicable.							
Where an alternative lower cost treatment is available and has not been tried by the patient, please confirm that the clinical rationale for prescribing has been included in the patients' medical record for the purpose of auditing.							
I confirm that the patient meet	s the criteria for treatment						
Name of person completing: Contact Details:							
Designation of person completing: Date:							
Trust Authorising Pharmacist		-					

Name: Date: