Click here to access the guidel	nes/NICE algorithm				
Before providing patient identifial parent/legal guardian/carer) has CSU for processing this funding If there is more than one NICE-a about the advantages and disadratient is likely to adhere to treat and price per dose) unless an or	pole data on this form, please or given appropriate explicit conse- request and validating subseque pproved treatment available, a vantages of the treatments available. He	ent for sensitive personal ient invoices. Consent gived discussion between the resilable. This has taken into east expensive, will be chemical controls.	n the case of a minor cinformation on this formen:	to be passed to the the patient has take the patient has take the patient has take the transfer of the transfe	e CCG and/or ken place er or not the
Patient NHS No:	Trust:	ic 17.6.	Practice Name:		
Patient Hospital No:	Consultant Making Request:		Practice Postcode:		
Patient's Initials and DoB:			Practice Code:		
Notification Email Address:	(@NHS	net account ONLY)	Contact name & number:		
Start date of requested treatment:	Summilian.	rate □NHS necare □Hospital	Sub-Type:	I/A 🔽	
commissioning statement. Any refer support regarding IFRs, pleasers support regarding the criterians.	se contact: norfolkicd@nhs.ne	t	ridual funding request (	IFR).	
Please indicate whether pa	tient meets the following NI	CE criteria:		Please tick	
for people who have had an disease or	d as an option to prevent occlu	peripheral arterial disease		□Yes □No	
for people who have had a r	nyocardial infarction only if asp	irin is contraindicated or n	ot tolerated.		
occlusive vascular events:  • for people who have had a t	ole in combination with aspirin ransient ischaemic attack or ischaemic stroke only if clopide	·	,	□Yes □No	
Modified-release dipyridame	ole alone is recommended as a	in option to prevent occlus	sive vascular events:		
	ischaemic stroke only if aspirin			☐Yes ☐No	
for people who have had a t	ransient ischaemic attack only	if aspirin is contraindicate	d or not tolerated.		
4. Treatment with clopidogrel licensed preparation.	to prevent occlusive vascular e	vents should be started w	rith the least costly	☐Yes ☐No	
, ,	clopidogrel or modified-release and 1.3 should have the option		•	☐Yes ☐No	

clinicians consider it appropriate to stop.

6. As per NICE guidance, treatment should normally be started with the least expensive drug (considering the dose required, price per dose and any additional administration costs).

Please confirm that the choice of drug is considered the most cost-effective treatment for this individual

patient, noting that alternative treatment options recommended by NICE may be lower in cost, including the use of biosimilar medications if applicable.  Where an alternative lower cost treatment is available and has not been tried by the patient, please confirm that the clinical rationale for prescribing has been included in the patients' medical record for the purpose of			
auditing.			
7. The product is being used as described by local commissioning position.			
I confirm that the patient meets the criteria for treatment			
Name of person completing:	Contact Details:		
Designation of person completing:	Date:		
Trust Authorising Pharmacist	1		
Name:			
Date:			