LEHD Public Use CSV Naming Schema V4.1.1 - CSV Naming Convention
LEHD Public Use CSV Naming Schema V4.1.1 - CSV
Naming Convention

# **Contents**

1	Purpose	1
2	Schema for Data File Contents	1
3	Extends	1
4	Supersedes	1
5	Basic Schema	1
	5.1 QWIPU from the LED Extraction Tool	. 1
	5.2 Other files	. 2
6	<b>Description of Filename Components</b>	2
	6.1 Types	. 2
	6.2 geohi	. 3
	6.3 demo	. 3
	6.4 fas	. 4
	6.5 geocat	. 5
	6.6 indeat	. 6
	6.7 owncat	. 7
	6.8 sa	. 8
	6.9 ext	. 9
7	Changes	10
	7.1 This version (revisions)	. 10
	7.2 Varion 4.1.1 from 4.1.0	10

(Printable version)

## 1 Purpose

The public-use data from the Longitudinal Employer-Household Dynamics Program, including the Quarterly Workforce Indicators (QWI) and Job-to-Job Flows (J2J), are available for download with the following data schema. These data are available as Comma-Separated Value (CSV) files through the LEHD website's Data page at <a href="http://lehd.ces.census.gov/data/">http://lehd.ces.census.gov/data/</a> and through LED Extraction Tool at <a href="http://ledextract.ces.census.gov/">http://ledextract.ces.census.gov/</a>.

This document describes the file naming schema for LEHD-provided CSV files.

### 2 Schema for Data File Contents

The contents (schema) for LEHD data files are described in lehd\_public\_use\_schema.pdf. The contents (schema) for shapefiles are described in lehd\_shapefiles.pdf.

#### 3 Extends

This version reimplements some features from V4.0. Many files compliant with LEHD or QWI Schema v4.0 will also be compliant with this schema, but compatibility is not guaranteed.

## 4 Supersedes

This version supersedes V4.0.5, for files released as of RXXXX.

#### 5 Basic Schema

All files are preceded by a file type definition, followed by additional information on the aggregation level of the file, or some other identifier.

```
[TYPE]_[DETAILS].[EXT]
```

( naming\_convention.csv )

type	Used By	Description
[type]_[id]	qwix	CSV files queried from the LED Extraction Tool at
		http://ledextract.ces.census.gov/.
[type]_[geohi]_q[wdenwo]r_[fws]/ (geovajQj_[2)jdj2jdd[owficencant]on[sad]nvention for currently provided files.		
[type]\_[geod	athapefiles	ZIP files containing data for shapefiles

#### 5.1 QWIPU from the LED Extraction Tool

Files downloaded through the LED Extraction Tool at http://ledextract.ces.census.gov/ follow the following naming convention:

```
[type]_[id].[EXT]
```

where [id] is the Request ID (a unique string of characters) generated every time Submit Request" is clicked. The ID references each query submission made to the database.

#### 5.2 Other files

Files downloaded from the LEHD website at http://lehd.ces.census.gov/data follow the following naming convention:

```
[type]_[geohi]_[demo]_[fas]_[geocat]_[indcat]_[ownercat]_[sa].[EXT]
```

where each component is described in more detail below. Schema files detailing legal values for each component can be downloaded from this website.

# 6 Description of Filename Components

## 6.1 Types

( naming\_type.csv )

type	Description	Explanation	url
j2j	Job-to-Job Flows Counts	Counts of hires and separations, to and	tbd
	(J2J)	from employment and non-employment,	
101 1		summed across all establishments	
j2jod	Job-to-Job Flows	Origin and destination flows and	tbd
	Origin-Destination	earnings, tabulated by the destination	
		establishment	
j2jr	Job-to-Job Flows Rates	Hiring and separation rates, to and from	http://lehd.ces.census.gov/
		employment and nonemployment,	data/j2j_beta.html
		summed across all establishments	
lodes	LEHD	LEHD Origin-Destination Employment	http://lehd.ces.census.gov/
	Origin-Destination	Statistics (LODES) used by OnTheMap.	data/#lodes
	Employment Statistics	Version 7 and higher of LODES was	
	(LODES)	enumerated by 2010 census blocks.	
		Version 6 and lower of LODES were	
		enumerated with 2000 census blocks.	
qwi	Quarterly Workforce	The Quarterly Workforce Indicators	http://lehd.ces.census.gov/
	Indicators Public Use	(QWI) are a set of economic indicators	data/#qwi
	Counts (QWIPU)	including employment, job creation,	
		earnings, and other measures of	
		employment flows. The QWI are	
		reported using detailed firm	
		characteristics (geography, industry, age,	
		size) and worker demographics	
		information (sex, age, education, race,	
		ethnicity).	
qwir	Quarterly Workforce	Rates for flow variables in the Quarterly	tbd
	Indicators Public Use	Workforce Indicators (QWI)	
	Rates		
qwirv	Quarterly Workforce	Variability measures for rates in the	tbd
	Indicators Variability	Quarterly Workforce Indicators (QWI)	
	Measures for Rates		
qwiv	Quarterly Workforce	Variability measures for Quarterly	tbd
	Indicators Variability	Workforce Indicators (QWI)	
	Measures		
lehd_shp	LEHD Shapefiles	Shapefiles are used to provide mapping	lehd_shapefiles.html
	_	functionality in QWI Explorer and	_
		Job-to-Job Explorer	

## 6.2 geohi

( naming\_geohi.csv )

This component is based on the alphabetic FIPS state code equivalent to the numeric FIPS code in <a href="label\_fipsnum.csv">label\_fipsnum.csv</a>, based on FIPS PUB 5-2. It is expanded to encompass additional codes denoting national coverage, or a collection of states.

type	Description
all	Collection of all available states
us	National data (50 states + DC)
st	Any legal 2-character state postal code (see
	naming_geohi.csv)

#### 6.3 demo

( naming\_demo.csv )

type	Description
d	No demographic detail
rh	Race by Ethnicity tabulations
sa	Sex by Age tabulations
se	Sex by Education tabulations

## 6.4 fas

( naming\_fas.csv )

type	Description	
f	No firm size or age detail	
fa	Tabulations by firm age	
fs	Tabulations by firm size	

# 6.5 geocat

( naming\_geocat.csv )

type	Description
gb	Metropolitan (complete)
gc	Counties
gm	Metropolitan/Micropolitan (state parts)
gn	National (50 States + DC)
gs	States
gw	Workforce Investment Areas

## 6.6 indcat

( naming\_indcat.csv )

type	Description
n	all industries
ns	NAICS sectors
n3	NAICS subsectors
n4	NAICS industry groups

## 6.7 owncat

( naming\_owncat.csv )

type	Description
of	Federal government (QWI Code A01)
op	All Private (QWI Code A05)
oslp State, local, and private ownership categories (QW)	
	Code A00)

## 6.8 sa

( naming\_sa.csv )

type	Description
S	Seasonally adjusted
u	Not seasonally adjusted

## 6.9 ext

( naming\_ext.csv )

type	Description
csv	Comma-Separated file
pdf	PDF file (printable)
xls	Excel file (only select output)
xlsx	Excel file (not available for larger files)

## 7 Changes

For a description of how schema files are versioned, see main directory.

#### 7.1 This version (revisions)

• 2017-03-06: Initial release

#### 7.2 Version 4.1.1 from 4.1.0

- 2017-03-06: Modifed naming\_geo\_cat.csv, gb value to read "Metropolitan (complete)", gm to "Metropolitan/Micropolitan (state parts)"
- 2017-03-06: Updated reference in shapefile description to Job-to-Job Explorer to point to the recently released Beta webap, updated title to refer to the same name as the naming\_geo\_cat.csv uses
- 2017-03-06: Updated TIGER references to 2016 in shapefile description
- 2017-03-06: Modifed label\_geo\_level.csv, B value to read "Metropolitan (complete)"
- 2017-03-06: Added referenced in the same file to where to find the CBSA code underlying the state-part definitions
- 2017-03-06: Added a new file label\_geography\_metro.csv
- 2017-03-06: Changed references where appropriate from label\_geography\_cbsa to label\_geography\_metro
- 2017-03-06: Added additional aggregation levels, changed some labels
- 2017-03-06: Removed two variables from variables\_j2jod.csv that were not actually on the CSV file
- 2017-03-07: Updated 2016 geography in shapefiles
- 2017-03-07: Corrected naming of files inside shapefile ZIP files



#### **Important**

Some of the data products noted above do not exist yet.

This revision: Wed Mar 8 12:36:40 EST 2017