EHD Public Use CSV Naming Schema V4.2.0 - CSV Naming Convention
LEHD Public Use CSV Naming Schema V4.2.0 - CSV
Naming Convention
PDF BY DBLATEX

Contents

1	Purpose				
2	Schema for Data File Contents				
3	Exto	ends	1		
4	Sup	persedes	1		
5	Basi	ic Schema	1		
	5.1	QWIPU from the LED Extraction Tool	2		
	5.2	Metadata for QWI data files (version.txt)	2		
	5.3	Metadata for J2J data files (version.txt)	2		
	5.4	Metadata for J2JOD files	2		
6	Des	cription of Filename Components	2		
	6.1	Types	2		
	6.2	geohi	3		
	6.3	demo	3		
	6.4	fas	5		
	6.5	geocat	6		
	6.6	indcat	7		
	6.7	owncat	8		
	6.8	sa	Ģ		
	6.9	ext	10		
7	Cha	anges	11		
	7.1	This version (revisions)	11		
	7.2	Version 4.2.0 from 4.1.3	11		

(Printable version)



Important

This document is not an official Census Bureau publication. It is compiled from publicly accessible information by Lars Vilhuber (Labor Dynamics Institute, Cornell University). Feedback is welcome. Please write us at lars.vilhuber@cornell.edu.

1 Purpose

The public-use data from the Longitudinal Employer-Household Dynamics Program, including the Quarterly Workforce Indicators (QWI) and Job-to-Job Flows (J2J), are available for download with the following data schema. These data are available as Comma-Separated Value (CSV) files through the LEHD website's Data page at http://lehd.ces.census.gov/data/ and through LED Extraction Tool at http://ledextract.ces.census.gov/.

This document describes the file naming schema for LEHD-provided CSV files.

2 Schema for Data File Contents

The contents (schema) for LEHD data files are described in lehd_public_use_schema.pdf. The contents (schema) for shapefiles are described in lehd_shapefiles.pdf.

3 Extends

This version reimplements some features from V4.0. Many files compliant with LEHD or QWI Schema v4.0 will also be compliant with this schema, but compatibility is not guaranteed.

4 Supersedes

This version supersedes V4.1, for files released as of R2018Q1

5 Basic Schema

All files are preceded by a file type definition, followed by additional information on the aggregation level of the file, or some other identifier.

[TYPE]_[DETAILS].[EXT]

(naming_convention.csv)

type	Used By	Description
[type]_[id] qwix CSV files queried from the LED Ex		CSV files queried from the LED Extraction Tool at
		http://ledextract.ces.census.gov/.
[type]_[geoh	i] <u>q[wleqw]r[fwi]/(gweiwraj[2][2jd¢2j\d[</u> o	w@creanlon[sad]nvention for currently provided files.
lehd_shp_[ge	lehd_shp_[geoshalperiples	
version_[demor <u>ine</u> frad.httaxt		Machine-readable text files with metadata on geographic
		and temporal coverage for QWI
version_[typ	e] nt&t adata	Machine-readable text files with metadata on geographic
		and temporal coverage for J2J
j2jod_[geogr	a phyl<u>a</u>data il.csv	Complex metadata (used only in J2JOD) - see below

5.1 QWIPU from the LED Extraction Tool

Files downloaded through the LED Extraction Tool at http://ledextract.ces.census.gov/ follow the following naming convention:

```
[type]_[id].[EXT]
```

where [id] is the Request ID (a unique string of characters) generated every time Submit Request" is clicked. The ID references each query submission made to the database.

5.2 Metadata for QWI data files (version.txt)

Metadata accompanies the data files, identifying provenance, geographic and temporal coverage. These files follow the following naming convention:

```
version_[demo]_[fas].txt
```

where each name component is described in more detail below.

5.3 Metadata for J2J data files (version.txt)

Metadata accompanies the data files, identifying provenance, geographic and temporal coverage. These files follow the following naming convention:

```
version_[type].txt
```

where each name component is described in more detail below.

5.4 Metadata for J2JOD files

Because the origin-destination (J2JOD) data link two regions, we provide an auxiliary file with the time range for which cells containing data for each geographic pairing may appear in a data release. The reference region will always be either the origin or the destination. These files follow the following naming convention:

```
j2jod_[geography]_avail.csv
```

where each name component is described in more detail below.

6 Description of Filename Components

6.1 Types

(naming_type.csv)

type	Description	Explanation	url
j2j	Job-to-Job Flows Counts	Counts of hires and separations, to and	tbd
	(J2J)	from employment and non-employment,	
		summed across all establishments	
j2jod	Job-to-Job Flows	Origin and destination flows and	tbd
	Origin-Destination	earnings, tabulated by the destination	
		establishment	
j2jr	Job-to-Job Flows Rates	Hiring and separation rates, to and from	http://lehd.ces.census.gov/
		employment and nonemployment,	data/j2j_beta.html
		summed across all establishments	

type	Description	Explanation	url
lodes	LEHD	LEHD Origin-Destination Employment	http://lehd.ces.census.gov/
	Origin-Destination	Statistics (LODES) used by OnTheMap.	data/#lodes
	Employment Statistics	Version 7 and higher of LODES was	
	(LODES)	enumerated by 2010 census blocks.	
		Version 6 and lower of LODES were	
		enumerated with 2000 census blocks.	
qwi	Quarterly Workforce	The Quarterly Workforce Indicators	http://lehd.ces.census.gov/
	Indicators Public Use	(QWI) are a set of economic indicators	data/#qwi
	Counts (QWIPU)	including employment, job creation,	
		earnings, and other measures of	
		employment flows. The QWI are	
		reported using detailed firm	
		characteristics (geography, industry, age,	
		size) and worker demographics	
		information (sex, age, education, race,	
		ethnicity).	
qwir	Quarterly Workforce	Rates for flow variables in the Quarterly	tbd
	Indicators Public Use	Workforce Indicators (QWI)	
	Rates		
qwirv	Quarterly Workforce	Variability measures for rates in the	tbd
	Indicators Variability	Quarterly Workforce Indicators (QWI)	
	Measures for Rates		
qwiv	Quarterly Workforce	Variability measures for Quarterly	tbd
	Indicators Variability	Workforce Indicators (QWI)	
	Measures		
lehd_shp	LEHD Shapefiles	Shapefiles are used to provide mapping	lehd_shapefiles.html
		functionality in QWI Explorer and	
		Job-to-Job Explorer	

6.2 geohi

(naming_geohi.csv)

The geohi component is based on one of two possible code sets:

- the lower-case alphabetic FIPS or postal state code based on FIPS PUB 5-2 (see also label_stusps.csv for upper-case variants).
- the numeric CBSA code corresponding to the metropolitan areas (see label_geography_metro.csv)
- It is expanded to encompass additional codes denoting national coverage, or a collection of states.

type	Description	
all	Collection of all available states	
us	National data (50 states + DC)	
st	Any legal 2-character lower-case state postal code	
NNNNN	Any valid CBSA-derived code listed in	
	label_geography_metro.csv	

6.3 demo

(naming_demo.csv)

type	Description
d	No demographic detail

type	Description
rh	Race by Ethnicity tabulations
sa	Sex by Age tabulations
se	Sex by Education tabulations
sarhe	Collection of sa-rh-se tabulations

6.4 fas

(naming_fas.csv)

type	Description
f	No firm size or age detail
fa	Tabulations by firm age
fs	Tabulations by firm size

6.5 geocat

(naming_geocat.csv)

type	Description
gb	Metropolitan (complete)
gc	Counties
gm	Metropolitan/Micropolitan (state parts)
gn	National (50 States + DC)
gs	States
gw	Workforce Investment Areas

6.6 indcat

(naming_indcat.csv)

type	Description
n	all industries
ns	NAICS sectors
n3	NAICS subsectors
n4	NAICS industry groups

6.7 owncat

(naming_owncat.csv)

type	Description	
of	Federal government (QWI Code A01)	
op	All Private (QWI Code A05)	
oslp State, local, and private ownership categories (QWI		
	Code A00)	

6.8 sa

(naming_sa.csv)

type	Description
S	Seasonally adjusted
u	Not seasonally adjusted

6.9 ext

(naming_ext.csv)

type	Description
csv	Comma-Separated file
pdf	PDF file (printable)
xls	Excel file (only select output)
xlsx	Excel file (not available for larger files)

7 Changes

For a description of how schema files are versioned, see main directory.

7.1 This version (revisions)

• 2017-12-15: Initial release

7.2 Version 4.2.0 from 4.1.3

- Updated industry classification from NAICS 2012 to NAICS 2017
- Added a column ind_level to label_industry.csv similar to the geo_level
- · Added additional columns to the variable metadata schema for greater clarity
 - Description,
 - Concept,
 - Base
- Added a (draft) taxonomy of concepts used in the LEHD data world (label_concept_draft.csv)
- Fixed the labeling of ownership code A00 to correctly reflect scope
- Added files describing the number of quarters of data availability required relative to start and end quarters (lags_qwi.csv and lags_j2j.csv), and its metadata (variables_lags.csv)



Important

Some of the data products noted above do not exist yet.

This revision: Fri Jan 26 11:04:59 EST 2018