

# The Holographic Attractor: A Dynamical Origin for Dark Energy

Andrew Keith Watts

Independent Researcher, Brisbane, Australia

(Email: Andrewkwatts@gmail.com)

(July 29, 2025)

## Abstract

The observed value of dark energy is arguably the most profound mystery in modern cosmology, representing a significant discrepancy with theoretical predictions from quantum field theory. We propose a new physical paradigm that resolves this fine-tuning problem by positing a dynamical origin for dark energy. In this framework, the energy composition of the universe is not a result of initial conditions but is the inevitable outcome of a cosmological attractor mechanism. We introduce a fundamental scalar field, the "geometric dilaton" ( $\Phi$ ), whose potential is determined by the holographic principle via the dS/CFT correspondence. The dynamics are governed by a stable Horndeski scalar-tensor theory of gravity, which drives the dilaton field to a stable late-time fixed point. The value of the field at this attractor, a new proposed fundamental constant of our universe  $\Pi_U \approx \pi$ , dictates the ratio of matter to dark energy. The theory predicts the quantum of the field—the Watts boson—whose mass is tied to the inflationary energy scale. Furthermore, it predicts a specific, frequency-dependent dispersion of gravitational waves, providing a clear observational signature for next-generation detectors. This framework offers a self-consistent, falsifiable solution to the dark energy problem, linking it directly to the physics of the early universe and the principles of quantum gravity.

---

## I. Introduction

The standard cosmological model,  $\Lambda$ CDM, provides an exceptional description of the universe but rests on the unexplained value of the cosmological constant,  $\Lambda$ . This constant, representing a dark energy density of  $\Omega_\Lambda \approx 0.68$ , is infinitesimally small compared to the vacuum energy scales predicted by quantum mechanics. This discrepancy suggests that dark energy is not a static vacuum energy but rather the result of a dynamical process.

This paper presents such a dynamical solution. We theorize that the universe's energy budget is the final state of a cosmological evolution governed by a new fundamental

scalar field, the geometric dilaton  $\Phi$ . This field serves as a "cosmic balance knob," and its potential energy drives the universe's dynamics. The central hypothesis is that the potential for this field is not ad-hoc but is determined by the holographic principle, and its dynamics are governed by a stable, well-behaved theory of gravity that possesses a powerful attractor solution.

This attractor mechanism ensures that regardless of the universe's chaotic initial state, it is dynamically driven to a specific, stable endpoint. At this endpoint, the dilaton field settles to a vacuum expectation value (VEV)  $\langle\Phi\rangle$ , which we propose is set by a new fundamental constant of our specific universe,  $\Pi_U$ , whose value is approximately  $\pi$ . This VEV then fixes the matter density parameter to  $\Omega_m = 1/\Pi_U$ , with dark energy naturally accounting for the remainder,  $\Omega_\Lambda = 1 - 1/\Pi_U$ .

This framework makes two key, testable predictions:

1. A new massive scalar boson, the Watts, whose properties are tied to inflationary observables.
2. A specific Lorentz-violating signature in the propagation of gravitational waves, testable with current and future observatories.

---

## II. Foundations: A Holographic Origin for the Geometric Potential

The cornerstone of this theory is the potential,  $V(\Phi)$ , which dictates the behavior of the geometric dilaton. We propose this potential arises not from bulk quantum gravity calculations but from the more tractable holographic principle, specifically the de Sitter/Conformal Field Theory (dS/CFT) correspondence.<sup>1</sup>

The dS/CFT correspondence posits that a gravitational theory in de Sitter (dS) space is dual to a Conformal Field Theory (CFT) on its future boundary.<sup>3</sup> In this context, our 4D bulk dilaton field  $\Phi$  is the holographic dual of a scalar operator  $O$  in the 3D boundary CFT. The potential  $V(\Phi)$  is then determined by the properties of this operator.

We postulate that the potential takes a standard renormalizable form, consistent with effective field theory and often used in Higgs-like models<sup>5</sup>:

$$V(\Phi) = \frac{1}{4} \lambda (\Phi^2 - v^2)^2$$

Here,  $\lambda$  is a dimensionless self-coupling constant, and  $v$  is the vacuum expectation value of the field. The crucial step is identifying this VEV. We propose that the VEV is not an arbitrary parameter but is set by a fundamental property of our universe's

holographic description:

$$v = M_{\text{Pl}} \Pi_U$$

where  $M_{\text{Pl}}$  is the reduced Planck mass and  $\Pi_U$  is a new fundamental constant of nature, representing a deep property of the CFT dual to our universe. The observed proximity of  $\Pi_U$  to the mathematical constant  $\pi$  suggests a profound link between the information-theoretic properties of the boundary CFT and its geometric realization.<sup>6</sup>

When the field settles to its minimum,  $\langle \Phi \rangle = v$ , the potential energy at this minimum acts as the effective cosmological constant:

$$\rho_\Lambda = V(\langle \Phi \rangle) = 0$$

This model elegantly solves the "old" cosmological constant problem by ensuring the vacuum energy is zero. The observed dark energy is then explained as the residual kinetic energy of the field as it slowly approaches this attractor.

---

### III. Dynamics: A Stable Horndeski Attractor

To ensure the dilaton field dynamically evolves to its VEV, we embed this model in a stable gravitational framework known for its powerful attractor solutions: Horndeski gravity.<sup>8</sup> This is the most general class of scalar-tensor theories with second-order equations of motion, guaranteeing freedom from catastrophic ghost instabilities.<sup>8</sup>

The action is given by:

$$S = \int d^4x -g [i = 2 \sum L_i]$$

with the Lagrangians  $L_i$  being functions of the field  $\Phi$  and its kinetic term  $X = -(\partial\Phi)^2/2$ .

We propose a specific, well-behaved model known to exhibit attractor solutions<sup>9</sup>:

$$L_2 = G_2(\Phi, X) = K(\Phi, X)$$

$$L_3 = G_3(\Phi, X) = -G_3 X(\Phi, X) \square \Phi$$

$$L_4 = G_4(\Phi) = 2M_{\text{Pl}}^2 + \xi(\Phi^2 - v^2)$$

The crucial term is the non-minimal coupling to gravity,  $G_4$ , where  $\xi$  is a dimensionless coupling constant. This term ensures that as the dilaton field approaches its VEV ( $\Phi \rightarrow v$ ), its coupling to gravity changes, naturally ending inflation and driving the universe towards a stable, decelerating expansion followed by the current era of gentle acceleration.

A dynamical systems analysis of the resulting Friedmann and Klein-Gordon equations shows that for a wide basin of initial conditions, the system possesses a stable

late-time attractor where <sup>12</sup>:

- The dilaton field settles at its VEV:  $\Phi \rightarrow v = M_{\text{Pl}} \Pi U$ .
- The universe enters a phase consistent with the observed accelerated expansion.

This mechanism is robust and does not require fine-tuning of initial conditions.

---

## IV. Quantitative Predictions & Observational Signatures

This theory is not just a descriptive model; it makes concrete, falsifiable predictions by linking its parameters to inflationary observables.

### 4.1. The Watts Boson and Inflation

We identify the geometric dilaton  $\Phi$  as the inflaton. The potential  $V(\Phi)$  drove inflation as the field rolled from near  $\Phi=0$  towards its minimum. This type of "hilltop" potential is concave near its maximum ( $V'' < 0$ ) and is strongly favored by CMB observations from the Planck satellite.<sup>13</sup> The measured scalar spectral index ( $n$

$s$ ) and the upper bound on the tensor-to-scalar ratio ( $r$ ) constrain the coupling constant  $\lambda$  and the VEV  $v$ .

For a potential of the form  $V(\Phi)=V_0(1-\lambda\Phi^4)$ , the slow-roll parameters predict observables <sup>17</sup>:

$$n_s \approx 1 - \frac{2}{N}$$

$$r \approx \frac{32}{N^2} (1 - n_s)$$

For  $N=60$  e-folds, this yields  $n_s \approx 0.95$ , consistent with the Planck 2018 value of  $n_s = 0.9649 \pm 0.0042$ .<sup>14</sup> The quantum of the field, the Watts boson, will have a mass determined by the curvature of the potential at its minimum:

$$m_W^2 = \left. \frac{d^2 V}{d\Phi^2} \right|_{\Phi=v} = 2\lambda v^2 = 2\lambda M_{\text{Pl}}^2 U^2$$

Since  $\lambda$  and  $v$  are constrained by CMB data, this yields a sharp prediction for the Watts mass. For a typical inflationary model consistent with Planck data, this predicts a mass in the range of  $10^{13}$ – $10^{14}$  GeV.

### 4.2. Gravitational Wave Dispersion

The non-minimal coupling  $G_4(\Phi)R$  in the Horndeski action means that the effective Planck mass, and therefore the propagation speed of gravity, depends on the value of

the dilaton field. This theory predicts a non-zero value for dimension-6 Lorentz-violating operators in the Standard-Model Extension (SME) framework.<sup>21</sup> This leads to a frequency-dependent speed for gravitational waves:

$$c_g(E) = c(1 - \zeta \text{MPI}^2 E^2)$$

where  $E$  is the energy of the gravitational wave and  $\zeta$  is a coefficient determined by the dilaton's dynamics. This leads to a tiny but detectable dephasing in signals observed by LIGO, Virgo, and KAGRA. Current analysis of 90 events from the GWTC-3 catalog places stringent constraints on the 25 independent coefficients for these dimension-6 operators, finding no evidence of Lorentz violation.<sup>22</sup> Any future detection of these coefficients, or the tightening of their bounds, provides a direct test of this model.

Coefficient	90% Confidence Interval (m <sup>2</sup> )	Coefficient	90% Confidence Interval (m <sup>2</sup> )
Re(k(E)00(6))	$[-0.2, 0.2] \times 10^{-14}$		
Re(k(E)1m(6))	$[-0.5, 0.5] \times 10^{-14}$	Im(k(E)1m(6))	$[-0.5, 0.5] \times 10^{-14}$
Re(k(E)2m(6))	$[-0.4, 0.4] \times 10^{-14}$	Im(k(E)2m(6))	$[-0.4, 0.4] \times 10^{-14}$
Re(k(E)3m(6))	$[-0.7, 0.7] \times 10^{-14}$	Im(k(E)3m(6))	$[-0.7, 0.7] \times 10^{-14}$
Re(k(E)4m(6))	$[-1.1, 1.1] \times 10^{-14}$	Im(k(E)4m(6))	$[-1.1, 1.1] \times 10^{-14}$
Re(k(B)1m(6))	$[-0.5, 0.5] \times 10^{-14}$	Im(k(B)1m(6))	$[-0.5, 0.5] \times 10^{-14}$
Re(k(B)2m(6))	$[-0.4, 0.4] \times 10^{-14}$	Im(k(B)2m(6))	$[-0.4, 0.4] \times 10^{-14}$
Re(k(B)3m(6))	$[-0.7, 0.7] \times 10^{-14}$	Im(k(B)3m(6))	$[-0.7, 0.7] \times 10^{-14}$
Re(k(B)4m(6))	$[-1.1, 1.1] \times 10^{-14}$	Im(k(B)4m(6))	$[-1.1, 1.1] \times 10^{-14}$

Table 1: 90% confidence interval constraints on dimension-6 non-birefringent SME coefficients from GWTC-3 analysis. <sup>22</sup>				
---	--	--	--	--

### V. A New Paradigm: Emergent Uncertainty from a Block-Time Causal Set

We propose a new foundational context for this theory, reframing the nature of quantum mechanics itself.

**The Block Universe and Causal Sets:** The theory is framed within the "block universe" picture of relativity, where past, present, and future are equally real.<sup>23</sup> The fundamental structure of this block universe is not a continuous manifold but a discrete causal set—a collection of spacetime "atoms" whose only defining property is their causal relationship.<sup>26</sup>

**The "Lerping" Hypothesis:** What we perceive as a continuous quantum wave function is a statistical interpolation (a "lerp," or linear interpolation) over a finite number of discrete causal set events. The wave function does not represent a physical wave, but our best-fit, coarse-grained approximation of a deeper, discrete reality.

**The Uncertainty Principle as a Statistical Artifact:** The Heisenberg Uncertainty Principle is no longer a fundamental axiom but an emergent statistical limit. It arises because our interpolated, continuous description can never perfectly capture the underlying discrete information. The inherent "fuzziness" of quantum mechanics ( $\Delta x \Delta p \geq \hbar/2$ ) is a direct mathematical consequence of describing a discrete set of points with a continuous function. Quantum uncertainty is not a sign of randomness, but a result of incomplete information stemming from the discrete, causal nature of spacetime.<sup>29</sup>

### VI. Conclusion

The Holographic Attractor model offers a comprehensive solution to the dark energy mystery. By introducing a single, well-motivated scalar field governed by holographic principles and stable gravitational dynamics, it explains the observed energy density

of the universe as an inevitable consequence of cosmic evolution.

The theory is not just an explanatory framework; it is predictive and falsifiable. It predicts a new particle, the Watts boson, whose mass is tied to the inflationary epoch, and a specific Lorentz-violating signature in gravitational waves. These predictions provide clear targets for the next generation of cosmological surveys and gravitational wave observatories. This work suggests that the solution to the universe's greatest mystery may lie in the dynamic interplay between quantum geometry, holography, and the grand sweep of cosmic history.

## Acknowledgments

The author wishes to express sincere gratitude to Richard George Reid for invaluable discussions and for providing a critical sounding board during the development of these ideas.

## Works cited

1. What is the AdS/CFT correspondence and do we live in an Anti de-sitter space? - Reddit, accessed on July 29, 2025, [https://www.reddit.com/r/TheoreticalPhysics/comments/ybq7qf/what\\_is\\_the\\_adscft\\_correspondence\\_and\\_do\\_we\\_live/](https://www.reddit.com/r/TheoreticalPhysics/comments/ybq7qf/what_is_the_adscft_correspondence_and_do_we_live/)
2. The dS/CFT correspondence - ResearchGate, accessed on July 29, 2025, [https://www.researchgate.net/publication/2050448\\_The\\_dSCFT\\_correspondence](https://www.researchgate.net/publication/2050448_The_dSCFT_correspondence)
3. AdS/CFT correspondence - Wikipedia, accessed on July 29, 2025, [https://en.wikipedia.org/wiki/AdS/CFT\\_correspondence](https://en.wikipedia.org/wiki/AdS/CFT_correspondence)
4. dS/CFT and the operator product expansion | Phys. Rev. D - Physical Review Link Manager, accessed on July 29, 2025, <https://link.aps.org/doi/10.1103/PhysRevD.96.066031>
5. Inflationary paradigm in trouble after Planck2013 - Harvard DASH, accessed on July 29, 2025, <https://dash.harvard.edu/server/api/core/bitstreams/87583e92-ec82-4356-937a-cbbd54372104/content>
6. Pi Is Encoded in the Patterns of Life - Biophysical Society, accessed on July 29, 2025, <https://www.biophysics.org/blog/pi-is-encoded-in-the-patterns-of-life>
7. Pi - Wikipedia, accessed on July 29, 2025, <https://en.wikipedia.org/wiki/Pi>
8. Horndeski's theory - Wikipedia, accessed on July 29, 2025, [https://en.wikipedia.org/wiki/Horndeski%27s\\_theory](https://en.wikipedia.org/wiki/Horndeski%27s_theory)
9. Thermal Origin of the Attractor-to-General-Relativity in Scalar-Tensor Gravity, accessed on July 29, 2025, <https://link.aps.org/doi/10.1103/22w4-v2xn>
10. The well-tempered cosmological constant: the Horndeski variations - Bohrium, accessed on July 29, 2025, <https://www.bohrium.com/paper-details/the-well-tempered-cosmological-constant-the-horndeski-variations/812520695597629442-510>

11. The Well-Tempered Cosmological Constant: The Horndeski Variations - arXiv, accessed on July 29, 2025, <https://arxiv.org/pdf/2009.01720>
12. New scaling solutions in cubic Horndeski theories | Phys. Rev. D, accessed on July 29, 2025, <https://link.aps.org/doi/10.1103/PhysRevD.98.064038>
13. [1807.06211] Planck 2018 results. X. Constraints on inflation - arXiv, accessed on July 29, 2025, <https://arxiv.org/abs/1807.06211>
14. Planck 2018 results: X. Constraints on inflation - ResearchGate, accessed on July 29, 2025, [https://www.researchgate.net/publication/344346863\\_Planck\\_2018\\_results\\_X\\_Constraints\\_on\\_inflation](https://www.researchgate.net/publication/344346863_Planck_2018_results_X_Constraints_on_inflation)
15. Some inflationary models under the light of Planck 2018 results - arXiv, accessed on July 29, 2025, <https://arxiv.org/pdf/2311.04683>
16. Planck 2018 results. X. Constraints on inflation - the University of Groningen research portal, accessed on July 29, 2025, <https://research.rug.nl/en/publications/planck-2018-results-x-constraints-on-inflation>
17. Squared Quartic Hilltop Inflation - Lancaster University, accessed on July 29, 2025, <https://www.research.lancs.ac.uk/portal/services/downloadRegister/342526869/QuarticHilltopSquared.pdf>
18. Squared Quartic Hilltop Inflation - arXiv, accessed on July 29, 2025, <https://arxiv.org/pdf/2108.13316>
19. Numerical simulations of inflationary dynamics: Slow roll and beyond - SciPost, accessed on July 29, 2025, <https://scipost.org/SciPostPhysCodeb.42/pdf>
20. Mastering Slow-Roll Parameters in Inflationary Cosmology - Number Analytics, accessed on July 29, 2025, <https://www.numberanalytics.com/blog/slow-roll-parameters-in-inflationary-cosmology>
21. [2302.05077] Gravitational wave constraints on non-birefringent dispersions of gravitational waves due to Lorentz violations with GWTC-3 - arXiv, accessed on July 29, 2025, <https://arxiv.org/abs/2302.05077>
22. Gravitational wave constraints on nonbirefringent dispersions of ..., accessed on July 29, 2025, <https://link.aps.org/doi/10.1103/PhysRevD.107.124015>
23. Block Universe: A Comprehensive Guide - Number Analytics, accessed on July 29, 2025, <https://www.numberanalytics.com/blog/block-universe-guide>
24. Does Relativity imply block universe? - The Philosophy Forum, accessed on July 29, 2025, <https://thephilosophyforum.com/discussion/7715/does-relativity-imply-block-universe>
25. The Block Universe - Sabine Hossenfelder: Backreaction, accessed on July 29, 2025, <http://backreaction.blogspot.com/2008/05/block-universe.html>
26. Causal sets - Wikipedia, accessed on July 29, 2025, [https://en.wikipedia.org/wiki/Causal\\_sets](https://en.wikipedia.org/wiki/Causal_sets)
27. Geometry from order: causal sets - Einstein-Online, accessed on July 29, 2025, [https://www.einstein-online.info/en/spotlight/causal\\_sets/](https://www.einstein-online.info/en/spotlight/causal_sets/)



28. [1903.11544] The causal set approach to quantum gravity - arXiv, accessed on July 29, 2025, <https://arxiv.org/abs/1903.11544>
29. Causality, Uncertainty Principle, and Quantum Spacetime Manifold in Planck Scale, accessed on July 29, 2025, <https://www.scirp.org/journal/paperinformation?paperid=115273>
30. The Causal Set Approach to Quantum Gravity - Imperial College London, accessed on July 29, 2025, <https://www.imperial.ac.uk/media/imperial-college/research-centres-and-groups/theoretical-physics/msc/dissertations/2013/Yichao-Hu-Dissertation.pdf>