



Back up data using the Cloud Backup Service

ONTAP 9

aherbin, Amanda Stroman, netapp-thomi
May 05, 2021

This PDF was generated from https://docs.netapp.com/us-en/ontap/task_cloud_backup_data_using_cbs.html on May 13, 2021. Always check docs.netapp.com for the latest.

Table of Contents

- Back up data using the Cloud Backup Service 1
 - Register the cluster with Cloud Manager 1
 - Enable the Cloud Backup Service 1
 - Protect new volumes or LUNs on the cloud 2
 - Protect existing volumes or LUNs on the cloud 3
 - Restore data from backup files 3

Back up data using the Cloud Backup Service

Starting with ONTAP 9.9.1, you can use System Manager to back up data in the cloud using Cloud Backup Service.



Cloud Backup Service supports FlexVol read-write volumes and data-protection (DP) volumes. FlexGroup volumes and SnapLock volumes are not supported.

Before you begin

You should perform the following procedures to establish an account in Cloud Manager.

1. [Create an account in Cloud Manager.](#)
2. [Create a connector in Cloud Manager](#) with one of the following cloud providers:
 - Microsoft Azure
 - Amazon Web Services (AWS)
 - Google Cloud Platform (GCP)
3. [Subscribe to Cloud Backup Service in Cloud Manager](#) (requires the appropriate license).
4. [Generate an access key and a secret key using Cloud Manager.](#)

Register the cluster with Cloud Manager

You can register the cluster with Cloud Manager by using either Cloud Manager or System Manager.

Steps

1. In System Manager, go to **Protection Overview**.
2. Under **Cloud Backup Service**, provide the following details:
 - Client ID
 - Client secret key
3. Select **Register and Continue**.

Enable the Cloud Backup Service

After the cluster is registered with Cloud Manager, you can enable the Cloud Backup Service and initiate the first backup to the cloud.

Steps

1. On the **Enable Cloud Backup Service** page, provide the following details:
 - Protection policy (an existing or new policy)
 - Cluster IP space
2. Select the checkbox if you want to back up all volumes in the cluster.
3. Select **Enable**.
4. Depending on which Cloud provider you specified, you need to provide specific information, as follows:

For this cloud provider...	Enter the following data...
Azure	<ul style="list-style-type: none"> • Azure Subscription ID • Resource group name (existing or new) • Region • IPspace
AWS	<ul style="list-style-type: none"> • AWS Account ID • Access key • Secret key • Region • IPspace
Google Cloud Project (GCP)	<ul style="list-style-type: none"> • Google Cloud Project name • Google Cloud Access key • Google Cloud Secret key • Region • IPspace

Protect new volumes or LUNs on the cloud

When you create a new volume or LUN, you can establish a SnapMirror protection relationship that enables backing up to the cloud for the volume or LUN.

Before you begin

- You should have a SnapMirror license.
- The WORM feature should be disabled.
- Intercluster LIFs should be configured.
- NTP should be configured.
- Cluster must be running ONTAP 9.9.1.
- You cannot use the feature for the following cluster configurations:
 - The cluster cannot be in a MetroCluster environment.
 - SVM-DR is not supported.
 - FlexGroups cannot be backed up using the Cloud Backup Service.

Steps

1. When provisioning a volume or LUN, on the **Protection** page, select the checkbox labeled **Enable SnapMirror (Local or Remote)**.
2. Select **Enable Cloud Backup Service**.

Protect existing volumes or LUNs on the cloud

You can establish a SnapMirror protection relationship for existing volumes and LUNs.

Steps

1. Select an existing volume or LUN, and click **Protect**.
2. On the **Protect Volumes** page, specify "Backup using Cloud Backup Service" for the protection policy.
3. Click **Protect**.
4. On the **Protection** page, select the checkbox labeled **Enable SnapMirror (Local or Remote)**.
5. Select **Enable Cloud Backup Service**.

Restore data from backup files

You can perform backup management operations, such as restoring data, updating relationships, and deleting relationships, only with Cloud Manager. Refer to [Restoring data from backup files](#) for more information.

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.