R University





Personal Data	Registration Number
Family Name:	
Given Name:	
Cimpoturo	
Signature:	
checked	
Scrambling	5
In this section no changes or modifications must be made!	6
must be made:	7 🔲 🔲 🔲 🔲 🗍 7
Type Exam ID	8 🔲 🗎 🗎 🗎 8
13072300001	
Please mark the boxes carefully: Not marked: or	
This document is scanned automatically. Please keep clean and do	not bend or fold. For filling in the document
please use a blue or black pen. Only clearly marked and positionally accurate crosses will be p	rocessed!
Answers 1 - 6	
a b c d e	
1	
2	
3 🔲 🔲 🔲	
4 🔲 🔲 🔲 💮	
5 🔲 🗎 🗎	
6	
a b c d e	

_ R University






In this section no changes or modifications must be made! Type Exam ID 999 15072900001	1						
In the following please fill in your answers.	In the following please fill in your answers.						
1							
2							
6							

Exam: 15072900001

- 1. (1 point) What is the derivative of $f(x) = x^5 e^{2.1x}$, evaluated at x = 0.61?
- 2. (1 point) Given the following information:



Compute:



3. (1 point) A machine fills milk into 250ml packages. It is suspected that the machine is not working correctly and that the amount of milk filled differs from the setpoint $\mu_0 = 250$. A sample of 218 packages filled by the machine are collected. The sample mean \bar{y} is equal to 249.3 and the sample variance s_{n-1}^2 is equal to 73.3.

Test the hypothesis that the amount filled corresponds on average to the setpoint. What is the value of the *t* test statistic?

- (a) -0.671
- (b) 6.607
- (c) -6.523
- (d) -1.207
- (e) -10.462
- 4. *(2 points)* The waiting time (in minutes) at the cashier of two supermarket chains with different cashier systems is compared. The following statistical test was performed:

Two Sample t-test

data: Waiting by Supermarket

t = 1.3183, df = 111, p-value = 0.09506

alternative hypothesis: true difference in means between group Sparag and group Consumo is great 95 percent confidence interval:

-0.2070945 Inf


sample estimates:

mean in group Sparag mean in group Consumo 7.567841 6.765754

Which of the following statements are correct? (Significance level 5%)

- (a) The absolute value of the test statistic is larger than 1.96.
- (b) A one-sided alternative was tested.
- (c) The *p* value is larger than 0.05.
- (d) The test shows that the waiting time is longer at Sparag than at Consumo.
- (e) The test shows that the waiting time is shorter at Sparag than at Consumo.

5. *(2 points)* The following figure shows a scatterplot. Which of the following statements are correct?



- (a) The standard deviation of Y is at least 6.
- (b) The scatterplot is standardized.
- (c) The absolute value of the correlation coefficient is at most 0.8.
- (d) For X = 20, Y can be expected to be about 100.
- (e) The mean of Y is at least 30.
- 6. (3 points) What is the name of the R function for least-squares regression?